FINAL REPORT

REPORT NO. 21-06

TENNESSEE STATEWIDE CREEL SURVEY

2020 RESULTS



Prepared by: Wm. Patrick Black

Tennessee Wildlife Resources Agency

June 2021

Tennessee Wildlife Resources Agency
Fisheries Management Division
5107 Edmonson Pike
Nashville, TN 37211

Final Report

Tennessee Statewide Creel Survey

2020 Results

Prepared By:

Wm. Patrick Black

Tennessee Wildlife Resources Agency Fisheries Management Division P. O. Box 40747 Nashville, TN 37204

June, 2021

Table of Contents

| | Page |
|---|----------|
| Program Overview | 7 |
| Statewide | |
| Statewide Angling Effort for All Anglers, by Location – 2020 | 14 |
| TWRA Region I | |
| Kentucky Reservoir | |
| Monthly Angling Effort for All Anglers – 2020 | 17 |
| Monthly Catch Statistics for All Anglers – 2020 | 18 |
| Summary of Species Catch Statistics – 2020 | . 19 |
| Summary of Fishing Effort and Catch Rates for Intended Species – 2020 | 20 |
| Summary of Relative Species Catch Rates Within Target Groups - 2020 | 21 |
| Comparison of Black Bass Catch Rates (# Fish/h) Between Tournament and Non-Tournament Anglers | 22 |
| Summary of Trip Expenditures and Consumer Surplus for Intended Species - 2020 | 23 24 |
| Kentucky 1 - North Reservoir | 24 |
| Monthly Angling Effort for All Anglers – 2020 | 26 |
| Monthly Catch Statistics for All Anglers – 2020 | 27 |
| Summary of Species Catch Statistics – 2020 | |
| Summary of Fishing Effort and Catch Rates for Intended Species – 2020 | . 28 |
| Summary of Relative Species Catch Rates Within Target Groups – 2020. | 30 |
| Comparison of Black Bass Catch Rates (# Fish/h) Between Tournament and Non-Tournament Anglers | 31 |
| Summary of Trip Expenditures and Consumer Surplus for Intended Species - 2020 | 32 |
| Summary of Sociological Questions – 2020 | 33 |
| Kentucky 2 - South Reservoir | |
| Monthly Angling Effort for All Anglers – 2020 | 35 |
| Monthly Catch Statistics for All Anglers – 2020 | 36 |
| Summary of Species Catch Statistics – 2020 | . 37 |
| Summary of Fishing Effort and Catch Rates for Intended Species – 2020 | 38 |
| Summary of Relative Species Catch Rates Within Target Groups – 2020 | 39 |
| Comparison of Black Bass Catch Rates (# Fish/h) Between Tournament and Non-Tournament Anglers | 40 |
| Summary of Trip Expenditures and Consumer Surplus for Intended Species - 2020 | 41 42 |
| Reelfoot Lake | 72 |
| Monthly Angling Effort for All Anglers – 2020 | 44 |
| Monthly Catch Statistics for All Anglers – 2020 | 45 |
| Summary of Species Catch Statistics – 2020 | |
| Summary of Fishing Effort and Catch Rates for Intended Species – 2020 | 47 |
| Summary of Relative Species Catch Rates Within Target Groups – 2020. | 48 |
| Comparison of Black Bass Catch Rates (# Fish/h) Between Tournament and Non-Tournament Anglers | 49 |
| Summary of Trip Expenditures and Consumer Surplus for Intended Species - 2020 | 50 |
| Summary of Sociological Questions - 2020 | 51 |

| Barkley Reservoir | |
|---|-----|
| Monthly Angling Effort for All Anglers – 2020 | 53 |
| Monthly Catch Statistics for All Anglers – 2020 | 54 |
| Summary of Species Catch Statistics – 2020 | 55 |
| Summary of Fishing Effort and Catch Rates for Intended Species – 2020 | 56 |
| Summary of Relative Species Catch Rates Within Target Groups – 2020 | 57 |
| Comparison of Black Bass Catch Rates (# Fish/h) Between Tournament and Non-Tournament Anglers | 58 |
| Summary of Trip Expenditures and Consumer Surplus for Intended Species - 2020 | 59 |
| Summary of Sociological Questions - 2020 | 60 |
| Pickwick Reservoir | |
| Monthly Angling Effort for All Anglers – 2020 | 62 |
| Monthly Catch Statistics for All Anglers – 2020 | 63 |
| Summary of Species Catch Statistics – 2020 | 64 |
| Summary of Fishing Effort and Catch Rates for Intended Species – 2020 | 65 |
| Summary of Relative Species Catch Rates Within Target Groups – 2020 | 66 |
| Comparison of Black Bass Catch Rates (# Fish/h) Between Tournament and Non-Tournament Anglers | 67 |
| Summary of Trip Expenditures and Consumer Surplus for Intended Species - 2020 | 68 |
| Summary of Sociological Questions - 2020 | 69 |
| | |
| TWRA Region II | |
| Percy Priest Reservoir | |
| Monthly Angling Effort for All Anglers – 2020 | 72 |
| Monthly Catch Statistics for All Anglers – 2020 | 73 |
| Summary of Species Catch Statistics – 2020 | 74 |
| Summary of Fishing Effort and Catch Rates for Intended Species – 2020 | 75 |
| Summary of Relative Species Catch Rates Within Target Groups - 2020 | 76 |
| Comparison of Black Bass Catch Rates (# Fish/h) Between Tournament and Non-Tournament Anglers | 77 |
| Old Hickory Reservoir | , , |
| Monthly Angling Effort for All Anglers – 2020 | 79 |
| Monthly Catch Statistics for All Anglers – 2020 | 80 |
| Summary of Species Catch Statistics – 2020 | 81 |
| Summary of Fishing Effort and Catch Rates for Intended Species – 2020 | 82 |
| Summary of Relative Species Catch Rates Within Target Groups - 2020 | 83 |
| Comparison of Black Bass Catch Rates (# Fish/h) Between Tournament and Non-Tournament Anglers | 84 |
| Summary of Trip Expenditures and Consumer Surplus for Intended Species - 2020 | 85 |
| Summary of Sociological Questions - 2020 | 86 |
| Cheatham Reservoir | |
| Monthly Angling Effort for All Anglers – 2020 | 88 |
| Monthly Catch Statistics for All Anglers – 2020 | 89 |
| Summary of Species Catch Statistics – 2020 | 90 |
| Summary of Fishing Effort and Catch Rates for Intended Species – 2020 | 91 |
| Summary of Relative Species Catch Rates Within Target Groups - 2020 | 92 |
| Comparison of Black Bass Catch Rates (# Fish/h) Between Tournament and Non-Tournament Anglers | 93 |
| Summary of Trip Expenditures and Consumer Surplus for Intended Species - 2020 | 94 |
| Summary of Sociological Questions - 2020 | 95 |
| Fims Ford Reservoir | |
| Monthly Angling Effort for All Anglers – 2020 | 97 |
| Monthly Catch Statistics for All Anglers – 2020 | 98 |
| Summary of Species Catch Statistics – 2020 | 99 |
| Summary of Fishing Effort and Catch Rates for Intended Species – 2020 | 100 |
| Summary of Relative Species Catch Rates Within Target Groups - 2020 | 101 |
| Comparison of Black Bass Catch Rates (# Fish/h) Between Tournament and Non-Tournament Anglers | 102 |
| Summary of Trip Expenditures and Consumer Surplus for Intended Species - 2020 | 103 |
| Summary of Sociological Questions - 2020 | 10/ |

TWRA Region III

| Center Hill Reservoir | |
|---|--|
| Quarterly Angling Effort for All Anglers – 2020 | |
| Quarterly Catch Statistics for All Anglers – 2020 | |
| Summary of Species Catch Statistics – 2020 | |
| Summary of Fishing Effort and Catch Rates for Intended Species – 2020 | |
| Summary of Relative Species Catch Rates Within Target Groups – 2020 | |
| Comparison of Black Bass Catch Rates (# Fish/h) Between Tournament and Non-Tournament Anglers | |
| Summary of Trip Expenditures and Consumer Surplus for Intended Species - 2020 | |
| Summary of Sociological Questions - 2020 | |
| Dale Hollow Reservoir | |
| Quarterly Angling Effort for All Anglers – 2020 | |
| Quarterly Catch Statistics for All Anglers – 2020 | |
| Summary of Species Catch Statistics – 2020 | |
| Summary of Fishing Effort and Catch Rates for Intended Species – 2020 | |
| Summary of Relative Species Catch Rates Within Target Groups - 2020 | |
| Comparison of Black Bass Catch Rates (# Fish/h) Between Tournament and Non-Tournament Anglers | |
| Summary of Trip Expenditures and Consumer Surplus for Intended Species - 2020 | |
| Summary of Sociological Questions - 2020. | |
| Chickamauga Reservoir | |
| Quarterly Angling Effort for All Anglers – 2020 | |
| Quarterly Catch Statistics for All Anglers – 2020 | |
| Summary of Species Catch Statistics – 2020 | |
| Summary of Fishing Effort and Catch Rates for Intended Species – 2020 | |
| Summary of Relative Species Catch Rates Within Target Groups – 2020 | |
| Comparison of Black Bass Catch Rates (# Fish/h) Between Tournament and Non-Tournament Anglers | |
| Summary of Trip Expenditures and Consumer Surplus for Intended Species - 2020 | |
| Summary of Sociological Questions - 2020 | |
| Watts Bar Reservoir | |
| Quarterly Angling Effort for All Anglers – 2020 | |
| Quarterly Catch Statistics for All Anglers – 2020 | |
| Summary of Species Catch Statistics – 2020 | |
| Summary of Fishing Effort and Catch Rates for Intended Species – 2020 | |
| Summary of Relative Species Catch Rates Within Target Groups - 2020 | |
| Comparison of Black Bass Catch Rates (# Fish/h) Between Tournament and Non-Tournament Anglers | |
| Summary of Trip Expenditures and Consumer Surplus for Intended Species - 2020 | |
| Summary of Sociological Questions - 2020 | |
| | |
| TWRA Region IV | |
| | |
| Norris Reservoir | |
| Monthly Angling Effort for All Anglers – 2020 | |
| Monthly Catch Statistics for All Anglers – 2020 | |
| Summary of Species Catch Statistics – 2020 | |
| Summary of Fishing Effort and Catch Rates for Intended Species – 2020 | |
| Summary of Relative Species Catch Rates Within Target Groups – 2020. | |
| Comparison of Black Bass Catch Rates (# Fish/h) Between Tournament and Non-Tournament Anglers | |
| Summary of Trip Expenditures and Consumer Surplus for Intended Species - 2020 | |
| Summary of Sociological Questions – 2020 | |

| Cherokee Reservoir | |
|---|--------------|
| Monthly Angling Effort for All Anglers – 2020 | 153 |
| Monthly Catch Statistics for All Anglers – 2020 | 154 |
| Summary of Species Catch Statistics – 2020 | 155 |
| Summary of Fishing Effort and Catch Rates for Intended Species – 2020 | 156 |
| Summary of Relative Species Catch Rates Within Target Groups – 2020 | 157 |
| Comparison of Black Bass Catch Rates (# Fish/h) Between Tournament and Non-Tournament Anglers | 158 |
| Summary of Trip Expenditures and Consumer Surplus for Intended Species - 2020 | 159 |
| Summary of Sociological Questions – 2020 | 160 |
| Tellico Reservoir | |
| Monthly Angling Effort for All Anglers – 2020 | 162 |
| Monthly Catch Statistics for All Anglers – 2020 | 163 |
| Summary of Species Catch Statistics – 2020 | 164 |
| Summary of Fishing Effort and Catch Rates for Intended Species – 2020 | 165 |
| Summary of Relative Species Catch Rates Within Target Groups – 2020 | 166 |
| Comparison of Black Bass Catch Rates (# Fish/h) Between Tournament and Non-Tournament Anglers | 167 |
| Summary of Trip Expenditures and Consumer Surplus for Intended Species - 2020 | 168 |
| Summary of Sociological Questions - 2020 | 169 |
| South Holston Reservoir | |
| Monthly Angling Effort for All Anglers – 2020 | 171 |
| Monthly Catch Statistics for All Anglers – 2020 | 172 |
| Summary of Species Catch Statistics – 2020. | 173 |
| Summary of Fishing Effort and Catch Rates for Intended Species – 2020 | 174 |
| Summary of Relative Species Catch Rates Within Target Groups – 2020 | 175 |
| Comparison of Black Bass Catch Rates (# Fish/h) Between Tournament and Non-Tournament Anglers | 176 |
| Summary of Trip Expenditures and Consumer Surplus for Intended Species - 2020 | 177 |
| Summary of Sociological Questions - 2020 | 178 |
| Chilhowee Reservoir | |
| Monthly Angling Effort for All Anglers – 2020 | 180 |
| Monthly Catch Statistics for All Anglers – 2020 | 181 |
| Summary of Species Catch Statistics – 2020. | 182 |
| Summary of Fishing Effort and Catch Rates for Intended Species – 2020 | 183 |
| Summary of Relative Species Catch Rates Within Target Groups – 2020 | 184 |
| Comparison of Black Bass Catch Rates (# Fish/h) Between Tournament and Non-Tournament Anglers | 185 |
| Summary of Trip Expenditures and Consumer Surplus for Intended Species - 2020 | 18ϵ |
| Summary of Sociological Questions - 2020 | 187 |
| Norris Tailwater | |
| Monthly Angling Effort for All Anglers – 2020 | 189 |
| Monthly Catch Statistics for All Anglers – 2020 | 190 |
| Summary of Species Catch Statistics – 2020. | 191 |
| Summary of Fishing Effort and Catch Rates for Intended Species – 2020 | 192 |
| Summary of Relative Species Catch Rates Within Target Groups – 2020 | 193 |
| Summary of Trip Expenditures and Consumer Surplus for Intended Species - 2020 | 194 |
| Summary of Sociological Questions - 2020 | 195 |
| Cherokee Tailwater | |
| Monthly Angling Effort for All Anglers – 2020 | 197 |
| Monthly Catch Statistics for All Anglers – 2020 | 198 |
| Summary of Species Catch Statistics – 2020 | 199 |
| Summary of Fishing Effort and Catch Rates for Intended Species – 2020 | 200 |
| Summary of Relative Species Catch Rates Within Target Groups – 2020 | 201 |
| Comparison of Black Bass Catch Rates (# Fish/h) Between Tournament and Non-Tournament Anglers | 202 |
| Summary of Trip Expenditures and Consumer Surplus for Intended Species - 2020 | 203 |
| Summary of Sociological Questions - 2020 | 204 |

Wilbur Tailwater

| Monthly Angling Effort for All Anglers – 2020 | 206 |
|---|-----|
| Monthly Catch Statistics for All Anglers – 2020 | 207 |
| Summary of Species Catch Statistics – 2020 | 208 |
| Summary of Fishing Effort and Catch Rates for Intended Species – 2020 | 209 |
| Summary of Relative Species Catch Rates Within Target Groups – 2020. | 210 |
| Summary of Trip Expenditures and Consumer Surplus for Intended Species - 2020 | 211 |
| Summary of Sociological Questions - 2020 | 212 |
| Appendix I | |
| TWRA Reservoir Angler Count Form | 214 |
| TWRA Reservoir Angler Survey Form | 215 |

Preface

During the 2020 sample year, sampling protocols were changed because of an unexpected outbreak of a human virus: 2019 novel coronavirus (COVID 19). Social distancing was recommended, but standard procedures for creel clerks using direct angler contact methods had not been previously developed. Initially, most creel clerks were instructed to continue to record pressure counts but avoid direct angler contact until health officials had better recommendations to avoid disease transmission. In a few cases, no pressure counts were taken for a month or more. After several months, many creel clerks went back to doing angler interviews without taking fish weights to maintain a safe distance from anglers. The decision on when and what portions of the creel survey to conduct was reached by regional managers based on the current understanding of public health safety protocols and the comfort level of staff regarding contact with the public.

In a normal year, the first section of the annual creel survey report contains annual summary tables for effort, targeted species catch statistics, and economic summaries. Calculations for the statewide annual tables are done by summing 12 monthly estimates for the respective calculation. Since, in most cases, several months of angler interviews were not taken, most of the annual summary tables were omitted from the report. Any summaries would be misleading and would likely lead to misinterpretations when compared to other years. The first table, which summaries angling effort, was left in since this table is calculated mostly from the pressure counts alone. In this case, only locations with 12 months of pressure counts were included. Trip calculations were omitted from this table since they are dependent on angler interviews. For the few locations where a full 12 months of angler counts and interviews were recorded, annual totals can still be derived from the individual location sections within the body of the report.

Program Overview

This document provides a summary of data collected by Tennessee Wildlife Resources Agency (TWRA) personnel for the statewide reservoir angler creel survey for the 2020 calendar year. Creel surveys were used to assess the fisheries of 17 reservoirs and 3 tailwaters throughout Tennessee using two basic sampling methods; roving and access point. This overview contains descriptions of: 1) survey designs, 2) sampling methodologies, and 3) analytical methods. Each description is divided into roving and access point surveys. The roving survey descriptions give a more thorough account of the methodology; access point survey descriptions only list methods that differed from roving surveys. The roving and access point creel survey designs were adopted from methods described by Malvestuto et al. (1978), Malvestuto (1996) and St. John (1992). The intention of this narrative is to provide readers with a brief overview of the statistical sampling framework.

Survey Designs

Creel clerks conducted surveys on 20 waterbodies with active, on-site methods whereby anglers were interviewed either during, or immediately following, fishing trips. Fishery-dependent information collected included: angler effort, trip duration, target preferences, catch, harvest, release, demographic measures, economic values and individual status as a tournament angler. All 20 waterbodies sampled in 2020 were sampled using roving creel survey methods.

(Roving Surveys)

The roving survey method used non-uniform probability, stratified random sampling to maximize sampling efficiency and minimize bias. Each reservoir was divided into a number of sections. The area of a section was originally defined by the ability of a creel clerk to complete a circuit in about 1 to 1.5 hours. Each area within a reservoir was assigned a sampling probability based on expected angler use within each of either 12 monthly time blocks or 4 quarterly time blocks. The sum of the area probabilities equaled 1.0. The fishing day was defined as the period of time from sunrise to sunset. Fishing days were divided into two sampling periods in which the period from sunrise to sunset was divided into two roughly equal periods. Sampling periods also were assigned probabilities based on expected angler use within each time block, and these summed to 1.0. Sampled days were divided into two strata (weekend days and weekday days) to homogenize the distributions of angler

occurrence, assuming that anglers would be more abundant during weekend samples when a greater proportion of the angling population would be expected to have more time for recreation.

Random work schedules were created prior to the beginning of the 2020 survey year. Within any given time block, a predetermined number of days were allocated to each day-type (weekend and weekday). Calendar days then were randomly chosen within each block for each day-type. Within each sample day, secondary sampling units consisted of all the possible combinations of time periods (2) and lake sections. Probabilities for secondary sample units were derived by multiplying the time period probability by the lake section probability. Secondary sampling unit probabilities summed to 1.0 for any given lake. One secondary sampling unit was randomly chosen each day; that is to say, each sample day, creel clerks worked one ½-day period within a single, pre-defined lake section.

(Access Point Surveys)

Although the sampling methodology for the access point creel surveys differed from the roving surveys, the framework used to determine the sampling designs was basically the same. The one exception was the substitution of angler access points (boat ramps) for reservoir areas. The secondary sample units comprised all combinations of access points and time periods, and the secondary sampling unit probabilities summed to 1.0. During each sample day, creel clerks worked one ½-day period at a single access point.

Sample Methodology

(Roving Surveys)

Creel clerks collected data during the scheduled work periods described previously. A roving creel survey sample consisted of two parts: angler counts and angler interviews. Daily counts of anglers were taken within the sample period by making a circuit of the lake concurrently with interviews during a single circuit of the lake section within a ½-day sampling period (count-as-you-go method). The count-as-you-go method required that check stations be established at ¼-way points on the route to enable clerks to stay on schedule and finish the single circuit during the allotted time. Travel direction was randomly determined by coin toss. All anglers fishing from either boats or from the shore were counted.

Creel clerks interviewed as many anglers as possible during a sample period. If there were more anglers than could be interviewed, then angling parties were systematically skipped to ensure that interviews were collected throughout the entire reservoir section in the allotted time.

Upon approaching anglers, creel clerks recorded information, which did not require interrupting fishing, including date, reservoir, sample area, fishing from the bank or a boat, and the number of anglers in the fishing party. When the clerk reached the angler or angling group, he asked if they would mind spending a few moments answering questions related to the fishing trip. If anglers did not wish to be interrupted, then the creel clerk moved on. If anglers did not mind responding to the interview, then the clerk asked how long they had been fishing, how much longer they expected to fish, what their primary target species was, what state and county they were from, the distance they traveled from home, the reason for the trip, the number of days in the trip, dollar amount of trip expenditures, and the additional amount of money they would be willing to spend if daily expenditures were to increase. The anglers were also categorized as a tournament (actively fishing in a tournament at the time of the interview) or a non-tournament angler. The creel clerk counted all fish harvested and recorded the bulk weight of each harvested species. Anglers were also asked how many of each species had been released. Each respondent's answers were recorded on pre-printed survey forms (Appendix I) using TWRA survey codes. Since anglers were interviewed before completing their fishing trips with roving surveys, interview data from roving surveys were based on uncompleted fishing trips.

(Access Point Surveys)

Access point surveys differed from roving creel surveys in that anglers were not interviewed until they had finished fishing and were leaving the water at an access site. Thus, interview data from access point surveys were based on competed fishing trips. During any given ½-day sampling period, the creel clerk waited at a boat

ramp and interviewed anglers as they left using the same interview format as used for roving surveys. All anglers leaving access sites were counted and as many as possible were interviewed.

Analytical Methods

Creel surveys conducted by TWRA used randomized sampling designs which, taken alone, only provide information about small portions of each reservoir fishery. To provide meaningful estimates about the populations from which the samples were drawn, the sample values must be expanded over space and time. The following narrative describes the calculations for these data expansions for any given reservoir. To assess the efficiency of the sampling effort and the variability of the estimates, relative standard errors (RSE) were calculated where possible. The RSE is the standard error (se) of an estimated value (y), expressed as a percentage of that value, or RSE = (se/y) x 100. Mathematical formulas for the following estimates were given by Malvestuto et al. (1978).

(Roving Surveys)

Fishing Effort

Estimates of fishing effort were calculated using daily angler counts and the number of hours within a sample period. Thus, for any given sampling period, fishing effort, measured in angler-hours (e), was calculated as the product of the total angler count (c) and the number of hours assigned to the sampling period (h), or e = c(h). This value estimates total angler-hours for a single lake section within a single time period, which must be expanded to an estimate of angler-hours for the entire lake for the whole day. This expansion is accomplished by dividing e by the probability for the secondary sampling unit (time period/lake section) worked that day. For example, if the time period probability was 0.5 and the lake section probability was 0.4, then the secondary sampling unit probability is 0.5 x 0.4, or 0.20, so an estimate of e=100 angler-hours for a given secondary unit would be expanded to 100/0.2 or $100 \times 5 = 500$ angler-hours for the whole waterbody for that entire day (E).

To derive estimates of total monthly fishing effort, means were taken across the daily values of E within each day-type stratum each month. These two daily mean values of fishing effort (one for weekends and one for weekdays) were weighted by the proportional number of those day types within each month (e.g. weekend weight = no. weekend-days/ total days in month), and then summed to provide a mean daily estimate of fishing effort for the month. This mean daily value then was multiplied by the total number of days in the month to give total monthly effort for the entire lake (T). Intended monthly fishing effort for a given species, or species group, was computed as the proportion of interviewed anglers fishing for that group times total monthly fishing effort. So, for example, if 25% of the anglers interviewed were fishing for black bass, the monthly-intended fishing effort for black bass would be 0.25(T).

Catch Rates (CPE, HPE and RPE)

Catch-per-unit-effort or CPE = the number of fish caught per hour, which includes fish harvested plus fish released back into the water. For roving creel surveys, CPE values are based on the number of fish caught by anglers at the time of interview (uncompleted fishing trips). For the following description, release or harvest values may be substituted for catch values to derive release per angler-hour, RPE, or harvest per angler-hour, HPE.

For each interview on a given sample day, the total number of fish caught by all anglers in the fishing party (n) was divided by the total time all anglers in the party had spent fishing (f) up to the point they were interviewed. These individual party CPE values (n/f) then were averaged to provide a daily CPE. A mean was taken across the daily CPE values within each day-type stratum, and then these weekday and weekend means were weighted and summed (as described for daily fishing effort above) to give a mean daily CPE for the time block. This mean daily value is representative of the time block as a whole, and becomes the monthly or quarterly CPE estimate for all species combined.

Catch, Harvest and Release

Total daily catch for an entire reservoir (C) was calculated by multiplying the total daily effort (E) by the daily CPE estimate. The same process was applied to release and harvest data to derive total daily release (R) and total daily harvest (H). The daily total catch values were used to calculate a mean daily catch within each day-type stratum each for block. The mean daily catch values for weekdays and weekends were weighted and summed across day types, as done for effort and CPE above, to derive a mean daily catch for the time block. This mean daily value then was multiplied by the number of days in the month or quarter (as done for fishing effort) to estimate total monthly/quarterly catch (M).

Estimates of catch for individual species were calculated from the percent composition of individual species recorded during interviews. For example, if a given species accounted for 40% of the total number of fish recorded during any given month, then the total monthly catch for that species would be 0.4(M).

Intended Species Catch Rates

Catch rates (CPE, RPE and HPE) for anglers targeting certain species were calculated based on interviews of anglers who intended to catch those species. For computations, interviews from anglers intending to catch various species were grouped. Catch rates for intended species were calculated for each interview by summing the number of fish caught of that species and dividing by fishing effort for all anglers in the party. A mean CPE then was taken across interviews within intended species categories to provide the intended species catch rates.

Caution should be exercised when interpreting these data since many of the target species groups were general categories (e.g. black bass, crappie) while other valid responses were more specific (e.g. largemouth bass, smallmouth bass). Anglers were asked to be as specific as possible regarding their target species, but often no discrimination was made between individual species within general groups. For example, calculations made for black bass only include data taken from anglers who stated black bass to be their target species group. The black bass category does not include values from anglers who specified they were fishing for largemouth bass or smallmouth bass. Calculations for these species are presented within their own categories. To obtain a true estimate of effort for black bass, all categories for black bass species, including the general category, must be summed (i.e. true total black bass effort = black bass effort + largemouth bass effort + smallmouth bass effort). The CPE estimates for intended species, however, are not additive since each estimate is based on a different value of intended fishing effort in the denominator, i.e., the fractions do not have a common denominator as they stand.

Relative Species Catch Rates

Relative catch rates are the proportional catch rates of individual species within the general intended species groups. These rates were computed by multiplying the intended catch rate for a given species group by the proportion of relevant species recorded in the creel. So, for example, if the intended catch rate for crappie is 1.8 fish/h, and black crappie represented 25% of the crappie in the creel and white crappie represented the remaining 75%, then the intended rate of 1.8 was partitioned into 1.8(.25) = 0.45 for black crappie and 1.8(.75) =1.35 for white crappie. These relations do not hold for black bass, however, because there were usually more than one black bass intended catch rate (e.g., general black bass, largemouth bass, smallmouth bass, etc.), so there was no single rate to partition. The intended rates are not additive, as explained above, so the sum of the intended rates cannot serve as the single rate for black bass to be partitioned. So, the relative CPE values for black bass species were computed by generating a new total black bass catch rate by summing the monthly/quarterly total catches of all black bass species in the numerator, and dividing by the sum of total monthly/quarterly-intended fishing effort for all black bass in the denominator. This value then was partitioned by the proportion of each black bass species recorded in the creel. Although the species relative catch rates for black bass sum to this new total rate, the new rate is not a pure intended catch rate and thus is not reported elsewhere in the report. In summary, relative catch rates basically reflect the species composition of the catch within intended species groups, and thus do not represent true catch rates for those individual species, as do the intended rates.

Economic Values

Anglers were asked to give estimates of daily trip expenditures for items, which included fuel, food, bait, lodging and guides fees. They were also asked how much additional money they would be willing to spend if daily trip costs were to increase in the future. This value is anglers' willingness to pay above actual costs, and represents anglers' consumer surplus. Consumer surplus is equivalent to the amount of money that anglers would be willing to spend for the opportunity to fish a given resource, over-and-above what they actually have to spend. This amount of money is the theoretical profit associated with the fishery, as if it were privately owned. This value is necessary to compute so that the profit associated with recreational fisheries in Tennessee can be compared to other more traditional industries. Money spent for trip preparation and travel to the reservoirs (fuel, food, bait, etc.) is funneled into other businesses that provide goods and services enabling anglers to go fishing; this money, in turn, employs people in these business, and is re-cycled in the local economies, generating more goods, services and profits. Both components of economic value, trip expenditures and consumer surplus, sum to provide an estimate of total angler-oriented value.

Total monthly estimates of trip expenditures and consumer surplus were computed by multiplying the median dollar values per trip by the total number of angler-trips estimated for the month. This was first done for each intended species group and then the intended species values were summed to give the total monthly economic estimates. Median trip values for the economic responses were used because frequency distributions of expenditures per trip and consumer surplus per trip were skewed to the left, such that means were generally higher than medians, and thus the more conservative median values were used in the computations.

Tournament Status

Beginning in 2002, all anglers were asked if they were actively fishing in a tournament at the time of the interview. Each interview record was coded as yes (tournament fishing), or no (not tournament fishing). Analyses involving tournament angling were restricted to those individuals targeting black basses. Black bass catch rates (CPE) were calculated for tournament anglers as well as non-tournament angler. For comparison, percent of black bass effort and catch rates for by angler type were printed in tables at the end of each reservoir section in the report

(Access Point Surveys)

This section only describes estimates, which differ in computation from the roving survey methods. These differences include estimating fishing effort and catch rates. All other estimates were calculated the same way for the two survey techniques.

Fishing Effort

The standard difference between roving and access point surveys with respect to derivation of fishing effort is how angler-hours for the sample period are estimated. For roving surveys as described above, sample period effort is estimated as the angler count times the number of hours in the sample period. For access point surveys, however, angler-hours for the sample period are simply the sum of angler-hours recorded from completed trip interviews at the access point. This assumes that all anglers who exited the site were interviewed. If all anglers could not be interviewed upon exit, then angler-hours for the sample period were estimated as the mean completed trip time computed from interviews, times the total number of anglers who exited the site. Once sample period effort is computed, the computational techniques for access point surveys followed those outlined above for roving surveys.

Catch Rates

Catch rates from roving surveys should be computed differently than catch rates from access point surveys. This is because catch rate data are based on uncompleted trips from roving surveys. If trip data is not complete, then it is appropriate to compute a catch rate for each interview and then take a mean of these rates within any given day to provide a daily catch rate. This is the method described above for computation of catch rates from roving surveys. This method gives each interview equal weighting regardless of how long the anglers were fishing. Equal weighting is appropriate because the final length of the trip is not known. However, if the

completed trip length is known as with access point surveys, then catch rate is computed as the sum of catch across interviews (numerator) divided by the sum of effort across interviews (denominator). This provides a single total ratio estimate of CPE, which is equivalent to weighting each interview catch rate by the time spent fishing. This weighting is appropriate because the total fishing trip is represented in the data.

References

- Malvestuto, S. P., W. D. Davies, and W. L. Shelton. 1978. An evaluation of the roving creel survey with nonuniform probability sampling. Transactions of the American Fisheries Society 107:255-262.
- Malvestuto, S. P. 1996. Sampling the recreational creel. Pages 591-623 in B. R. Murphy, and D. W. Willis editors. Fisheries Techniques. American Fisheries Society, Bethesda, Maryland.
- St. John, T. 1992. Methods for deriving annual creel reports. Tennessee Wildlife Resources Agency, Fisheries Report 92-24. Nashville, Tennessee.

Acknowledgments

The author expresses the deepest gratitude to the late Dr. Steve Malvestuto and his family for assistance in helping the TWRA adapt modern creel survey sampling and analytical methods the statewide reservoir creel survey. Dr. Malvestuto and KGN Consulting, Inc. provided the foundation program that was used to create the estimates presented herein

This document would not be possible without the tireless efforts of the data collection staff (aka "creel clerks") who work on the water year-round, sunrise to sunset, regardless of the conditions or disposition of the interview subjects in an effort to gain quality, unbiased data samples. These individuals follow:

Al Bartolotto Charles Hensley Patrick Johnson Gary Loucks Richard Markland Michael Parker Tim Poole Andrew Pruitt Paul Shaw Danny Stone

STATEWIDE

STATEWIDE ANGLING EFFORT FOR ALL ANGLERS - 2020

| | | RELATIVE | HOURS | |
|-------------------|-----------------|-------------------|-------------|-------------------|
| LOCATION | ANGLER HOURS | STANDARD ERROR | PER ACRE | PERCENT EFFORT |
| HOCATION | HOOKS | ERROR | ACRE | EFFORI |
| DALE HOLLOW RES | 505161 | 9.3 | 21.7 | 12.0 |
| REELFOOT LAKE | 240218 | 8.6 | 22.9 | 5.7 |
| TIMS FORD RES | 260297 | 8.3 | 24.6 | 6.2 |
| BARKLEY RES | 131235 | 9.1 | 7.1 | 3.1 |
| CENTER HILL RES | 201523 | 8.3 | 11.1 | 4.8 |
| SOUTH HOLSTON RES | 233508 | 8.6 | 36.9 | 5.5 |
| PERCY PRIEST RES | 505070 | 7.2 | 35.6 | 12.0 |
| OLD HICKORY RES | 520069 | 7.0 | 23.0 | 12.3 |
| TELLICO RES | 158100 | 7.4 | 9.9 | 3.7 |
| CHEATHAM RES | 330109 | 22.8 | 44.4 | 7.8 |
| CHILHOWEE RES | 37154 | 4.5 | 21.4 | 0.9 |
| PICKWICK RES | 99189 | 7.8 | 16.3 | 2.4 |
| KENTUCKY RES | 904494 | 6.4 | 8.2 | 21.4 |
| WILBUR TW | 93801 | 4.6 | | 2.2 |
| STATEWIDE | 4219928 | 3.0 | 21.8 | 100.0 |

TWRA REGION I

KENTUCKY RESERVOIR

MONTHLY ANGLING EFFORT FOR ALL ANGLERS - 2020

| MONTH | ANGLER HOURS | RELATIVE STANDARD ERROR | HOURS PER ACRE | ANGLER TRIPS | TRIPS PER ACRE | PERCENT EFFORT |
|--------------|-----------------|-------------------------------|----------------------|-----------------|----------------------|-------------------|
| 01 JANUARY | 14102 | 22.3 | 0.1 | 2731 | 0.0 | 1.6 |
| 02 FEBRUARY | 14573 | 14.4 | 0.1 | 2466 | 0.0 | 1.6 |
| 03 MARCH | 109004 | 25.9 | 1.0 | 18326 | 0.2 | 12.1 |
| 04 APRIL | 145775 | 13.9 | 1.3 | 5506 | 0.1 | 16.1 |
| 05 MAY | 192117 | 11.0 | 1.8 | • | • | 21.2 |
| 06 JUNE | 106241 | 14.7 | 1.0 | • | • | 11.7 |
| 07 JULY | 68209 | 18.4 | 0.6 | • | • | 7.5 |
| 08 AUGUST | 76021 | 36.9 | 0.7 | • | • | 8.4 |
| 09 SEPTEMBER | 64905 | 25.8 | 0.6 | • | • | 7.2 |
| 10 OCTOBER | 76898 | 16.3 | 0.7 | • | • | 8.5 |
| 11 NOVEMBER | 21989 | 21.4 | 0.2 | • | • | 2.4 |
| 12 DECEMBER | 14660 | 27.2 | 0.1 | • | • | 1.6 |
| TOTAL | 904494 | | | 29029 | | |

MONTHLY CATCH STATISTICS FOR ALL ANGLERS - 2020

| MONTH | NUMBER FISH CAUGHT | RSE FOR CATCH | FISH CAUGHT PER HOUR | RSE FOR CATCH RATE | NUMBER FISH HARVESTED | RSE FOR HARVEST | FISH HARVESTED PER HOUR | RSE FOR HARVEST RATE |
|-------------|--------------------------|---------------------|----------------------------|--------------------------|-----------------------------|-----------------------|-------------------------------|----------------------------|
| 01 JANUARY | 12974 | 44.4 | 0.92 | 37.5 | 2256 | 84.1 | 0.16 | 81.6 |
| 02 FEBRUARY | 19091 | 14.4 | 1.31 | 1.1 | 3789 | 15.1 | 0.26 | 4.6 |
| 03 MARCH | 155876 | 39.6 | 1.43 | 28.9 | 64312 | 49.6 | 0.59 | 40.7 |
| 04 APRIL | 0 | • | 0.00 | • | 0 | • | 0.00 | • |
| TOTAL | 187941 | | | | 70357 | | | |

SUMMARY OF SPECIES CATCH STATISTICS - 2020

| SPECIES | TOTAL NUMBER FISH CAUGHT | RSE FOR CATCH | SPECIES CATCH COMPOSITION (%) | INTENDED NUMBER CAUGHT | TOTAL NUMBER FISH HARVESTED | RSE FOR HARVEST | SPECIES HARVEST COMPOSITION (%) | INTENDED NUMBER HARVESTED | % OF CAUGHT FISH RELEASED | AVERAGE WEIGHT (LBS) | NUMBER FISH RECORDED |
|------------------|-----------------------------------|---------------------|-------------------------------|------------------------------|--------------------------------------|-----------------------|---------------------------------|---------------------------------|------------------------------------|----------------------------|----------------------------|
| SKIPJACK HERRING | 263 | | 0.1 | 0 | 263 | | 0.4 | 0 | 0.0 | | 2 |
| BLUE CATFISH | 5098 | 169.0 | 2.7 | 5098 | 4170 | 184.7 | 5.9 | 4170 | 18.2 | | 9 |
| CHANNEL CATFISH | 1521 | 408.7 | 0.8 | 380 | 927 | 400.1 | 1.3 | 464 | 39.1 | | 2 |
| WHITE BASS | 21495 | 59.5 | 11.4 | 9385 | 9268 | 101.3 | 13.1 | 463 | 56.9 | | 20 |
| YELLOW BASS | 9577 | 106.9 | 5.1 | 0 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| CHEROKEE BASS | 113 | 865.0 | 0.1 | 0 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| SMALLMOUTH BASS | 1627 | 382.1 | 0.9 | 1446 | 463 | 799.5 | 0.7 | 0 | 71.5 | | 1 |
| SPOTTED BASS | 3350 | 205.0 | 1.8 | 1047 | 1184 | 0.0 | 1.7 | 0 | 64.7 | | 9 |
| LARGEMOUTH BASS | 12865 | 83.5 | 6.8 | 11933 | 121 | 205.6 | 0.2 | 121 | 99.1 | | 4 |
| WHITE CRAPPIE | 57271 | 32.8 | 30.3 | 56914 | 24505 | 48.2 | 34.7 | 24155 | 57.2 | 0.75 | 140 |
| BLACK CRAPPIE | 19618 | 71.9 | 10.4 | 19618 | 7242 | 107.4 | 10.3 | 7242 | 63.1 | 0.70 | 42 |
| YELLOW PERCH | 93 | 1016.5 | 0.0 | 0 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| SAUGER | 3386 | | 1.8 | 3386 | 789 | | 1.1 | 789 | 76.7 | | 6 |
| FRESHWATER DRUM | 11418 | 109.6 | 6.0 | 0 | 3244 | 210.7 | 4.6 | 0 | 71.6 | | 7 |

SUMMARY OF FISHING EFFORT AND CATCH RATES FOR INTENDED SPECIES GROUPS - 2020

| INTENDED SPECIES | ANGLER HOURS | RSE FOR ANGLER HOURS | ANGLER TRIPS | PERCENT EFFORT | NUMBER CAUGHT PER HOUR | RSE FOR CATCH PER HOUR | NUMBER HARVESTED PER HOUR | RSE FOR HARVEST PER HOUR | NUMBER OF INTERVIEWS |
|---------------------|-----------------|----------------------------|-----------------|-------------------|------------------------------|------------------------------|---------------------------------|--------------------------------|----------------------------|
| ANY CATFISH | 7825 | 71.8 | 1864 | 4.3 | 0.55 | 112.7 | 0.46 | 102.5 | 4 |
| WHITE BASS | 5563 | 41.4 | 1139 | 3.1 | 1.80 | | 0.14 | | 3 |
| ANY BLACK BASS | 82494 | 14.3 | 11926 | 45.4 | 0.29 | 39.5 | 0.01 | 401.7 | 18 |
| ANY CRAPPIE | 82208 | 25.6 | 13511 | 45.2 | 1.24 | 16.9 | 0.55 | 23.6 | 51 |
| SAUGER | 3634 | | 589 | 2.0 | 3.00 | 14.8 | 0.67 | 22.1 | 2 |
| TOTAL | 181724 | | 29029 | | | | | | |

SUMMARY OF RELATIVE SPECIES CATCH RATES WITHIN TARGET GROUPS - 2020

| TARGET GROUP | SPECIES WITHIN TARGET GROUPS | RELATIVE CATCH RATE | RELATIVE HARVEST RATE |
|-----------------|------------------------------------|---------------------------|-----------------------------|
| ANY CATFISH | | | |
| | BLUE CATFISH | 0.51 | 0.41 |
| | CHANNEL CATFISH | 0.04 | 0.05 |
| ANY BLACK BASS | | | |
| | ANY BLACK BASS | 0.00 | 0.00 |
| | SMALLMOUTH BASS | 0.02 | 0.00 |
| | SPOTTED BASS | 0.01 | 0.00 |
| | LARGEMOUTH BASS | 0.14 | 0.00 |
| ANY CRAPPIE | | | |
| | ANY CRAPPIE | 0.00 | 0.00 |
| | WHITE CRAPPIE | 0.92 | 0.42 |
| | BLACK CRAPPIE | 0.32 | 0.13 |

COMPARISON OF BLACK BASS CATCH RATES (# FISH/HOUR) BETWEEN TOURNAMENT AND NON-TOURNAMENT ANGLERS (MONTHS ARE LISTED ONLY IF > 90% OF BLACK BASS ANGLERS RESPONDED TO THE QUESTION ON TOURNAMENT PARTICIPATION)

| | MONTH | <pre>% BLACK BASS EFFORT BY TOURNAMENT ANGLERS</pre> | CATCH RATE FOR TOURNAMENT ANGLERS | # OF INTERVIEWS (TOURNAMENT) | CATCH RATE FOR NON-TOURNAMENT ANGLERS | # OF INTERVIEWS (NON-TOURNAMENT) |
|----|----------|---|--|------------------------------------|--|--|
| 01 | JANUARY | 0 | | 0 | 0.58 | 4 |
| 02 | FEBRUARY | 50 | 1 | 1 | 1.22 | 3 |
| 03 | MARCH | 0 | | 0 | 0.77 | 9 |
| 04 | APRIL | 0 | | 0 | 0.00 | 1 |

SUMMARY OF TRIP EXPENDITURES AND CONSUMER SURPLUS FOR INTENDED SPECIES - 2020

| INTENDED SPECIES | TOTAL TRIP EXPENDITURES | TOTAL CONSUMER SURPLUS | TOTAL VALUE BY ANGLERS | NUMBER OF INTERVIEWS |
|---------------------|-------------------------------|------------------------------|------------------------------|----------------------------|
| ANY CATFISH | 41880 | 26780 | 68660 | 4 |
| WHITE BASS | 27090 | 47450 | 74540 | 3 |
| ANY BLACK BASS | 319300 | 373830 | 693120 | 18 |
| ANY CRAPPIE | 244420 | 192500 | 436910 | 51 |
| SAUGER | 29470 | 29470 | 58930 | 2 |
| TOTAL | 662160 | 670030 | 1332160 | 78 |

SUMMARY OF SOCIOLOGICAL QUESTIONS - 2020

LOCATION=KENTUCKY RES

DISTRIBUTION OF STATES OF RESIDENCE OF INTERVIEWED ANGLERS

| STATE | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|--------|----------------------------------|-------------------------|
| TN | 129 | 88.4 |
| OTHERS | 17 | 11.6 |

DISTRIBUTION OF COUNTIES OF RESIDENCE OF INTERVIEWED ANGLERS

| NUMBER | | | | | | | | | |
|--------------|-------------|--------------|--|--|--|--|--|--|--|
| | ANGLERS | PERCENT | | | | | | | |
| COUNTY | INTERVIEWED | CONTRIBUTION | | | | | | | |
| | | | | | | | | | |
| BENTON | 19 | 15.0 | | | | | | | |
| CARROLL | 11 | 8.7 | | | | | | | |
| CROCKETT | 12 | 9.4 | | | | | | | |
| DICKSON | 7 | 5.5 | | | | | | | |
| HARDIN | 11 | 8.7 | | | | | | | |
| HENRY | 19 | 15.0 | | | | | | | |
| HUMPHREYS | 10 | 7.9 | | | | | | | |
| MONTGOMERY | 9 | 7.1 | | | | | | | |
| OTHERS IN TN | 29 | 22.8 | | | | | | | |

DISTRIBUTION OF ONE-WAY MILEAGE OF ANGLERS INTERVIEWED

| ONE-WAY MILES TRAVELED | | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|------------------------------|---------|----------------------------------|-------------------------|
| A) | 0-25 | 72 | 48.6 |
| B) | 26-100 | 62 | 41.9 |
| C) | 101-250 | 10 | 6.8 |
| D) | > 250 | 4 | 2.7 |

DISTRIBUTION OF NUMBER OF DAYS IN TRIPS OF INTERVIEWED ANGLERS

| NUMBER DAYS IN TRIP | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|---------------------------|----------------------------------|-------------------------|
| A) 1 | 47 | 58.8 |
| B) 2-5 | 30 | 37.5 |
| C) 6-10 | 3 | 3.8 |

KENTUCKY #1 NORTH RESERVOIR

MONTHLY ANGLING EFFORT FOR ALL ANGLERS - 2020

| | ANGLER | RELATIVE STANDARD | HOURS PER | ANGLER | TRIPS PER | PERCENT |
|--------------|--------|----------------------|--------------|--------|--------------|---------|
| MONTH | HOURS | ERROR | ACRE | TRIPS | ACRE | EFFORT |
| 01 JANUARY | 7545 | 41.7 | 0.1 | 1419 | 0.0 | 1.4 |
| 02 FEBRUARY | 4579 | 45.7 | 0.0 | 845 | 0.0 | 0.8 |
| 03 MARCH | 90281 | 28.8 | 0.8 | 13441 | 0.1 | 16.3 |
| 04 APRIL | 101730 | 19.6 | 0.9 | • | • | 18.4 |
| 05 MAY | 109355 | 10.4 | 1.0 | | • | 19.8 |
| 06 JUNE | 68895 | 20.9 | 0.6 | • | | 12.4 |
| 07 JULY | 36486 | 15.1 | 0.3 | • | • | 6.6 |
| 08 AUGUST | 28338 | 27.5 | 0.3 | • | • | 5.1 |
| 09 SEPTEMBER | 38499 | 40.4 | 0.4 | • | • | 7.0 |
| 10 OCTOBER | 41310 | 15.5 | 0.4 | • | • | 7.5 |
| 11 NOVEMBER | 18023 | 22.8 | 0.2 | • | • | 3.3 |
| 12 DECEMBER | 8593 | 36.3 | 0.1 | • | • | 1.6 |
| TOTAL | 553634 | | | 15705 | | |

MONTHLY CATCH STATISTICS FOR ALL ANGLERS - 2020

| MONTH | NUMBER FISH CAUGHT | RSE FOR CATCH | FISH CAUGHT PER HOUR | RSE FOR CATCH RATE | NUMBER FISH HARVESTED | RSE FOR HARVEST | FISH HARVESTED PER HOUR | RSE FOR HARVEST RATE |
|-------------|--------------------------|---------------------|----------------------------|--------------------------|-----------------------------|-----------------------|-------------------------------|----------------------------|
| 01 JANUARY | 9054 | 52.0 | 1.20 | 28.7 | 2188 | 63.1 | 0.29 | 43.7 |
| 02 FEBRUARY | 9387 | 45.7 | 2.05 | 0.7 | 1328 | 45.9 | 0.29 | 4.2 |
| 03 MARCH | 118268 | 40.7 | 1.31 | 27.6 | 46043 | 44.7 | 0.51 | 32.8 |
| TOTAL | 136709 | | | | 49559 | | | |

SUMMARY OF SPECIES CATCH STATISTICS - 2020

| SPECIES | TOTAL NUMBER FISH CAUGHT | RSE FOR CATCH | SPECIES CATCH COMPOSITION (%) | INTENDED NUMBER CAUGHT | TOTAL NUMBER FISH HARVESTED | RSE FOR HARVEST | SPECIES HARVEST COMPOSITION (%) | INTENDED NUMBER HARVESTED | % OF CAUGHT FISH RELEASED | AVERAGE WEIGHT (LBS) | NUMBER FISH RECORDED |
|-----------------|-----------------------------------|---------------------|-------------------------------|------------------------------|--------------------------------------|-----------------------|---------------------------------|---------------------------------|------------------------------------|----------------------------|----------------------------|
| CHANNEL CATFISH | 595 | 838.3 | 0.4 | 0 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| WHITE BASS | 206 | 660.1 | 0.1 | 0 | 0 | | 0.0 | 0 | 100.0 | • | 0 |
| YELLOW BASS | 6332 | 116.1 | 4.6 | 0 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| CHEROKEE BASS | 113 | 865.0 | 0.1 | 0 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| SMALLMOUTH BASS | 297 | 1681.6 | 0.2 | 297 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| SPOTTED BASS | 297 | 1681.6 | 0.2 | 297 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| LARGEMOUTH BASS | 12494 | 86.0 | 9.1 | 11547 | 121 | 205.6 | 0.2 | 121 | 99.0 | | 4 |
| WHITE CRAPPIE | 55618 | 32.7 | 40.4 | 55618 | 23779 | 48.4 | 48.0 | 23779 | 57.2 | 0.74 | 137 |
| BLACK CRAPPIE | 19618 | 71.9 | 14.3 | 19618 | 7242 | 107.4 | 14.6 | 7242 | 63.1 | 0.70 | 42 |
| YELLOW PERCH | 93 | 1016.5 | 0.1 | 0 | 0 | | 0.0 | 0 | 100.0 | • | 0 |
| FRESHWATER DRUM | 297 | 1681.6 | 0.2 | 0 | 0 | | 0.0 | 0 | 100.0 | • | 0 |

SUMMARY OF FISHING EFFORT AND CATCH RATES FOR INTENDED SPECIES GROUPS - 2020

| INTENDED SPECIES | ANGLER HOURS | RSE FOR ANGLER HOURS | ANGLER TRIPS | PERCENT EFFORT | NUMBER CAUGHT PER HOUR | RSE FOR CATCH PER HOUR | NUMBER HARVESTED PER HOUR | RSE FOR HARVEST PER HOUR | NUMBER OF INTERVIEWS |
|---------------------|-----------------|----------------------------|-----------------|-------------------|------------------------------|------------------------------|---------------------------------|--------------------------------|----------------------------|
| ANY CATFISH | 1584 | 145.1 | 236 | 1.5 | 0.00 | | 0.00 | | 1 |
| ANY BLACK BASS | 27324 | 39.1 | 4143 | 26.7 | 0.82 | 12.4 | 0.01 | 108.7 | 13 |
| ANY CRAPPIE | 73498 | 27.4 | 11328 | 71.8 | 2.09 | 13.0 | 0.96 | 16.3 | 47 |
| тотат. | 102406 | | 15707 | | | | | | |

SUMMARY OF RELATIVE SPECIES CATCH RATES WITHIN TARGET GROUPS - 2020

| TARGET GROUP | SPECIES WITHIN TARGET GROUPS | RELATIVE CATCH RATE | RELATIVE HARVEST RATE |
|-----------------|------------------------------------|---------------------------|-----------------------------|
| ANY CATFISH | | | |
| | CHANNEL CATFISH | 0.00 | 0.00 |
| ANY BLACK BASS | | | |
| | ANY BLACK BASS | 0.00 | 0.00 |
| | SMALLMOUTH BASS | 0.01 | 0.00 |
| | SPOTTED BASS | 0.01 | 0.00 |
| | LARGEMOUTH BASS | 0.42 | 0.00 |
| ANY CRAPPIE | | | |
| | ANY CRAPPIE | 0.00 | 0.00 |
| | WHITE CRAPPIE | 1.55 | 0.74 |
| | BLACK CRAPPIE | 0.54 | 0.22 |

COMPARISON OF BLACK BASS CATCH RATES (# FISH/HOUR) BETWEEN TOURNAMENT AND NON-TOURNAMENT ANGLERS (MONTHS ARE LISTED ONLY IF > 90% OF BLACK BASS ANGLERS RESPONDED TO THE QUESTION ON TOURNAMENT PARTICIPATION)

| MONTH | % BLACK BASS EFFORT BY TOURNAMENT ANGLERS | CATCH RATE FOR TOURNAMENT ANGLERS | # OF INTERVIEWS (TOURNAMENT) | CATCH RATE FOR NON-TOURNAMENT ANGLERS | # OF INTERVIEWS (NON-TOURNAMENT) |
|-------------|--|--|------------------------------------|--|--|
| 01 JANUARY | 0 | | 0 | 0.76 | 3 |
| 02 FEBRUARY | 50 | 1 | 1 | 0.67 | 1 |
| 03 MARCH | 0 | | 0 | 0.82 | 8 |

SUMMARY OF TRIP EXPENDITURES AND CONSUMER SURPLUS FOR INTENDED SPECIES - 2020

| INTENDED SPECIES | TOTAL TRIP EXPENDITURES | TOTAL CONSUMER SURPLUS | TOTAL VALUE BY ANGLERS | NUMBER OF INTERVIEWS |
|-------------------------------|-------------------------------|------------------------------|------------------------------|----------------------------|
| ANY CATFISH | 1180 | 2360 | 3540 | 1 |
| ANY BLACK BASS ANY CRAPPIE | 172220 208740 | 99470 157410 | 271690 366150 | 13 47 |
| TOTAL | 382140 | 259240 | 641380 | 61 |

SUMMARY OF SOCIOLOGICAL QUESTIONS - 2020

LOCATION=KENTUCKY RES - NORTH

DISTRIBUTION OF STATES OF RESIDENCE OF INTERVIEWED ANGLERS

| STATE | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION | |
|--------|----------------------------------|-------------------------|--|
| TN | 95 | 86.4 | |
| OTHERS | 15 | 13.6 | |

DISTRIBUTION OF COUNTIES OF RESIDENCE OF INTERVIEWED ANGLERS

| | NUMBER ANGLERS | PERCENT |
|--------------|-------------------|--------------|
| COUNTY | INTERVIEWED | CONTRIBUTION |
| BENTON | 18 | 18.9 |
| CARROLL | 9 | 9.5 |
| CROCKETT | 12 | 12.6 |
| DICKSON | 5 | 5.3 |
| HENRY | 19 | 20.0 |
| HUMPHREYS | 7 | 7.4 |
| MONTGOMERY | 9 | 9.5 |
| OBION | 5 | 5.3 |
| WEAKLEY | 6 | 6.3 |
| OTHERS IN TN | 5 | 5.3 |

DISTRIBUTION OF ONE-WAY MILEAGE OF ANGLERS INTERVIEWED

| ONE-WAY MILES TRAVELED | | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION | | |
|------------------------------|---------|----------------------------------|-------------------------|--|--|
| A) | 0-25 | 51 | 45.5 | | |
| B) | 26-100 | 49 | 43.8 | | |
| C) | 101-250 | 8 | 7.1 | | |
| D) | > 250 | 4 | 3.6 | | |

DISTRIBUTION OF NUMBER OF DAYS IN TRIPS OF INTERVIEWED ANGLERS

| NUMBER | | NUMBER | | | |
|--------|------|-------------|--------------|--|--|
| DAYS | | ANGLERS | PERCENT | | |
| IN | TRIP | INTERVIEWED | CONTRIBUTION | | |
| | | | | | |
| A) | 1 | 34 | 55.7 | | |
| B) | 2-5 | 24 | 39.3 | | |
| C) | 6-10 | 3 | 4.9 | | |

KENTUCKY #2 SOUTH RESERVOIR

MONTHLY ANGLING EFFORT FOR ALL ANGLERS - 2020

| MONTH | ANGLER HOURS | RELATIVE STANDARD ERROR | HOURS PER ACRE | ANGLER TRIPS | TRIPS PER ACRE | PERCENT EFFORT |
|--------------|-----------------|-------------------------------|----------------------|-----------------|----------------------|-------------------|
| 01 JANUARY | 6557 | • | 0.1 | 1311 | 0.0 | 1.9 |
| 02 FEBRUARY | 9994 | • | 0.1 | 1621 | 0.0 | 2.8 |
| 03 MARCH | 18723 | 58.4 | 0.2 | 4884 | 0.0 | 5.3 |
| 04 APRIL | 44045 | 8.6 | 0.4 | 5506 | 0.1 | 12.6 |
| 05 MAY | 82762 | 21.6 | 0.8 | • | • | 23.6 |
| 06 JUNE | 37346 | 15.9 | 0.3 | • | • | 10.6 |
| 07 JULY | 31723 | 35.5 | 0.3 | | • | 9.0 |
| 08 AUGUST | 47684 | 56.5 | 0.4 | • | • | 13.6 |
| 09 SEPTEMBER | 26406 | 23.4 | 0.2 | • | • | 7.5 |
| 10 OCTOBER | 35588 | 30.3 | 0.3 | • | • | 10.1 |
| 11 NOVEMBER | 3967 | 58.3 | 0.0 | | • | 1.1 |
| 12 DECEMBER | 6067 | 40.9 | 0.1 | • | • | 1.7 |
| TOTAL | 350862 | | | 13322 | | |

MONTHLY CATCH STATISTICS FOR ALL ANGLERS - 2020

| MONTH | NUMBER FISH CAUGHT | RSE FOR CATCH | FISH CAUGHT PER HOUR | RSE FOR CATCH RATE | NUMBER FISH HARVESTED | RSE FOR HARVEST | FISH HARVESTED PER HOUR | RSE FOR HARVEST RATE |
|-------------|--------------------------|---------------------|----------------------------|--------------------------|-----------------------------|-----------------------|-------------------------------|----------------------------|
| 01 JANUARY | 3934 | • | 0.60 | • | 0 | • | 0.00 | • |
| 02 FEBRUARY | 9694 | • | 0.97 | • | 2499 | • | 0.25 | • |
| 03 MARCH | 38008 | 67.9 | 2.03 | 29.9 | 18536 | 78.8 | 0.99 | 45.7 |
| 04 APRIL | 0 | • | 0.00 | • | 0 | • | 0.00 | • |
| TOTAL | 51636 | | | | 21035 | | | |

SUMMARY OF SPECIES CATCH STATISTICS - 2020

| SPECIES | TOTAL NUMBER FISH CAUGHT | RSE FOR CATCH | SPECIES CATCH COMPOSITION (%) | INTENDED NUMBER CAUGHT | TOTAL NUMBER FISH HARVESTED | RSE FOR HARVEST | SPECIES HARVEST COMPOSITION (%) | INTENDED NUMBER HARVESTED | % OF CAUGHT FISH RELEASED | AVERAGE WEIGHT (LBS) | NUMBER FISH RECORDED |
|------------------|-----------------------------------|---------------------|-------------------------------|------------------------------|--------------------------------------|-----------------------|--|---------------------------------|------------------------------------|----------------------------|----------------------------|
| SKIPJACK HERRING | 263 | | 0.5 | 0 | 263 | | 1.3 | 0 | 0.0 | | 2 |
| BLUE CATFISH | 5098 | 169.0 | 9.9 | 5098 | 4170 | 184.7 | 19.8 | 4170 | 18.2 | | 9 |
| CHANNEL CATFISH | 927 | 400.1 | 1.8 | 464 | 927 | 400.1 | 4.4 | 464 | 0.0 | | 2 |
| WHITE BASS | 21289 | 59.7 | 41.1 | 9705 | 9268 | 101.3 | 44.1 | 463 | 56.5 | | 20 |
| YELLOW BASS | 3245 | 219.6 | 6.3 | 0 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| SMALLMOUTH BASS | 1329 | 278.5 | 2.6 | 1163 | 463 | 799.5 | 2.2 | 0 | 65.2 | | 1 |
| SPOTTED BASS | 3053 | 154.3 | 5.9 | 814 | 1184 | 0.0 | 5.6 | 0 | 61.2 | | 9 |
| LARGEMOUTH BASS | 371 | | 0.7 | 371 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| WHITE CRAPPIE | 1654 | 282.2 | 3.2 | 992 | 726 | 362.3 | 3.5 | 242 | 56.1 | 1.19 | 3 |
| SAUGER | 3386 | | 6.5 | 3386 | 789 | | 3.8 | 789 | 76.7 | | 6 |
| FRESHWATER DRUM | 11121 | 103.2 | 21.5 | 0 | 3244 | 210.7 | 15.4 | 0 | 70.8 | | 7 |

SUMMARY OF FISHING EFFORT AND CATCH RATES FOR INTENDED SPECIES GROUPS - 2020

| INTENDED SPECIES | ANGLER HOURS | RSE FOR ANGLER HOURS | ANGLER TRIPS | PERCENT EFFORT | NUMBER CAUGHT PER HOUR | RSE FOR CATCH PER HOUR | NUMBER HARVESTED PER HOUR | RSE FOR HARVEST PER HOUR | NUMBER OF INTERVIEWS |
|---------------------|-----------------|----------------------------|-----------------|-------------------|------------------------------|------------------------------|---------------------------------|--------------------------------|----------------------------|
| ANY CATFISH | 6241 | 82.2 | 1628 | 7.9 | 1.09 | 56.9 | 0.91 | 51.8 | 3 |
| WHITE BASS | 5563 | 41.4 | 1139 | 7.0 | 1.80 | | 0.14 | | 3 |
| ANY BLACK BASS | 55170 | 9.2 | 7783 | 69.6 | 0.12 | 411.8 | 0.00 | | 5 |
| ANY CRAPPIE | 8710 | 67.9 | 2182 | 11.0 | 0.29 | 41.1 | 0.10 | 95.9 | 4 |
| SAUGER | 3634 | | 589 | 4.6 | 3.00 | 14.8 | 0.67 | 22.1 | 2 |
| TOTAL | 79318 | | 13321 | | | | | | |

SUMMARY OF RELATIVE SPECIES CATCH RATES WITHIN TARGET GROUPS - 2020

| TARGET GROUP | SPECIES WITHIN TARGET GROUPS | RELATIVE CATCH RATE | RELATIVE HARVEST RATE |
|-----------------|------------------------------------|---------------------------|-----------------------------|
| ANY CATFISH | | | |
| | BLUE CATFISH | 1.00 | 0.82 |
| | CHANNEL CATFISH | 0.09 | 0.09 |
| ANY BLACK BAS | S | | |
| | SMALLMOUTH BASS | 0.02 | 0.00 |
| | SPOTTED BASS | 0.01 | 0.00 |
| | LARGEMOUTH BASS | 0.01 | 0.00 |
| ANY CRAPPIE | | | |
| | WHITE CRAPPIE | 0.29 | 0.10 |

COMPARISON OF BLACK BASS CATCH RATES (# FISH/HOUR) BETWEEN TOURNAMENT AND NON-TOURNAMENT ANGLERS (MONTHS ARE LISTED ONLY IF > 90% OF BLACK BASS ANGLERS RESPONDED TO THE QUESTION ON TOURNAMENT PARTICIPATION)

| | MONTH | <pre>% BLACK BASS EFFORT BY TOURNAMENT ANGLERS</pre> | CATCH RATE FOR TOURNAMENT ANGLERS | # OF INTERVIEWS (TOURNAMENT) | CATCH RATE FOR NON-TOURNAMENT ANGLERS | # OF INTERVIEWS (NON-TOURNAMENT) |
|----|----------|---|--|------------------------------------|--|--|
| 01 | JANUARY | 0 | | 0 | 0.05 | 1 |
| 02 | FEBRUARY | 0 | | 0 | 1.50 | 2 |
| 03 | MARCH | 0 | | 0 | 0.33 | 1 |
| 04 | APRIL | 0 | | 0 | 0.00 | 1 |

SUMMARY OF TRIP EXPENDITURES AND CONSUMER SURPLUS FOR INTENDED SPECIES - 2020

| INTENDED SPECIES | TOTAL TRIP EXPENDITURES | TOTAL CONSUMER SURPLUS | TOTAL VALUE BY ANGLERS | NUMBER OF INTERVIEWS |
|---------------------|-------------------------------|------------------------------|------------------------------|----------------------------|
| ANY CATFISH | 40700 | 24420 | 65120 | 3 |
| WHITE BASS | 27090 | 47450 | 74540 | 3 |
| ANY BLACK BASS | 147080 | 274360 | 421440 | 5 |
| ANY CRAPPIE | 35680 | 35080 | 70770 | 4 |
| SAUGER | 29470 | 29470 | 58930 | 2 |
| TOTAL | 280020 | 410780 | 690800 | 17 |

SUMMARY OF SOCIOLOGICAL QUESTIONS - 2020

LOCATION=KENTUCKY RES - SOUTH

DISTRIBUTION OF STATES OF RESIDENCE OF INTERVIEWED ANGLERS

| | NUMBER | |
|-------|-------------|--------------|
| | ANGLERS | PERCENT |
| STATE | INTERVIEWED | CONTRIBUTION |
| | | |
| MS | 2 | 5.6 |
| TN | 34 | 94.4 |

DISTRIBUTION OF COUNTIES OF RESIDENCE OF INTERVIEWED ANGLERS

| | NUMBER ANGLERS | PERCENT |
|--------------|-------------------|--------------|
| COUNTY | INTERVIEWED | CONTRIBUTION |
| CARROLL | 2 | 6.3 |
| CHESTER | 2 | 6.3 |
| DICKSON | 2 | 6.3 |
| HARDIN | 11 | 34.4 |
| HENDERSON | 2 | 6.3 |
| HUMPHREYS | 3 | 9.4 |
| LAWRENCE | 2 | 6.3 |
| McNAIRY | 5 | 15.6 |
| WILLIAMSON | 2 | 6.3 |
| OTHERS IN TN | 1 | 3.1 |

DISTRIBUTION OF ONE-WAY MILEAGE OF ANGLERS INTERVIEWED

| M | NE-WAY MILES RAVELED | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|----|----------------------------|----------------------------------|-------------------------|
| B) | 0-25 | 21 | 58.3 |
| | 26-100 | 13 | 36.1 |
| | 101-250 | 2 | 5.6 |

DISTRIBUTION OF NUMBER OF DAYS IN TRIPS OF INTERVIEWED ANGLERS

| NUMBER DAYS IN TRIP | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|---------------------------|----------------------------------|-------------------------|
| A) 1 | 13 | 68.4 |
| B) 2-5 | 6 | 31.6 |

REELFOOT LAKE

MONTHLY ANGLING EFFORT FOR ALL ANGLERS - 2020

| MONTH | ANGLER HOURS | RELATIVE STANDARD ERROR | HOURS PER ACRE | ANGLER TRIPS | TRIPS PER ACRE | PERCENT EFFORT |
|--------------|-----------------|-------------------------------|----------------------|-----------------|----------------------|-------------------|
| 02 FEBRUARY | 8646 | 77.8 | 0.8 | 1296 | 0.1 | 3.3 |
| 03 MARCH | 28307 | 36.0 | 2.7 | 4504 | 0.4 | 10.8 |
| 04 APRIL | 37900 | 18.0 | 3.6 | 5843 | 0.6 | 14.5 |
| 05 MAY | 117150 | 12.1 | 11.2 | • | • | 44.7 |
| 06 JUNE | 17768 | 15.8 | 1.7 | • | • | 6.8 |
| 07 JULY | 29678 | 74.1 | 2.8 | • | • | 11.3 |
| 08 AUGUST | 2446 | 36.0 | 0.2 | | • | 0.9 |
| 09 SEPTEMBER | 8024 | 33.9 | 0.8 | • | • | 3.1 |
| 10 OCTOBER | 10477 | 26.1 | 1.0 | • | • | 4.0 |
| 11 NOVEMBER | 1744 | 50.1 | 0.2 | • | • | 0.7 |
| | | | | | | |
| TOTAL | 262140 | | | 11643 | | |

MONTHLY CATCH STATISTICS FOR ALL ANGLERS - 2020

| MONTH | NUMBER FISH CAUGHT | RSE FOR CATCH | FISH CAUGHT PER HOUR | RSE FOR CATCH RATE | NUMBER FISH HARVESTED | RSE FOR HARVEST | FISH HARVESTED PER HOUR | RSE FOR HARVEST RATE |
|-------------|--------------------------|---------------------|----------------------------|--------------------------|-----------------------------|-----------------------|-------------------------------|----------------------------|
| 02 FEBRUARY | 1297 | 145.8 | 0.15 | 100.0 | 1210 | 149.8 | 0.14 | 100.0 |
| 03 MARCH | 22646 | 63.4 | 0.80 | 49.4 | 13021 | 53.8 | 0.46 | 37.6 |
| 04 APRIL | 48891 | 22.9 | 1.29 | 13.9 | 29941 | 23.4 | 0.79 | 14.7 |
| TOTAL | 72834 | | | | 44172 | | | |

SUMMARY OF SPECIES CATCH STATISTICS - 2020

| SPECIES | TOTAL NUMBER FISH CAUGHT | RSE FOR CATCH | SPECIES CATCH COMPOSITION (%) | INTENDED NUMBER CAUGHT | TOTAL NUMBER FISH HARVESTED | RSE FOR HARVEST | SPECIES HARVEST COMPOSITION (%) | INTENDED NUMBER HARVESTED | % OF CAUGHT FISH RELEASED | AVERAGE WEIGHT (LBS) | NUMBER FISH RECORDED |
|-----------------|-----------------------------------|---------------------|-------------------------------|------------------------------|--------------------------------------|-----------------------|---------------------------------|---------------------------------|------------------------------------|----------------------------|----------------------------|
| CHANNEL CATFISH | 11191 | 57.8 | 15.4 | 8035 | 10324 | 60.5 | 23.4 | 7559 | 7.7 | 1.54 | 112 |
| YELLOW BASS | 4332 | 91.8 | 6.0 | 0 | 3468 | 105.3 | 7.9 | 0 | 19.9 | 0.56 | 29 |
| BLUEGILL | 3787 | 91.3 | 5.2 | 454 | 3098 | 104.9 | 7.0 | 443 | 18.2 | 0.47 | 21 |
| LARGEMOUTH BASS | 772 | 420.4 | 1.1 | 618 | 77 | 1042.6 | 0.2 | 0 | 90.0 | 2.85 | 1 |
| WHITE CRAPPIE | 10033 | 62.7 | 13.8 | 10033 | 4264 | 77.5 | 9.7 | 4264 | 57.5 | 1.19 | 61 |
| BLACK CRAPPIE | 5708 | 96.9 | 7.8 | 5708 | 2558 | 170.6 | 5.8 | 2558 | 55.2 | 0.94 | 30 |
| FRESHWATER DRUM | 3448 | 104.3 | 4.7 | 172 | 0 | | 0.0 | 0 | 100.0 | | 0 |

SUMMARY OF FISHING EFFORT AND CATCH RATES FOR INTENDED SPECIES GROUPS - 2020

| INTENDED SPECIES | ANGLER HOURS | RSE FOR ANGLER HOURS | ANGLER TRIPS | PERCENT EFFORT | NUMBER CAUGHT PER HOUR | RSE FOR CATCH PER HOUR | NUMBER HARVESTED PER HOUR | RSE FOR HARVEST PER HOUR | NUMBER OF INTERVIEWS |
|---------------------|-----------------|----------------------------|-----------------|-------------------|------------------------------|------------------------------|---------------------------------|--------------------------------|----------------------------|
| ANY CATFISH | 2088 | 64.0 | 325 | 2.8 | 2.33 | | 2.09 | | 2 |
| ANY BLACK BASS | 3165 | 52.3 | 494 | 4.2 | 0.25 | 55.3 | 0.00 | | 5 |
| ANY CRAPPIE | 66064 | 20.0 | 10279 | 88.3 | 0.65 | 22.2 | 0.42 | 21.7 | 92 |
| ANY SPECIES | 3537 | 51.0 | 545 | 4.7 | 1.12 | 75.5 | 0.72 | 74.7 | 4 |
| TOTAL | 74854 | | 11643 | | | | | | |

SUMMARY OF RELATIVE SPECIES CATCH RATES WITHIN TARGET GROUPS - 2020

| | TARGET GROUP | SPECIES WITHIN TARGET GROUPS | RELATIVE CATCH RATE | RELATIVE HARVEST RATE |
|-----|-----------------|------------------------------------|---------------------------|-----------------------------|
| ANY | CATFISH | | | |
| | | CHANNEL CATFISH | 2.33 | 2.09 |
| ANY | BLACK BASS | | | |
| | | ANY BLACK BASS | 0.00 | 0.00 |
| | | LARGEMOUTH BASS | 0.20 | 0.00 |
| ANY | CRAPPIE | | | |
| | | ANY CRAPPIE | 0.00 | 0.00 |
| | | WHITE CRAPPIE | 0.41 | 0.26 |
| | | BLACK CRAPPIE | 0.24 | 0.16 |

COMPARISON OF BLACK BASS CATCH RATES (# FISH/HOUR) BETWEEN TOURNAMENT AND NON-TOURNAMENT ANGLERS (MONTHS ARE LISTED ONLY IF > 90% OF BLACK BASS ANGLERS RESPONDED TO THE QUESTION ON TOURNAMENT PARTICIPATION)

| | % BLACK BASS | CATCH RATE | | | | |
|----------|--------------|------------|--------------|----------------|------------------|--|
| | EFFORT BY | FOR | # OF | FOR | # OF | |
| | TOURNAMENT | TOURNAMENT | INTERVIEWS | NON-TOURNAMENT | INTERVIEWS | |
| MONTH | ANGLERS | ANGLERS | (TOURNAMENT) | ANGLERS | (NON-TOURNAMENT) | |
| 03 MARCH | 0 | | 0 | 0.26 | 2 | |
| 04 APRIL | 0 | | 0 | 0.25 | 3 | |

SUMMARY OF TRIP EXPENDITURES AND CONSUMER SURPLUS FOR INTENDED SPECIES - 2020

| INTENDED SPECIES | TOTAL TRIP EXPENDITURES | TOTAL CONSUMER SURPLUS | TOTAL VALUE BY ANGLERS | NUMBER OF INTERVIEWS |
|---------------------|-------------------------------|------------------------------|------------------------------|----------------------------|
| ANY CATFISH | 13960 | 3080 | 17050 | 2 |
| ANY BLACK BASS | 3410 | 910 | 4320 | 2 |
| ANY CRAPPIE | 251570 | 92210 | 343780 | 57 |
| ANY SPECIES | 29990 | 4090 | 34080 | 2 |
| TOTAL | 298930 | 100290 | 399230 | 63 |

SUMMARY OF SOCIOLOGICAL QUESTIONS - 2020

LOCATION=REELFOOT LAKE

DISTRIBUTION OF STATES OF RESIDENCE OF INTERVIEWED ANGLERS

| STATE | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|--------|----------------------------------|-------------------------|
| IN | 11 | 5.8 |
| KY | 21 | 11.1 |
| MO | 38 | 20.0 |
| TN | 100 | 52.6 |
| OTHERS | 20 | 10.5 |

DISTRIBUTION OF COUNTIES OF RESIDENCE OF INTERVIEWED ANGLERS

| | | | NUMBER | |
|--------|----|----|-------------|--------------|
| | | | ANGLERS | PERCENT |
| COUNTY | | | INTERVIEWED | CONTRIBUTION |
| | | | | |
| DYER | | | 14 | 14 |
| LAKE | | | 20 | 20 |
| OBION | | | 54 | 54 |
| OTHERS | IN | TN | 12 | 12 |

DISTRIBUTION OF ONE-WAY MILEAGE OF ANGLERS INTERVIEWED

| ONE-WAY MILES TRAVELED | | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|------------------------------|---------|----------------------------------|-------------------------|
| A) | 0-25 | 74 | 38.9 |
| B) | 26-100 | 52 | 27.4 |
| C) | 101-250 | 36 | 18.9 |
| D) | > 250 | 28 | 14.7 |

DISTRIBUTION OF NUMBER OF DAYS IN TRIPS OF INTERVIEWED ANGLERS

| NUMBER DAYS IN TRIP | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION | | | |
|---------------------------|----------------------------------|-------------------------|--|--|--|
| A) 1 | 77 | 74.8 | | | |
| B) 2-5 | 21 | 20.4 | | | |
| C) 6-10 | 3 | 2.9 | | | |
| D) 11-15 | 2 | 1.9 | | | |

BARKLEY RESERVOIR

MONTHLY ANGLING EFFORT FOR ALL ANGLERS - 2020

| MONTH | ANGLER HOURS | RELATIVE STANDARD ERROR | HOURS PER ACRE | ANGLER TRIPS | TRIPS PER ACRE | PERCENT EFFORT |
|--------------|-----------------|-------------------------------|----------------------|-----------------|----------------------|-------------------|
| 01 JANUARY | 1691 | 44.3 | 0.1 | 370 | 0.0 | 1.3 |
| 02 FEBRUARY | 3679 | 43.2 | 0.2 | 673 | 0.0 | 2.8 |
| 03 MARCH | 10937 | 45.3 | 0.6 | 1750 | 0.1 | 8.3 |
| 04 APRIL | 16210 | 26.6 | 0.9 | • | • | 12.4 |
| 05 MAY | 27293 | 13.5 | 1.5 | • | • | 20.8 |
| 06 JUNE | 18405 | 20.4 | 1.0 | | • | 14.0 |
| 07 JULY | 11752 | 63.8 | 0.6 | • | • | 9.0 |
| 08 AUGUST | 9155 | 17.3 | 0.5 | • | • | 7.0 |
| 09 SEPTEMBER | 9045 | 20.2 | 0.5 | • | • | 6.9 |
| 10 OCTOBER | 7744 | 25.9 | 0.4 | • | • | 5.9 |
| 11 NOVEMBER | 13101 | 10.3 | 0.7 | • | • | 10.0 |
| 12 DECEMBER | 2223 | 46.8 | 0.1 | • | • | 1.7 |
| TOTAL | 131235 | | | 2793 | | |

MONTHLY CATCH STATISTICS FOR ALL ANGLERS - 2020

| MONTH | NUMBER FISH CAUGHT | RSE FOR CATCH | FISH CAUGHT PER HOUR | RSE FOR CATCH RATE | NUMBER FISH HARVESTED | RSE FOR HARVEST | FISH HARVESTED PER HOUR | RSE FOR HARVEST RATE |
|-------------|--------------------------|---------------------|----------------------------|--------------------------|-----------------------------|-----------------------|-------------------------------|----------------------------|
| 01 JANUARY | 2925 | 46.6 | 1.73 | 13.3 | 2334 | 51.9 | 1.38 | 24.8 |
| 02 FEBRUARY | 2097 | 64.2 | 0.57 | 43.4 | 883 | 73.8 | 0.24 | 54.7 |
| 03 MARCH | 7765 | 50.4 | 0.71 | 20.2 | 4156 | 62.3 | 0.38 | 39.2 |
| TOTAL | 12787 | | | | 7373 | | | |

SUMMARY OF SPECIES CATCH STATISTICS - 2020

| SPECIES | TOTAL NUMBER FISH CAUGHT | RSE FOR CATCH | SPECIES CATCH COMPOSITION (%) | INTENDED NUMBER CAUGHT | TOTAL NUMBER FISH HARVESTED | RSE FOR HARVEST | SPECIES HARVEST COMPOSITION (%) | INTENDED NUMBER HARVESTED | % OF CAUGHT FISH RELEASED | AVERAGE WEIGHT (LBS) | NUMBER FISH RECORDED |
|-----------------|-----------------------------------|---------------------|-------------------------------|------------------------------|--------------------------------------|-----------------------|---------------------------------|---------------------------------|------------------------------------|----------------------------|----------------------------|
| CHANNEL CATFISH | 45 | 1130.2 | 0.4 | 0 | 45 | 1130.2 | 0.6 | 0 | 0.0 | | 1 |
| WHITE BASS | 7120 | 36.8 | 55.7 | 6425 | 5450 | 44.9 | 73.9 | 5450 | 23.5 | 0.95 | 152 |
| YELLOW BASS | 359 | 185.2 | 2.8 | 0 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| SMALLMOUTH BASS | 278 | 289.8 | 2.2 | 278 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| SPOTTED BASS | 398 | 161.1 | 3.1 | 371 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| LARGEMOUTH BASS | 1364 | 72.1 | 10.7 | 1267 | 12 | 440.2 | 0.2 | 12 | 99.1 | | 1 |
| WHITE CRAPPIE | 1791 | 72.2 | 14.0 | 1791 | 910 | 109.6 | 12.3 | 910 | 49.2 | 0.73 | 24 |
| BLACK CRAPPIE | 1353 | 110.8 | 10.6 | 1353 | 954 | 135.3 | 12.9 | 954 | 29.5 | 0.74 | 18 |
| FRESHWATER DRUM | 80 | 745.1 | 0.6 | 0 | 0 | | 0.0 | 0 | 100.0 | | 0 |

SUMMARY OF FISHING EFFORT AND CATCH RATES FOR INTENDED SPECIES GROUPS - 2020

| INTENDED SPECIES | ANGLER HOURS | RSE FOR ANGLER HOURS | ANGLER TRIPS | PERCENT EFFORT | NUMBER CAUGHT PER HOUR | RSE FOR CATCH PER HOUR | NUMBER HARVESTED PER HOUR | RSE FOR HARVEST PER HOUR | NUMBER OF INTERVIEWS |
|---------------------|-----------------|----------------------------|-----------------|-------------------|------------------------------|------------------------------|---------------------------------|--------------------------------|----------------------------|
| WHITE BASS | 6020 | 39.4 | 1040 | 36.9 | 2.17 | 13.3 | 1.69 | 14.7 | 14 |
| ANY BLACK BASS | 4786 | 45.5 | 797 | 29.4 | 0.98 | 27.9 | 0.01 | 123.6 | 12 |
| ANY CRAPPIE | 5500 | 41.8 | 957 | 33.7 | 1.22 | 38.7 | 0.58 | 38.9 | 14 |
| TOTAL | 16306 | | 2794 | | | | | | |

SUMMARY OF RELATIVE SPECIES CATCH RATES WITHIN TARGET GROUPS - 2020

| | TARGET GROUP | SPECIES WITHIN TARGET GROUPS | RELATIVE CATCH RATE | RELATIVE HARVEST RATE |
|-----|-----------------|------------------------------------|---------------------------|-----------------------------|
| ANY | BLACK BASS | | | |
| | | SMALLMOUTH BASS | 0.06 | 0.00 |
| | | SPOTTED BASS | 0.08 | 0.00 |
| | | LARGEMOUTH BASS | 0.26 | 0.00 |
| ANY | CRAPPIE | | | |
| | | WHITE CRAPPIE | 0.69 | 0.28 |
| | | BLACK CRAPPIE | 0.53 | 0.30 |

COMPARISON OF BLACK BASS CATCH RATES (# FISH/HOUR) BETWEEN TOURNAMENT AND NON-TOURNAMENT ANGLERS (MONTHS ARE LISTED ONLY IF > 90% OF BLACK BASS ANGLERS RESPONDED TO THE QUESTION ON TOURNAMENT PARTICIPATION)

| | % BLACK BASS EFFORT BY | CATCH RATE FOR | # OF | CATCH RATE FOR | # OF |
|-------------|---------------------------|-----------------------|-------------------------|---------------------------|-----------------------------|
| MONTH | TOURNAMENT ANGLERS | TOURNAMENT ANGLERS | INTERVIEWS (TOURNAMENT) | NON-TOURNAMENT ANGLERS | INTERVIEWS (NON-TOURNAMENT) |
| 02 FEBRUARY | 26 | 0.4 | 2 | 0.93 | 4 |
| 03 MARCH | 0 | | 0 | 1.06 | 6 |

SUMMARY OF TRIP EXPENDITURES AND CONSUMER SURPLUS FOR INTENDED SPECIES - 2020

| INTENDED SPECIES | TOTAL TRIP EXPENDITURES | TOTAL CONSUMER SURPLUS | TOTAL VALUE BY ANGLERS | NUMBER OF INTERVIEWS |
|---------------------|-------------------------------|------------------------------|------------------------------|----------------------------|
| WHITE BASS | 19880 | 1500 | 21380 | 14 |
| ANY BLACK BASS | 27480 | 13330 | 40810 | 12 |
| ANY CRAPPIE | 26180 | 7510 | 33700 | 14 |
| | | | | |
| TOTAL | 73540 | 22340 | 95890 | 40 |

SUMMARY OF SOCIOLOGICAL QUESTIONS - 2020

LOCATION=BARKLEY RES

DISTRIBUTION OF STATES OF RESIDENCE OF INTERVIEWED ANGLERS

| | NUMBER | |
|-------|-------------|--------------|
| | ANGLERS | PERCENT |
| STATE | INTERVIEWED | CONTRIBUTION |
| 7777 | 7 | 0.0 |
| KY | / | 9.3 |
| TN | 68 | 90.7 |

DISTRIBUTION OF COUNTIES OF RESIDENCE OF INTERVIEWED ANGLERS

| | NUMBER | |
|--------------|-------------|--------------|
| 00.TTTTTT | ANGLERS | PERCENT |
| COUNTY | INTERVIEWED | CONTRIBUTION |
| DAVIDSON | 11 | 16.2 |
| DICKSON | 8 | 11.8 |
| MONTGOMERY | 22 | 32.4 |
| STEWART | 21 | 30.9 |
| OTHERS IN TN | 6 | 8.8 |

DISTRIBUTION OF ONE-WAY MILEAGE OF ANGLERS INTERVIEWED

|] | NE-WAY MILES RAVELED | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|----|----------------------------|----------------------------------|-------------------------|
| A) | 0-25 | 39 | 52.0 |
| B) | 26-100 | 31 | 41.3 |
| C) | 101-250 | 2 | 2.7 |
| D) | > 250 | 3 | 4.0 |

DISTRIBUTION OF NUMBER OF DAYS IN TRIPS OF INTERVIEWED ANGLERS

| NUMBER DAYS IN TRIP | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|---------------------------|----------------------------------|-------------------------|
| A) 1 | 24 | 60.0 |
| B) 2-5 | 15 | 37.5 |
| C) 6-10 | 1 | 2.5 |

PICKWICK RESERVOIR

MONTHLY ANGLING EFFORT FOR ALL ANGLERS - 2020

| | | RELATIVE | HOURS | | TRIPS | |
|--------------|--------|----------|-------|--------|-------|---------|
| | ANGLER | STANDARD | PER | ANGLER | PER | PERCENT |
| MONTH | HOURS | ERROR | ACRE | TRIPS | ACRE | EFFORT |
| 01 JANUARY | 3481 | 5.1 | 0.6 | 711 | 0.1 | 3.5 |
| | | | | | | |
| 02 FEBRUARY | 1717 | 48.1 | 0.3 | 327 | 0.1 | 1.7 |
| 03 MARCH | 4742 | 63.6 | 0.8 | 856 | 0.1 | 4.8 |
| 04 APRIL | 5242 | • | 0.9 | 874 | 0.1 | 5.3 |
| 05 MAY | 25644 | 12.9 | 4.2 | 6411 | 1.0 | 25.9 |
| 06 JUNE | 18475 | 10.6 | 3.0 | • | • | 18.6 |
| 07 JULY | 3500 | 13.7 | 0.6 | • | • | 3.5 |
| 08 AUGUST | 9798 | 53.9 | 1.6 | • | • | 9.9 |
| 09 SEPTEMBER | 8640 | 20.7 | 1.4 | • | • | 8.7 |
| 10 OCTOBER | 12181 | 12.9 | 2.0 | • | • | 12.3 |
| 11 NOVEMBER | 3203 | 7.7 | 0.5 | • | • | 3.2 |
| 12 DECEMBER | 2566 | 47.2 | 0.4 | • | ٠ | 2.6 |
| moma r | | | | 0170 | | |
| TOTAL | 99189 | | | 9179 | | |

MONTHLY CATCH STATISTICS FOR ALL ANGLERS - 2020

| MONTH | NUMBER FISH CAUGHT | RSE FOR CATCH | FISH CAUGHT PER HOUR | RSE FOR CATCH RATE | NUMBER FISH HARVESTED | RSE FOR HARVEST | FISH HARVESTED PER HOUR | RSE FOR HARVEST RATE |
|-------------|--------------------------|---------------------|----------------------------|--------------------------|-----------------------------|-----------------------|-------------------------------|----------------------------|
| 01 JANUARY | 1114 | 27.7 | 0.32 | 26.9 | 0 | • | 0.00 | • |
| 02 FEBRUARY | 103 | 126.6 | 0.06 | 100.0 | 0 | • | 0.00 | • |
| 03 MARCH | 3414 | • | 0.72 | • | 237 | • | 0.05 | • |
| 04 APRIL | 891 | • | 0.17 | • | 0 | • | 0.00 | • |
| 05 MAY | 8206 | • | 0.32 | • | 0 | • | 0.00 | • |
| TOTAL | 13728 | | | | 237 | | | |

SUMMARY OF SPECIES CATCH STATISTICS - 2020

| SPECIES | TOTAL NUMBER FISH CAUGHT | RSE FOR CATCH | SPECIES CATCH COMPOSITION (%) | INTENDED NUMBER CAUGHT | TOTAL NUMBER FISH HARVESTED | RSE FOR HARVEST | SPECIES HARVEST COMPOSITION (%) | INTENDED NUMBER HARVESTED | % OF CAUGHT FISH RELEASED | AVERAGE WEIGHT (LBS) | NUMBER FISH RECORDED |
|-----------------|-----------------------------------|---------------------|-------------------------------|------------------------------|--------------------------------------|-----------------------|---------------------------------|---------------------------------|------------------------------------|----------------------------|----------------------------|
| BLUE CATFISH | 282 | 18.3 | 2.0 | 0 | 79 | 0 | 33.2 | 0 | 72.0 | | 2 |
| CHANNEL CATFISH | 102 | 207.0 | 0.7 | 51 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| WHITE BASS | 102 | 207.0 | 0.7 | 0 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| BLUEGILL | 4924 | | 35.8 | 4924 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| SMALLMOUTH BASS | 254 | 83.5 | 1.8 | 212 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| LARGEMOUTH BASS | 7105 | 4.6 | 51.6 | 5851 | 119 | 0 | 50.0 | 119 | 98.3 | | 3 |
| WHITE CRAPPIE | 50 | 103.1 | 0.4 | 50 | 40 | 0 | 16.8 | 40 | 20.0 | | 1 |
| FRESHWATER DRUM | 953 | 26.3 | 6.9 | 0 | 0 | | 0.0 | 0 | 100.0 | | 0 |

SUMMARY OF FISHING EFFORT AND CATCH RATES FOR INTENDED SPECIES GROUPS - 2020

| INTENDED SPECIES | ANGLER HOURS | RSE FOR ANGLER HOURS | ANGLER TRIPS | PERCENT EFFORT | NUMBER CAUGHT PER HOUR | RSE FOR CATCH PER HOUR | NUMBER HARVESTED PER HOUR | RSE FOR HARVEST PER HOUR | NUMBER OF INTERVIEWS |
|---------------------|-----------------|----------------------------|-----------------|-------------------|------------------------------|------------------------------|---------------------------------|--------------------------------|----------------------------|
| ANY CATFISH | 908 | 48.9 | 185 | 2.2 | 0.04 | 96.0 | 0.00 | | 2 |
| ANY SUNFISH | 25644 | 12.9 | 6411 | 62.8 | 0.40 | | 0.00 | | 1 |
| ANY BLACK BASS | 13559 | 22.5 | 2444 | 33.2 | 0.35 | 31.3 | 0.01 | 282.6 | 27 |
| ANY CRAPPIE | 714 | 70.1 | 139 | 1.7 | 0.11 | 70.8 | 0.05 | 0.0 | 5 |
| TOTAL | 40825 | | 9179 | | | | | | |

SUMMARY OF RELATIVE SPECIES CATCH RATES WITHIN TARGET GROUPS - 2020

| | TARGET GROUP | SPECIES WITHIN TARGET GROUPS | RELATIVE CATCH RATE | RELATIVE HARVEST RATE |
|-----|-----------------|------------------------------------|---------------------------|-----------------------------|
| ANY | CATFISH | | | |
| | | BLUE CATFISH | 0.00 | 0.00 |
| | | CHANNEL CATFISH | 0.04 | 0.00 |
| ANY | SUNFISH | | | |
| | | BLUEGILL | 0.40 | 0.00 |
| ANY | BLACK BASS | | | |
| | | SMALLMOUTH BASS | 0.02 | 0.00 |
| | | LARGEMOUTH BASS | 0.43 | 0.01 |
| ANY | CRAPPIE | | | |
| | | WHITE CRAPPIE | 0.11 | 0.05 |

COMPARISON OF BLACK BASS CATCH RATES (# FISH/HOUR) BETWEEN TOURNAMENT AND NON-TOURNAMENT ANGLERS (MONTHS ARE LISTED ONLY IF > 90% OF BLACK BASS ANGLERS RESPONDED TO THE QUESTION ON TOURNAMENT PARTICIPATION)

| | MONTH | <pre>% BLACK BASS EFFORT BY TOURNAMENT ANGLERS</pre> | CATCH RATE FOR TOURNAMENT ANGLERS | # OF INTERVIEWS (TOURNAMENT) | CATCH RATE FOR NON-TOURNAMENT ANGLERS | # OF INTERVIEWS (NON-TOURNAMENT) |
|----|----------|---|--|------------------------------------|--|--|
| 01 | JANUARY | 0 | | 0 | 0.35 | 8 |
| 02 | FEBRUARY | 0 | | 0 | 0.18 | 7 |
| 03 | MARCH | 22 | 0.42 | 2 | 0.27 | 9 |
| 04 | APRIL | 0 | | 0 | 0.43 | 1 |

SUMMARY OF TRIP EXPENDITURES AND CONSUMER SURPLUS FOR INTENDED SPECIES - 2020

| INTENDED SPECIES | TOTAL TRIP EXPENDITURES | TOTAL CONSUMER SURPLUS | TOTAL VALUE BY ANGLERS | NUMBER OF INTERVIEWS |
|---------------------|-------------------------------|------------------------------|------------------------------|----------------------------|
| ANY CATFISH | 2550 | 2090 | 4640 | 2 |
| ANY SUNFISH | 128220 | 128220 | 256440 | 1 |
| ANY BLACK BASS | 98830 | 74620 | 173450 | 27 |
| ANY CRAPPIE | 3970 | 6490 | 10450 | 5 |
| TOTAL | 233570 | 211420 | 444980 | 35 |

SUMMARY OF SOCIOLOGICAL QUESTIONS - 2020

LOCATION=PICKWICK RES

DISTRIBUTION OF STATES OF RESIDENCE OF INTERVIEWED ANGLERS

| | NUMBER | |
|-------|-------------|--------------|
| | ANGLERS | PERCENT |
| STATE | INTERVIEWED | CONTRIBUTION |
| | | |
| MS | 7 | 9.6 |
| TN | 66 | 90.4 |

DISTRIBUTION OF COUNTIES OF RESIDENCE OF INTERVIEWED ANGLERS

| COUNTY | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|--------------|----------------------------------|-------------------------|
| CARROLL | 6 | 9.1 |
| CHESTER | 4 | 6.1 |
| HARDIN | 21 | 31.8 |
| McNAIRY | 7 | 10.6 |
| MADISON | 4 | 6.1 |
| SHELBY | 15 | 22.7 |
| OTHERS IN TN | 9 | 13.6 |

DISTRIBUTION OF ONE-WAY MILEAGE OF ANGLERS INTERVIEWED

| ONE-WAY MILES TRAVELED | | ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|------------------------------|------|------------------------|-------------------------|
| A) 0-2 B) 26- | | 29 37 | 39.7 50.7 |
| c) 101 | -250 | 7 | 9.6 |

DISTRIBUTION OF NUMBER OF DAYS IN TRIPS OF INTERVIEWED ANGLERS

| NUMBER DAYS IN TRIP | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|---------------------------|----------------------------------|-------------------------|
| A) 1 | 30 | 83.3 |
| B) 2-5 | 6 | 16.7 |

TWRA REGION II

J. PERCY PRIEST RESERVOIR

MONTHLY ANGLING EFFORT FOR ALL ANGLERS - 2020

| MONTH | ANGLER HOURS | RELATIVE STANDARD ERROR | HOURS PER ACRE | ANGLER TRIPS | TRIPS PER ACRE | PERCENT EFFORT |
|--------------|-----------------|-------------------------------|----------------------|-----------------|----------------------|-------------------|
| 01 JANUARY | 16086 | 26.7 | 1.1 | 3998 | 0.3 | 3.2 |
| 02 FEBRUARY | 12128 | 20.8 | 0.9 | 3265 | 0.2 | 2.4 |
| 03 MARCH | 59908 | 28.4 | 4.2 | 13235 | 0.9 | 11.9 |
| 04 APRIL | 64985 | 21.6 | 4.6 | 12116 | 0.9 | 12.9 |
| 05 MAY | 107385 | 17.3 | 7.6 | 25086 | 1.8 | 21.3 |
| 06 JUNE | 57302 | 14.5 | 4.0 | 12692 | 0.9 | 11.3 |
| 07 JULY | 26741 | 13.3 | 1.9 | 6414 | 0.5 | 5.3 |
| 08 AUGUST | 44499 | 35.5 | 3.1 | 9647 | 0.7 | 8.8 |
| 09 SEPTEMBER | 35275 | 16.2 | 2.5 | 7145 | 0.5 | 7.0 |
| 10 OCTOBER | 36493 | 7.3 | 2.6 | 7536 | 0.5 | 7.2 |
| 11 NOVEMBER | 29488 | 28.5 | 2.1 | 6432 | 0.5 | 5.8 |
| 12 DECEMBER | 14780 | 35.8 | 1.0 | 3486 | 0.2 | 2.9 |
| TOTAL | 505070 | | | 111052 | | |

MONTHLY CATCH STATISTICS FOR ALL ANGLERS - 2020

| MONTH | NUMBER FISH CAUGHT | RSE FOR CATCH | FISH CAUGHT PER HOUR | RSE FOR CATCH RATE | NUMBER FISH HARVESTED | RSE FOR HARVEST | FISH HARVESTED PER HOUR | RSE FOR HARVEST RATE |
|--------------|--------------------------|---------------------|----------------------------|--------------------------|-----------------------------|-----------------------|-------------------------------|----------------------------|
| 01 JANUARY | 23325 | 50.5 | 1.45 | 41.4 | 11260 | 37.8 | 0.70 | 25.7 |
| 02 FEBRUARY | 16858 | 42.1 | 1.39 | 35.7 | 5579 | 51.2 | 0.46 | 45.4 |
| 03 MARCH | 75484 | 38.4 | 1.26 | 25.0 | 32350 | 38.4 | 0.54 | 24.9 |
| 04 APRIL | 103326 | 35.3 | 1.59 | 27.2 | 33792 | 33.1 | 0.52 | 24.5 |
| 05 MAY | 93425 | 21.8 | 0.87 | 13.0 | 26846 | 21.5 | 0.25 | 12.8 |
| 06 JUNE | 58448 | 21.6 | 1.02 | 15.8 | 26359 | 23.0 | 0.46 | 17.7 |
| 07 JULY | 18986 | 22.5 | 0.71 | 17.9 | 6685 | 31.2 | 0.25 | 28.0 |
| 08 AUGUST | 40494 | 70.8 | 0.91 | 57.5 | 11570 | 55.2 | 0.26 | 39.9 |
| 09 SEPTEMBER | 32806 | 29.8 | 0.93 | 24.7 | 11994 | 37.4 | 0.34 | 33.5 |
| 10 OCTOBER | 61308 | 13.2 | 1.68 | 11.1 | 28100 | 22.9 | 0.77 | 21.6 |
| 11 NOVEMBER | 34796 | 36.1 | 1.18 | 21.4 | 16218 | 36.1 | 0.55 | 21.4 |
| 12 DECEMBER | 18327 | 48.2 | 1.24 | 30.4 | 6503 | 48.9 | 0.44 | 31.1 |
| TOTAL | 577583 | | | | 217256 | | | |

SUMMARY OF SPECIES CATCH STATISTICS - 2020

| SPECIES | TOTAL NUMBER FISH CAUGHT | RSE FOR CATCH | SPECIES CATCH COMPOSITION (%) | INTENDED NUMBER CAUGHT | TOTAL NUMBER FISH HARVESTED | RSE FOR HARVEST | SPECIES HARVEST COMPOSITION (%) | INTENDED NUMBER HARVESTED | % OF CAUGHT FISH RELEASED | AVERAGE WEIGHT (LBS) | NUMBER FISH RECORDED |
|------------------|-----------------------------------|---------------------|-------------------------------|------------------------------|--------------------------------------|-----------------------|--|---------------------------------|------------------------------------|----------------------------|----------------------------|
| ALEWIFE | 190 | 976.3 | 0.0 | 0 | 190 | 976.3 | 0.1 | 0 | 0.0 | | 2 |
| CARP | 292 | 895.6 | 0.1 | 195 | 222 | 1035.8 | 0.1 | 222 | 24.0 | | 2 |
| BLUE CATFISH | 748 | 422.6 | 0.1 | 427 | 748 | 422.6 | 0.3 | 427 | 0.0 | | 7 |
| CHANNEL CATFISH | 10074 | 60.9 | 1.7 | 5158 | 6744 | 65.0 | 3.1 | 3764 | 33.1 | 1.85 | 86 |
| FLATHEAD CATFISH | 1344 | 368.8 | 0.2 | 791 | 803 | 368.3 | 0.4 | 511 | 40.3 | 3.25 | 11 |
| WHITE BASS | 57641 | 20.9 | 10.0 | 29677 | 25299 | 26.5 | 11.6 | 19055 | 56.1 | 1.30 | 393 |
| YELLOW BASS | 39241 | 49.7 | 6.8 | 13905 | 11435 | 50.5 | 5.3 | 4507 | 70.9 | 0.52 | 170 |
| STRIPED BASS | 430 | 925.0 | 0.1 | 172 | 190 | 976.3 | 0.1 | 190 | 55.8 | | 2 |
| CHEROKEE BASS | 37709 | 29.1 | 6.5 | 30200 | 13087 | 39.7 | 6.0 | 12109 | 65.3 | 4.14 | 174 |
| GREEN SUNFISH | 12461 | 64.9 | 2.2 | 11328 | 11200 | 66.9 | 5.2 | 10338 | 10.1 | | 117 |
| WARMOUTH | 325 | 888.6 | 0.1 | 108 | 254 | 1047.8 | 0.1 | 0 | 21.8 | | 2 |
| BLUEGILL | 42403 | 26.3 | 7.3 | 28641 | 22701 | 30.5 | 10.4 | 16137 | 46.5 | 0.36 | 249 |
| LONGEAR SUNFISH | 5718 | 142.3 | 1.0 | 4447 | 4401 | 143.2 | 2.0 | 3257 | 23.0 | 0.10 | 50 |
| REDEAR SUNFISH | 2136 | 297.3 | 0.4 | 1799 | 1863 | 309.0 | 0.9 | 1863 | 12.8 | • | 16 |
| SMALLMOUTH BASS | 11207 | 71.3 | 1.9 | 1894 | 1048 | 184.5 | 0.5 | 459 | 90.6 | 4.01 | 16 |
| SPOTTED BASS | 2316 | 296.4 | 0.4 | 579 | 216 | 680.5 | 0.1 | 144 | 90.7 | 0.75 | 3 |
| LARGEMOUTH BASS | 101809 | 14.0 | 17.6 | 86967 | 11299 | 26.6 | 5.2 | 9696 | 88.9 | 2.83 | 148 |
| WHITE CRAPPIE | 132043 | 13.0 | 22.8 | 128863 | 55189 | 16.9 | 25.4 | 53884 | 58.2 | 0.66 | 761 |
| BLACK CRAPPIE | 119060 | 14.1 | 20.6 | 116827 | 50309 | 18.5 | 23.2 | 49355 | 57.7 | 0.71 | 738 |
| FRESHWATER DRUM | 919 | 511.3 | 0.2 | 276 | 55 | 1509.4 | 0.0 | 0 | 94.0 | | 1 |

SUMMARY OF FISHING EFFORT AND CATCH RATES FOR INTENDED SPECIES GROUPS - 2020

| INTENDED SPECIES | ANGLER HOURS | RSE FOR ANGLER HOURS | ANGLER TRIPS | PERCENT EFFORT | NUMBER CAUGHT PER HOUR | RSE FOR CATCH PER HOUR | NUMBER HARVESTED PER HOUR | RSE FOR HARVEST PER HOUR | NUMBER OF INTERVIEWS |
|---------------------|-----------------|----------------------------|-----------------|-------------------|------------------------------|------------------------------|---------------------------------|--------------------------------|----------------------------|
| ANY CATFISH | 17617 | 17.5 | 3872 | 3.5 | 0.27 | 77.0 | 0.25 | 84.5 | 46 |
| WHITE BASS | 9054 | 22.4 | 1898 | 1.8 | 2.07 | 48.9 | 1.47 | 38.6 | 23 |
| STRIPED BASS | 677 | 64.7 | 157 | 0.1 | 0.00 | | 0.00 | | 3 |
| CHEROKEE BASS | 60572 | 11.1 | 13543 | 12.0 | 0.44 | 31.9 | 0.18 | 36.6 | 156 |
| ANY SUNFISH | 10344 | 21.1 | 2279 | 2.0 | 1.60 | 33.6 | 1.10 | 60.0 | 27 |
| ANY BLACK BASS | 1340 | 49.5 | 279 | 0.3 | 0.00 | | 0.00 | | 5 |
| SMALLMOUTH BASS | 9434 | 24.4 | 2078 | 1.9 | 0.13 | 58.0 | 0.02 | 154.2 | 26 |
| LARGEMOUTH BASS | 127937 | 8.7 | 28182 | 25.3 | 0.53 | 19.0 | 0.06 | 42.0 | 406 |
| ANY CRAPPIE | 131152 | 9.7 | 28412 | 26.0 | 1.74 | 21.0 | 0.79 | 21.4 | 383 |
| ANY SPECIES | 136634 | 8.8 | 30282 | 27.1 | 1.03 | 59.6 | 0.49 | 43.3 | 290 |
| OTHER | 307 | 145.9 | 72 | 0.1 | 0.00 | | 0.00 | | 1 |
| TOTAL | 505068 | | 111054 | | | | | | |

SUMMARY OF RELATIVE SPECIES CATCH RATES WITHIN TARGET GROUPS - 2020

| TARG GROU | ET TAR | | RELATIVE CATCH RATE | RELATIVE HARVEST RATE |
|--------------|--------|---------------|---------------------------|-----------------------------|
| ANY CATF | ISH | | | |
| | BLU: | E CATFISH | 0.02 | 0.02 |
| | CHA | NNEL CATFISH | 0.22 | 0.20 |
| | FLA' | THEAD CATFISH | 0.03 | 0.03 |
| ANY SUNF | ISH | | | |
| | GRE: | EN SUNFISH | 0.39 | 0.36 |
| | WAR | MOUTH | 0.00 | 0.00 |
| | BLU: | EGILL | 0.99 | 0.56 |
| | LON | GEAR SUNFISH | 0.15 | 0.11 |
| | RED: | EAR SUNFISH | 0.06 | 0.06 |
| ANY BLAC | K BASS | | | |
| | SMA | LLMOUTH BASS | 0.01 | 0.00 |
| | SPO' | TTED BASS | 0.00 | 0.00 |
| | LAR | GEMOUTH BASS | 0.63 | 0.07 |
| ANY CRAP | PIE | | | |
| | WHI | TE CRAPPIE | 0.91 | 0.41 |
| | BLA | CK CRAPPIE | 0.83 | 0.38 |

COMPARISON OF BLACK BASS CATCH RATES (# FISH/HOUR) BETWEEN TOURNAMENT AND NON-TOURNAMENT ANGLERS (MONTHS ARE LISTED ONLY IF > 90% OF BLACK BASS ANGLERS RESPONDED TO THE QUESTION ON TOURNAMENT PARTICIPATION)

| | % BLACK BASS EFFORT BY | CATCH RATE FOR | # OF | CATCH RATE FOR | # OF |
|--------------|---------------------------|-----------------------|----------------------------|---------------------------|--------------------------------|
| MONTH | TOURNAMENT ANGLERS | TOURNAMENT ANGLERS | INTERVIEWS (TOURNAMENT) | NON-TOURNAMENT ANGLERS | INTERVIEWS (NON-TOURNAMENT) |
| 01 JANUARY | 24 | 0.24 | 2 | 0.23 | 12 |
| 02 FEBRUARY | 22 | 0.35 | 4 | 0.15 | 24 |
| 03 MARCH | 22 | 0.59 | 6 | 0.36 | 42 |
| 04 APRIL | 13 | 0.67 | 3 | 0.65 | 35 |
| 05 MAY | 2 | 1.33 | 1 | 0.65 | 55 |
| 06 JUNE | 26 | 0.67 | 12 | 0.85 | 33 |
| 07 JULY | 0 | | 0 | 0.51 | 43 |
| 08 AUGUST | 33 | 0.71 | 7 | 0.26 | 17 |
| 09 SEPTEMBER | 62 | 0.47 | 18 | 0.35 | 35 |
| 10 OCTOBER | 28 | 0.18 | 6 | 0.36 | 30 |
| 11 NOVEMBER | 43 | 0.34 | 4 | 0.33 | 17 |
| 12 DECEMBER | 25 | 0.28 | 6 | 0.20 | 23 |

OLD HICKORY RESERVOIR

MONTHLY ANGLING EFFORT FOR ALL ANGLERS - 2020

| MONTH | ANGLER HOURS | RELATIVE STANDARD ERROR | HOURS PER ACRE | ANGLER TRIPS | TRIPS PER ACRE | PERCENT EFFORT |
|--------------|-----------------|-------------------------------|----------------------|-----------------|----------------------|-------------------|
| 01 JANUARY | 14310 | 33.5 | 0.6 | 3267 | 0.1 | 2.8 |
| 02 FEBRUARY | 9482 | 26.2 | 0.4 | 2248 | 0.1 | 1.8 |
| 03 MARCH | 20474 | 39.4 | 0.9 | 4977 | 0.2 | 3.9 |
| 04 APRIL | 70048 | 28.5 | 3.1 | 16726 | 0.7 | 13.5 |
| 05 MAY | 92341 | 11.8 | 4.1 | 22457 | 1.0 | 17.8 |
| 06 JUNE | 43525 | 29.0 | 1.9 | 9698 | 0.4 | 8.4 |
| 07 JULY | 62877 | 22.5 | 2.8 | 16281 | 0.7 | 12.1 |
| 08 AUGUST | 65366 | 10.4 | 2.9 | 12065 | 0.5 | 12.6 |
| 09 SEPTEMBER | 54730 | 21.8 | 2.4 | 11908 | 0.5 | 10.5 |
| 10 OCTOBER | 31099 | 17.2 | 1.4 | 5600 | 0.2 | 6.0 |
| 11 NOVEMBER | 31449 | 25.4 | 1.4 | 7064 | 0.3 | 6.0 |
| 12 DECEMBER | 24368 | 33.6 | 1.1 | 5895 | 0.3 | 4.7 |
| TOTAL | 520069 | | | 118186 | | |

MONTHLY CATCH STATISTICS FOR ALL ANGLERS - 2020

| MONTH | NUMBER FISH CAUGHT | RSE FOR CATCH | FISH CAUGHT PER HOUR | RSE FOR CATCH RATE | NUMBER FISH HARVESTED | RSE FOR HARVEST | FISH HARVESTED PER HOUR | RSE FOR HARVEST RATE |
|--------------|--------------------------|---------------------|----------------------------|--------------------------|-----------------------------|-----------------------|-------------------------------|----------------------------|
| 01 JANUARY | 6010 | 43.4 | 0.42 | 26.3 | 2290 | 45.1 | 0.16 | 28.5 |
| 02 FEBRUARY | 2750 | 83.7 | 0.29 | 76.3 | 1138 | 90.6 | 0.12 | 81.3 |
| 03 MARCH | 7166 | 62.9 | 0.35 | 46.1 | 3071 | 90.7 | 0.15 | 78.2 |
| 04 APRIL | 36425 | 36.2 | 0.52 | 21.5 | 5604 | 46.1 | 0.08 | 32.9 |
| 05 MAY | 76643 | 17.6 | 0.83 | 13.0 | 21238 | 25.4 | 0.23 | 22.7 |
| 06 JUNE | 32644 | 30.0 | 0.75 | 7.3 | 3047 | 82.1 | 0.07 | 75.8 |
| 07 JULY | 37097 | 48.9 | 0.59 | 42.1 | 10060 | 59.5 | 0.16 | 53.5 |
| 08 AUGUST | 28761 | 35.3 | 0.44 | 33.4 | 6537 | 75.6 | 0.10 | 74.9 |
| 09 SEPTEMBER | 37216 | 33.8 | 0.68 | 25.2 | 13135 | 52.8 | 0.24 | 47.7 |
| 10 OCTOBER | 26745 | 29.5 | 0.86 | 23.7 | 20525 | 35.6 | 0.66 | 30.7 |
| 11 NOVEMBER | 27046 | 38.6 | 0.86 | 28.4 | 8177 | 43.1 | 0.26 | 33.9 |
| 12 DECEMBER | 37527 | 43.2 | 1.54 | 25.8 | 13646 | 43.2 | 0.56 | 25.7 |
| TOTAL | 356030 | | | | 108468 | | | |

SUMMARY OF SPECIES CATCH STATISTICS - 2020

| SPECIES | TOTAL NUMBER FISH CAUGHT | RSE FOR CATCH | SPECIES CATCH COMPOSITION (%) | INTENDED NUMBER CAUGHT | TOTAL NUMBER FISH HARVESTED | RSE FOR HARVEST | SPECIES HARVEST COMPOSITION (%) | INTENDED NUMBER HARVESTED | % OF CAUGHT FISH RELEASED | AVERAGE WEIGHT (LBS) | NUMBER FISH RECORDED |
|--------------------|-----------------------------------|---------------------|--|------------------------------|--------------------------------------|-----------------------|--|---------------------------------|------------------------------------|----------------------------|----------------------------|
| PADDLEFISH | 104 | 1640.3 | 0.0 | 0 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| LONGNOSE GAR | 99 | 1506.2 | 0.0 | 0 | 99 | 1506.2 | 0.1 | 0 | 0.0 | | 1 |
| SKIPJACK HERRING | 4519 | 179.5 | 1.3 | 3537 | 4354 | 184.0 | 4.0 | 3317 | 3.7 | | 21 |
| BLUE CATFISH | 5386 | 102.5 | 1.5 | 4873 | 3868 | 108.9 | 3.6 | 3385 | 28.2 | | 24 |
| CHANNEL CATFISH | 20975 | 38.2 | 5.9 | 15570 | 15142 | 38.9 | 14.0 | 12904 | 27.8 | 6.70 | 115 |
| FLATHEAD CATFISH | 943 | 354.2 | 0.3 | 674 | 551 | 496.2 | 0.5 | 413 | 41.6 | 4.10 | 4 |
| RAINBOW TROUT | 32 | 793.4 | 0.0 | 0 | 32 | 793.4 | 0.0 | 0 | 0.0 | 3.20 | 1 |
| ANY TEMPERATE BASS | 248 | 1076.8 | 0.1 | 0 | 0 | • | 0.0 | 0 | 100.0 | | 0 |
| WHITE BASS | 6092 | 130.4 | 1.7 | 3655 | 2064 | 188.3 | 1.9 | 1651 | 66.1 | 0.70 | 10 |
| YELLOW BASS | 1131 | 360.0 | 0.3 | 103 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| STRIPED BASS | 7420 | 133.8 | 2.1 | 6720 | 1588 | 186.8 | 1.5 | 1344 | 78.6 | 14.83 | 13 |
| ROCK BASS | 131 | 2102.1 | 0.0 | 131 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| GREEN SUNFISH | 6283 | 135.3 | 1.8 | 6283 | 3444 | 148.9 | 3.2 | 3444 | 45.2 | | 19 |
| WARMOUTH | 464 | 914.7 | 0.1 | 155 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| BLUEGILL | 57815 | 22.6 | 16.2 | 40185 | 18284 | 31.9 | 16.9 | 14475 | 68.4 | 0.35 | 144 |
| LONGEAR SUNFISH | 2721 | 273.4 | 0.8 | 2721 | 549 | 515.7 | 0.5 | 549 | 79.8 | | 4 |
| REDEAR SUNFISH | 17166 | 71.0 | 4.8 | 7188 | 8020 | 93.9 | 7.4 | 5347 | 53.3 | 0.60 | 60 |
| SMALLMOUTH BASS | 1732 | 332.2 | 0.5 | 346 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| SPOTTED BASS | 944 | 475.5 | 0.3 | 472 | 402 | 377.4 | 0.4 | 0 | 57.4 | | 2 |
| LARGEMOUTH BASS | 147656 | 12.4 | 41.4 | 143947 | 24021 | 23.2 | 22.1 | 24021 | 83.7 | 2.76 | 193 |
| WHITE CRAPPIE | 35971 | 34.3 | 10.1 | 32678 | 13060 | 50.7 | 12.0 | 12553 | 63.7 | 0.50 | 103 |
| BLACK CRAPPIE | 24227 | 44.6 | 6.8 | 23462 | 8663 | 69.4 | 8.0 | 8302 | 64.2 | 0.85 | 72 |
| SAUGER | 6324 | 109.6 | 1.8 | 5145 | 2185 | 88.0 | 2.0 | 2078 | 65.4 | 2.22 | 41 |
| WALLEYE | 2534 | 144.7 | 0.7 | 1689 | 1685 | 157.7 | 1.6 | 1296 | 33.5 | 2.38 | 13 |
| FRESHWATER DRUM | 5393 | 125.6 | 1.5 | 753 | 458 | 299.8 | 0.4 | 115 | 91.5 | | 4 |

SUMMARY OF FISHING EFFORT AND CATCH RATES FOR INTENDED SPECIES GROUPS - 2020

| INTENDED SPECIES | ANGLER HOURS | RSE FOR ANGLER HOURS | ANGLER TRIPS | PERCENT EFFORT | NUMBER CAUGHT PER HOUR | RSE FOR CATCH PER HOUR | NUMBER HARVESTED PER HOUR | RSE FOR HARVEST PER HOUR | NUMBER OF INTERVIEWS |
|---------------------|-----------------|----------------------------|-----------------|-------------------|------------------------------|------------------------------|---------------------------------|--------------------------------|----------------------------|
| ANY CATFISH | 53654 | 13.4 | 12311 | 10.3 | 0.44 | 48.5 | 0.35 | 61.1 | 82 |
| WHITE BASS | 3915 | 43.4 | 890 | 0.8 | 0.30 | 224.7 | 0.19 | 241.7 | 8 |
| STRIPED BASS | 37011 | 14.7 | 8200 | 7.1 | 0.18 | 64.6 | 0.04 | 110.6 | 60 |
| ANY SUNFISH | 14865 | 22.0 | 3216 | 2.9 | 2.04 | 53.4 | 0.85 | 108.6 | 21 |
| ANY BLACK BASS | 1668 | 64.3 | 415 | 0.3 | 0.78 | 5.3 | 0.05 | 11.3 | 3 |
| SMALLMOUTH BASS | 2611 | 46.2 | 580 | 0.5 | 0.00 | | 0.00 | | 6 |
| LARGEMOUTH BASS | 211105 | 8.2 | 47281 | 40.6 | 0.60 | 18.3 | 0.10 | 35.4 | 356 |
| ANY CRAPPIE | 56506 | 15.5 | 13158 | 10.9 | 0.99 | 43.0 | 0.36 | 44.9 | 103 |
| SAUGER | 8704 | 25.9 | 2052 | 1.7 | 0.55 | 54.8 | 0.23 | 71.5 | 21 |
| WALLEYE | 8765 | 28.5 | 2008 | 1.7 | 0.17 | 62.2 | 0.12 | 77.5 | 18 |
| ANY SPECIES | 120946 | 9.7 | 28016 | 23.3 | 0.75 | 36.7 | 0.24 | 53.3 | 195 |
| OTHER | 321 | 128.3 | 58 | 0.1 | 0.00 | | 0.00 | | 1 |
| TOTAL | 520071 | | 118185 | | | | | | |

SUMMARY OF RELATIVE SPECIES CATCH RATES WITHIN TARGET GROUPS - 2020

| | TARGET GROUP | SPECIES WITHIN TARGET GROUPS | RELATIVE CATCH RATE | RELATIVE HARVEST RATE |
|-----|-----------------|------------------------------------|---------------------------|-----------------------------|
| ANY | CATFISH | | | |
| | | BLUE CATFISH | 0.10 | 0.07 |
| | | CHANNEL CATFISH | 0.32 | 0.27 |
| | | FLATHEAD CATFISH | 0.01 | 0.01 |
| ANY | SUNFISH | | | |
| | | GREEN SUNFISH | 0.23 | 0.12 |
| | | WARMOUTH | 0.01 | 0.00 |
| | | BLUEGILL | 1.45 | 0.52 |
| | | LONGEAR SUNFISH | 0.10 | 0.02 |
| | | REDEAR SUNFISH | 0.26 | 0.19 |
| ANY | BLACK BASS | | | |
| | | SMALLMOUTH BASS | 0.00 | 0.00 |
| | | SPOTTED BASS | 0.00 | 0.00 |
| | | LARGEMOUTH BASS | 0.67 | 0.11 |
| ANY | CRAPPIE | | | |
| | | WHITE CRAPPIE | 0.58 | 0.22 |
| | | BLACK CRAPPIE | 0.41 | 0.14 |

COMPARISON OF BLACK BASS CATCH RATES (# FISH/HOUR) BETWEEN TOURNAMENT AND NON-TOURNAMENT ANGLERS (MONTHS ARE LISTED ONLY IF > 90% OF BLACK BASS ANGLERS RESPONDED TO THE QUESTION ON TOURNAMENT PARTICIPATION)

| | % BLACK BASS | CATCH RATE | | CATCH RATE | | | | |
|--------------|--------------|------------|--------------|----------------|------------------|--|--|--|
| | EFFORT BY | FOR | # OF | FOR | # OF | | | |
| | TOURNAMENT | TOURNAMENT | INTERVIEWS | NON-TOURNAMENT | INTERVIEWS | | | |
| MONTH | ANGLERS | ANGLERS | (TOURNAMENT) | ANGLERS | (NON-TOURNAMENT) | | | |
| | | | | | | | | |
| 01 JANUARY | 0 | | 0 | 0.46 | 3 | | | |
| 02 FEBRUARY | 24 | 0.20 | 1 | 0.13 | 11 | | | |
| 03 MARCH | 73 | 0.73 | 6 | 1.16 | 10 | | | |
| 04 APRIL | 21 | 1.04 | 3 | 0.68 | 27 | | | |
| 05 MAY | 40 | 1.01 | 16 | 0.50 | 54 | | | |
| 06 JUNE | 29 | 1.38 | 7 | 0.59 | 30 | | | |
| 07 JULY | 20 | 1.08 | 4 | 0.59 | 34 | | | |
| 08 AUGUST | 88 | 0.43 | 26 | 0.16 | 17 | | | |
| 09 SEPTEMBER | 11 | 0.21 | 7 | 0.58 | 55 | | | |
| 10 OCTOBER | 77 | 0.41 | 16 | 0.27 | 8 | | | |
| 11 NOVEMBER | 0 | | 0 | 0.37 | 16 | | | |
| 12 DECEMBER | 0 | | 0 | 0.24 | 13 | | | |

SUMMARY OF TRIP EXPENDITURES AND CONSUMER SURPLUS FOR INTENDED SPECIES - 2020

| INTENDED SPECIES | TOTAL TRIP EXPENDITURES | TOTAL CONSUMER SURPLUS | TOTAL VALUE BY ANGLERS | NUMBER OF INTERVIEWS |
|---------------------|-------------------------------|------------------------------|------------------------------|----------------------------|
| LARGEMOUTH BASS | 1197830 | 1610490 | 2808320 | 2 |

SUMMARY OF SOCIOLOGICAL QUESTIONS - 2020

LOCATION=OLD HICKORY RES

DISTRIBUTION OF STATES OF RESIDENCE OF INTERVIEWED ANGLERS

NUMBER

| STATE | ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|-------|------------------------|-------------------------|
| KS | 1 | 33.3 |
| NC | 2 | 66.7 |

DISTRIBUTION OF ONE-WAY MILEAGE OF ANGLERS INTERVIEWED

ONE-WAY NUMBER

ANGLERS PERCENT MILES TRAVELED INTERVIEWED CONTRIBUTION D) > 2503 100

DISTRIBUTION OF NUMBER OF DAYS IN TRIPS OF INTERVIEWED ANGLERS

| NUMBER | NUMBER | |
|---------|-------------|--------------|
| DAYS | ANGLERS | PERCENT |
| IN TRIP | INTERVIEWED | CONTRIBUTION |
| | | |
| B) 2-5 | 1 | 50 |
| C) 6-10 | 1 | 50 |

CHEATHAM RESERVOIR

MONTHLY ANGLING EFFORT FOR ALL ANGLERS - 2020

| MONTH | ANGLER HOURS | RELATIVE STANDARD ERROR | HOURS PER ACRE | ANGLER TRIPS | TRIPS PER ACRE | PERCENT EFFORT |
|--------------|-----------------|-------------------------------|----------------------|-----------------|----------------------|-------------------|
| 01 JANUARY | 5590 | 14.9 | 0.8 | 1406 | 0.2 | 1.7 |
| 02 FEBRUARY | 15471 | 40.1 | 2.1 | 6278 | 0.8 | 4.7 |
| 03 MARCH | 13904 | 10.9 | 1.9 | 4192 | 0.6 | 4.2 |
| 04 APRIL | 109717 | 62.2 | 14.7 | 29082 | 3.9 | 33.2 |
| 05 MAY | 36108 | 9.8 | 4.8 | • | • | 10.9 |
| 06 JUNE | 17788 | 21.6 | 2.4 | • | • | 5.4 |
| 07 JULY | 49066 | 50.8 | 6.6 | 9129 | 1.2 | 14.9 |
| 08 AUGUST | 20919 | 53.6 | 2.8 | 4328 | 0.6 | 6.3 |
| 09 SEPTEMBER | 21242 | 36.6 | 2.9 | 4335 | 0.6 | 6.4 |
| 10 OCTOBER | 20937 | 40.6 | 2.8 | 4345 | 0.6 | 6.3 |
| 11 NOVEMBER | 11559 | 45.1 | 1.6 | 1713 | 0.2 | 3.5 |
| 12 DECEMBER | 7808 | 37.0 | 1.0 | 1912 | 0.3 | 2.4 |
| TOTAL | 330109 | | | 66720 | | |

MONTHLY CATCH STATISTICS FOR ALL ANGLERS - 2020

| MONTH | NUMBER FISH CAUGHT | RSE FOR CATCH | FISH CAUGHT PER HOUR | RSE FOR CATCH RATE | NUMBER FISH HARVESTED | RSE FOR HARVEST | FISH HARVESTED PER HOUR | RSE FOR HARVEST RATE |
|--------------|--------------------------|---------------------|----------------------------|--------------------------|-----------------------------|-----------------------|-------------------------------|----------------------------|
| 01 JANUARY | 4025 | 42.7 | 0.72 | 39.6 | 559 | 55.8 | 0.10 | 55.3 |
| 02 FEBRUARY | 9437 | 66.7 | 0.61 | 49.5 | 6653 | 85.6 | 0.43 | 70.8 |
| 03 MARCH | 10706 | 56.7 | 0.77 | 55.3 | 5005 | 37.8 | 0.36 | 36.4 |
| 04 APRIL | 29624 | 67.4 | 0.27 | 21.7 | 27429 | 64.9 | 0.25 | 15.4 |
| 07 JULY | 32384 | • | 0.66 | • | 15701 | • | 0.32 | • |
| 08 AUGUST | 8577 | • | 0.41 | | 0 | | 0.00 | • |
| 09 SEPTEMBER | 18481 | 58.6 | 0.87 | 43.2 | 12320 | 78.2 | 0.58 | 65.0 |
| 10 OCTOBER | 22821 | 63.4 | 1.09 | 45.3 | 6490 | 48.1 | 0.31 | 23.9 |
| 11 NOVEMBER | 28088 | • | 2.43 | • | 347 | • | 0.03 | |
| 12 DECEMBER | 7652 | 40.8 | 0.98 | 16.1 | 2420 | 45.7 | 0.31 | 25.3 |
| TOTAL | 171795 | | | | 76924 | | | |

SUMMARY OF SPECIES CATCH STATISTICS - 2020

| SPECIES | TOTAL NUMBER FISH CAUGHT | RSE FOR CATCH | SPECIES CATCH COMPOSITION (%) | INTENDED NUMBER CAUGHT | TOTAL NUMBER FISH HARVESTED | RSE FOR HARVEST | SPECIES HARVEST COMPOSITION (%) | INTENDED NUMBER HARVESTED | % OF CAUGHT FISH RELEASED | AVERAGE WEIGHT (LBS) | NUMBER FISH RECORDED |
|------------------------|-----------------------------------|---------------------|--|------------------------------|--------------------------------------|-----------------------|--|---------------------------------|------------------------------------|----------------------------|----------------------------|
| SKIPJACK HERRING | 11295 | 108.5 | 6.6 | 314 | 10332 | 117.4 | 13.4 | 397 | 8.5 | 0.75 | 26 |
| SMALLMOUTH BUFFALO | 605 | 424.8 | 0.4 | 0 | 605 | 424.8 | 0.8 | 0 | 0.0 | 2.50 | 1 |
| BLUE CATFISH | 1224 | 300.5 | 0.7 | 918 | 952 | 269.9 | 1.2 | 952 | 22.2 | 11.33 | 3 |
| CHANNEL CATFISH | 42060 | 41.8 | 24.5 | 32608 | 28090 | 59.6 | 36.5 | 23805 | 33.2 | 2.54 | 59 |
| FLATHEAD CATFISH | 272 | 967.6 | 0.2 | 0 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| WHITE BASS | 11778 | 121.8 | 6.9 | 9498 | 9867 | 144.4 | 12.8 | 7722 | 16.2 | 1.05 | 23 |
| YELLOW BASS | 5486 | 247.1 | 3.2 | 0 | 5486 | 247.1 | 7.1 | 0 | 0.0 | 0.25 | 2 |
| STRIPED BASS | 921 | 418.3 | 0.5 | 553 | 552 | 496.8 | 0.7 | 368 | 40.1 | 6.57 | 3 |
| CHEROKEE BASS | 2054 | 168.6 | 1.2 | 1826 | 455 | 242.1 | 0.6 | 455 | 77.8 | 3.00 | 3 |
| ORANGE SPOTTED SUNFISH | 4907 | | 2.9 | 4907 | 4907 | | 6.4 | 4907 | 0.0 | | 5 |
| BLUEGILL | 5551 | 198.9 | 3.2 | 2220 | 2813 | 354.4 | 3.7 | 1407 | 49.3 | 0.25 | 2 |
| SMALLMOUTH BASS | 27101 | 26.7 | 15.8 | 23789 | 1879 | 86.3 | 2.4 | 1879 | 93.1 | 2.88 | 10 |
| SPOTTED BASS | 11688 | 68.2 | 6.8 | 6493 | 440 | 237.8 | 0.6 | 440 | 96.2 | 1.25 | 2 |
| LARGEMOUTH BASS | 3846 | 107.1 | 2.2 | 3077 | 553 | 248.2 | 0.7 | 553 | 85.6 | 1.33 | 3 |
| BLACK CRAPPIE | 981 | | 0.6 | 0 | 981 | | 1.3 | 0 | 0.0 | 0.50 | 1 |
| SAUGER | 24565 | 32.6 | 14.3 | 23620 | 4330 | 51.8 | 5.6 | 3402 | 82.4 | 1.39 | 14 |
| WALLEYE | 880 | 152.5 | 0.5 | 0 | 880 | 152.5 | 1.1 | 0 | 0.0 | 2.63 | 4 |
| FRESHWATER DRUM | 12339 | 84.8 | 7.2 | 0 | 2743 | 363.4 | 3.6 | 0 | 77.8 | 0.50 | 1 |

SUMMARY OF FISHING EFFORT AND CATCH RATES FOR INTENDED SPECIES GROUPS - 2020

| INTENDED SPECIES | ANGLER HOURS | RSE FOR ANGLER HOURS | ANGLER TRIPS | PERCENT EFFORT | NUMBER CAUGHT PER HOUR | RSE FOR CATCH PER HOUR | NUMBER HARVESTED PER HOUR | RSE FOR HARVEST PER HOUR | NUMBER OF INTERVIEWS |
|---------------------|-----------------|----------------------------|-----------------|-------------------|------------------------------|------------------------------|---------------------------------|--------------------------------|----------------------------|
| ANY CATFISH | 57172 | 41.3 | 13499 | 20.7 | 0.61 | 57.0 | 0.43 | 82.7 | 20 |
| RAINBOW TROUT | 678 | 81.9 | 204 | 0.2 | 0.00 | | 0.00 | | 1 |
| ANY TROUT | 386 | 84.3 | 97 | 0.1 | 0.33 | 67.3 | 0.00 | | 2 |
| WHITE BASS | 11354 | 34.3 | 3923 | 4.1 | 0.53 | 43.4 | 0.39 | 60.1 | 15 |
| STRIPED BASS | 8854 | 46.2 | 1989 | 3.2 | 0.05 | 150.3 | 0.03 | 142.0 | 13 |
| CHEROKEE BASS | 27119 | 85.1 | 7175 | 9.8 | 0.11 | 11.8 | 0.01 | 34.5 | 5 |
| ANY SUNFISH | 12297 | 97.2 | 2876 | 4.5 | 0.65 | | 0.47 | | 3 |
| ANY BLACK BASS | 27007 | 40.4 | 5382 | 9.8 | 0.65 | 84.5 | 0.09 | 154.7 | 13 |
| SMALLMOUTH BASS | 36913 | 41.0 | 7338 | 13.4 | 0.97 | 35.4 | 0.07 | 124.0 | 15 |
| SPOTTED BASS | 8055 | 89.3 | 1389 | 2.9 | 0.31 | | 0.00 | | 2 |
| ANY CRAPPIE | 15234 | 98.5 | 3904 | 5.5 | 0.07 | 247.7 | 0.00 | | 3 |
| SAUGER | 11609 | 38.6 | 2809 | 4.2 | 1.54 | 26.3 | 0.14 | 41.6 | 15 |
| WALLEYE | 1163 | 103.2 | 241 | 0.4 | 0.00 | | 0.00 | | 1 |
| ANY SPECIES | 50566 | 60.7 | 13891 | 18.3 | 0.16 | 127.6 | 0.15 | 134.5 | 19 |
| OTHER | 7810 | 129.1 | 2000 | 2.8 | 0.00 | | 0.00 | | 4 |
| TOTAL | 276217 | | 66717 | | | | | | |

SUMMARY OF RELATIVE SPECIES CATCH RATES WITHIN TARGET GROUPS - 2020

| TARGET GROUP | SPECIES WITHIN TARGET GROUPS | RELATIVE CATCH RATE | RELATIVE HARVEST RATE |
|-----------------|------------------------------------|---------------------------|-----------------------------|
| ANY CATFISH | | | |
| | ANY CATFISH | 0.00 | 0.00 |
| | BLUE CATFISH | 0.02 | 0.02 |
| | CHANNEL CATFISH | 0.59 | 0.41 |
| | FLATHEAD CATFISH | 0.00 | 0.00 |
| ANY TROUT | | | |
| | ANY TROUT | 0.00 | 0.00 |
| ANY SUNFISH | | | |
| | ANY SUNFISH | 0.00 | 0.00 |
| | ORANGE SPOTTED SUNFISH | 0.45 | 0.37 |
| | BLUEGILL | 0.20 | 0.10 |
| ANY BLACK BASS | | | |
| | SMALLMOUTH BASS | 0.33 | 0.03 |
| | SPOTTED BASS | 0.09 | 0.01 |
| | LARGEMOUTH BASS | 0.04 | 0.01 |
| ANY CRAPPIE | | | |
| | ANY CRAPPIE | 0.00 | 0.00 |
| | BLACK CRAPPIE | 0.00 | 0.00 |

COMPARISON OF BLACK BASS CATCH RATES (# FISH/HOUR) BETWEEN TOURNAMENT AND NON-TOURNAMENT ANGLERS (MONTHS ARE LISTED ONLY IF > 90% OF BLACK BASS ANGLERS RESPONDED TO THE QUESTION ON TOURNAMENT PARTICIPATION)

| MONTH | % BLACK BASS EFFORT BY TOURNAMENT ANGLERS | CATCH RATE FOR TOURNAMENT ANGLERS | # OF INTERVIEWS (TOURNAMENT) | CATCH RATE FOR NON-TOURNAMENT ANGLERS | # OF INTERVIEWS (NON-TOURNAMENT) |
|--------------|--|--|------------------------------------|--|--|
| 07 JULY | 27 | 0.00 | 1 | 0.94 | 4 |
| 08 AUGUST | 0 | | 0 | 0.82 | 5 |
| 09 SEPTEMBER | 0 | | 0 | 0.38 | 6 |
| 10 OCTOBER | 0 | | 0 | 1.23 | 9 |
| 11 NOVEMBER | 70 | 0.86 | 1 | 0.67 | 1 |
| 12 DECEMBER | 0 | | 0 | 1.03 | 3 |

SUMMARY OF TRIP EXPENDITURES AND CONSUMER SURPLUS FOR INTENDED SPECIES - 2020

| INTENDED SPECIES | TOTAL TRIP EXPENDITURES | TOTAL CONSUMER SURPLUS | TOTAL VALUE BY ANGLERS | NUMBER OF INTERVIEWS |
|-----------------------|-------------------------------|------------------------------|------------------------------|----------------------------|
| SAUGER ANY SPECIES | 7970 5100 | 23900 | 31870 | 1 1 |
| TOTAL | 13070 | 23900 | 31870 | 2 |

SUMMARY OF SOCIOLOGICAL QUESTIONS - 2020

LOCATION=CHEATHAM RES

DISTRIBUTION OF STATES OF RESIDENCE OF INTERVIEWED ANGLERS

| STATE | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|--------|----------------------------------|-------------------------|
| TN | 24 | 96 |
| OTHERS | 1 | 4 |

DISTRIBUTION OF COUNTIES OF RESIDENCE OF INTERVIEWED ANGLERS

| COUNTY | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|--------------|----------------------------------|-------------------------|
| DAVIDSON | 5 | 10.9 |
| RUTHERFORD | 3 | 6.5 |
| WILSON | 11 | 23.9 |
| OTHERS IN TN | 5 | 10.9 |
| OUT-OF-STATE | 22 | 47.8 |

DISTRIBUTION OF ONE-WAY MILEAGE OF ANGLERS INTERVIEWED

| ONE-WAY MILES TRAVELED | | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|------------------------------|----------------|----------------------------------|-------------------------|
| , | 0-25 26-100 | 20 8 | 64.5 25.8 |
| C) | 101-250 | 3 | 9.7 |

DISTRIBUTION OF NUMBER OF DAYS IN TRIPS OF INTERVIEWED ANGLERS

| NUMBER | NUMBER | |
|---------|-------------|--------------|
| DAYS | ANGLERS | PERCENT |
| IN TRIP | INTERVIEWED | CONTRIBUTION |
| | | |
| A) 1 | 13 | 92.9 |
| B) 2-5 | 1 | 7.1 |

TIMS FORD RESERVOIR

MONTHLY ANGLING EFFORT FOR ALL ANGLERS - 2020

| MONTH | ANGLER HOURS | RELATIVE STANDARD ERROR | HOURS PER ACRE | ANGLER TRIPS | TRIPS PER ACRE | PERCENT EFFORT |
|--------------|-----------------|-------------------------------|----------------------|-----------------|----------------------|-------------------|
| 01 JANUARY | 9290 | 28.6 | 0.9 | 1748 | 0.2 | 3.6 |
| 02 FEBRUARY | 16636 | 48.0 | 1.6 | 3034 | 0.3 | 6.4 |
| 03 MARCH | 38836 | 28.8 | 3.7 | 6766 | 0.6 | 14.9 |
| 04 APRIL | 31993 | 27.5 | 3.0 | 5661 | 0.5 | 12.3 |
| 05 MAY | 33754 | 12.6 | 3.2 | 6629 | 0.6 | 13.0 |
| 06 JUNE | 28986 | 21.1 | 2.7 | 6113 | 0.6 | 11.1 |
| 07 JULY | 23736 | 26.4 | 2.2 | 5229 | 0.5 | 9.1 |
| 08 AUGUST | 20766 | 27.2 | 2.0 | 4567 | 0.4 | 8.0 |
| 09 SEPTEMBER | 19994 | 29.1 | 1.9 | 3970 | 0.4 | 7.7 |
| 10 OCTOBER | 19180 | 24.0 | 1.8 | 3284 | 0.3 | 7.4 |
| 11 NOVEMBER | 6502 | 35.5 | 0.6 | 1276 | 0.1 | 2.5 |
| 12 DECEMBER | 10624 | 28.4 | 1.0 | 1956 | 0.2 | 4.1 |
| TOTAL | 260297 | | | 50233 | | |

MONTHLY CATCH STATISTICS FOR ALL ANGLERS - 2020

| MONTH | NUMBER FISH CAUGHT | RSE FOR CATCH | FISH CAUGHT PER HOUR | RSE FOR CATCH RATE | NUMBER FISH HARVESTED | RSE FOR HARVEST | FISH HARVESTED PER HOUR | RSE FOR HARVEST RATE |
|--------------|--------------------------|---------------------|----------------------------|--------------------------|-----------------------------|-----------------------|-------------------------------|----------------------------|
| 01 JANUARY | 5295 | 42.2 | 0.57 | 30.0 | 186 | 39.3 | 0.02 | 34.5 |
| 02 FEBRUARY | 1331 | 54.3 | 0.08 | 22.5 | 499 | 68.5 | 0.03 | 42.2 |
| 03 MARCH | 17865 | 40.3 | 0.46 | 27.1 | 1553 | 74.5 | 0.04 | 68.6 |
| 04 APRIL | 26234 | 38.7 | 0.82 | 26.4 | 3199 | 53.2 | 0.10 | 44.8 |
| 05 MAY | 24303 | 40.4 | 0.72 | 38.1 | 13839 | 71.3 | 0.41 | 69.7 |
| 06 JUNE | 16812 | 27.5 | 0.58 | 17.3 | 4638 | 47.4 | 0.16 | 40.2 |
| 07 JULY | 22074 | 49.5 | 0.93 | 40.6 | 4510 | 52.1 | 0.19 | 43.0 |
| 08 AUGUST | 19105 | 38.5 | 0.92 | 26.1 | 3115 | 69.1 | 0.15 | 60.9 |
| 09 SEPTEMBER | 15595 | 55.7 | 0.78 | 45.8 | 8397 | 94.4 | 0.42 | 85.7 |
| 10 OCTOBER | 19180 | 37.6 | 1.00 | 28.1 | 2877 | 60.1 | 0.15 | 54.0 |
| 11 NOVEMBER | 10598 | 56.3 | 1.63 | 41.2 | 1170 | 62.6 | 0.18 | 50.0 |
| 12 DECEMBER | 10624 | 33.4 | 1.00 | 17.0 | 2444 | 74.0 | 0.23 | 66.8 |
| TOTAL | 189016 | | | | 46427 | | | |

SUMMARY OF SPECIES CATCH STATISTICS - 2020

| SPECIES | TOTAL NUMBER FISH CAUGHT | RSE FOR CATCH | SPECIES CATCH COMPOSITION (%) | INTENDED NUMBER CAUGHT | TOTAL NUMBER FISH HARVESTED | RSE FOR HARVEST | SPECIES HARVEST COMPOSITION (%) | INTENDED NUMBER HARVESTED | % OF CAUGHT FISH RELEASED | AVERAGE WEIGHT (LBS) | NUMBER FISH RECORDED |
|-------------------|-----------------------------------|---------------------|-------------------------------|------------------------------|--------------------------------------|-----------------------|---------------------------------|---------------------------------|------------------------------------|----------------------------|----------------------------|
| ANY GAR | 70 | 1342.1 | 0.0 | 70 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| LONGNOSE GAR | 71 | 754.2 | 0.0 | 0 | 71 | 754.2 | 0.2 | 0 | 0.0 | | 1 |
| ANY BUFFALO | 158 | 1092.3 | 0.1 | 0 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| BLUE CATFISH | 1975 | 121.2 | 1.0 | 1317 | 1106 | 122.0 | 2.4 | 962 | 44.0 | | 23 |
| CHANNEL CATFISH | 2002 | 140.9 | 1.1 | 1401 | 979 | 150.4 | 2.1 | 734 | 51.1 | | 12 |
| FLATHEAD CATFISH | 550 | 482.4 | 0.3 | 0 | 169 | 542.1 | 0.4 | 0 | 69.3 | | 2 |
| WHITE BASS | 352 | 493.5 | 0.2 | 101 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| YELLOW BASS | 4006 | 129.5 | 2.1 | 261 | 542 | 453.5 | 1.2 | 181 | 86.5 | • | 6 |
| STRIPED BASS | 14185 | 51.7 | 7.5 | 9654 | 1581 | 107.6 | 3.4 | 1242 | 88.9 | | 14 |
| CHEROKEE BASS | 13117 | 49.4 | 7.0 | 6451 | 2294 | 95.3 | 4.9 | 1529 | 82.5 | | 24 |
| ROCK BASS | 1480 | 376.9 | 0.8 | 0 | 0 | | 0.0 | 0 | 100.0 | • | 0 |
| WARMOUTH | 71 | 1619.9 | 0.0 | 0 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| BLUEGILL | 17881 | 43.0 | 9.5 | 11186 | 8167 | 64.8 | 17.6 | 4733 | 54.3 | | 88 |
| SMALLMOUTH BASS | 49328 | 18.2 | 26.2 | 47787 | 2662 | 62.3 | 5.7 | 2662 | 94.6 | 2.73 | 36 |
| SPOTTED BASS | 2472 | 136.5 | 1.3 | 2413 | 186 | 245.6 | 0.4 | 149 | 92.5 | 1.95 | 5 |
| LARGEMOUTH BASS | 42106 | 20.2 | 22.3 | 39858 | 9996 | 39.5 | 21.5 | 9903 | 76.3 | 2.70 | 108 |
| WHITE CRAPPIE | 3564 | 89.4 | 1.9 | 3443 | 927 | 165.0 | 2.0 | 878 | 74.0 | 0.87 | 19 |
| BLACK CRAPPIE | 4207 | 116.6 | 2.2 | 4207 | 2093 | 131.6 | 4.5 | 2093 | 50.2 | 0.91 | 31 |
| BLACKNOSE CRAPPIE | 27229 | 32.0 | 14.4 | 26488 | 14576 | 41.3 | 31.4 | 14390 | 46.5 | 0.84 | 157 |
| WALLEYE | 681 | 237.2 | 0.4 | 511 | 603 | 231.4 | 1.3 | 402 | 11.5 | | 6 |

SUMMARY OF FISHING EFFORT AND CATCH RATES FOR INTENDED SPECIES GROUPS - 2020

| INTENDED SPECIES | ANGLER HOURS | RSE FOR ANGLER HOURS | ANGLER TRIPS | PERCENT EFFORT | NUMBER CAUGHT PER HOUR | RSE FOR CATCH PER HOUR | NUMBER HARVESTED PER HOUR | RSE FOR HARVEST PER HOUR | NUMBER OF INTERVIEWS |
|--------------------|-----------------|----------------------------|-----------------|-------------------|------------------------------|------------------------------|---------------------------------|--------------------------------|----------------------------|
| ANY CATFISH | 3097 | 36.4 | 638 | 1.2 | 0.83 | 88.3 | 0.70 | 104.8 | 9 |
| ANY TEMPERATE BASS | 197 | 137.4 | 35 | 0.1 | 0.00 | | 0.00 | | 1 |
| STRIPED BASS | 11940 | 20.1 | 2484 | 4.6 | 0.72 | 146.9 | 0.08 | 214.8 | 33 |
| CHEROKEE BASS | 6577 | 24.7 | 1357 | 2.5 | 0.72 | 56.7 | 0.12 | 73.4 | 22 |
| ANY SUNFISH | 2685 | 40.3 | 541 | 1.0 | 2.42 | 31.5 | 2.05 | 37.3 | 8 |
| ANY BLACK BASS | 156132 | 9.5 | 29664 | 60.0 | 0.45 | 19.3 | 0.05 | 46.0 | 526 |
| SMALLMOUTH BASS | 2382 | 40.8 | 437 | 0.9 | 1.15 | 43.1 | 0.00 | | 9 |
| LARGEMOUTH BASS | 742 | 71.3 | 131 | 0.3 | 0.20 | 31.3 | 0.00 | | 3 |
| ANY CRAPPIE | 37247 | 12.8 | 7041 | 14.3 | 0.83 | 36.7 | 0.40 | 40.2 | 124 |
| WALLEYE | 4529 | 29.9 | 947 | 1.7 | 0.19 | 144.5 | 0.13 | 214.8 | 22 |
| ANY SPECIES | 33782 | 13.3 | 6783 | 13.0 | 0.55 | 57.7 | 0.06 | 121.9 | 78 |
| OTHER | 987 | 65.4 | 175 | 0.4 | 0.00 | | 0.00 | | 2 |
| TOTAL | 260297 | | 50233 | | | | | | |

SUMMARY OF RELATIVE SPECIES CATCH RATES WITHIN TARGET GROUPS - 2020

| TARGET GROUP | SPECIES WITHIN TARGET GROUPS | RELATIVE CATCH RATE | RELATIVE HARVEST RATE |
|--------------------|------------------------------------|---------------------------|-----------------------------|
| ANY CATFISH | | | |
| | ANY CATFISH | 0.00 | 0.00 |
| | BLUE CATFISH | 0.40 | 0.40 |
| | CHANNEL CATFISH | 0.43 | 0.30 |
| | FLATHEAD CATFISH | 0.00 | 0.00 |
| ANY TEMPERATE BASS | | | |
| | STRIPED BASS | 0.00 | 0.00 |
| | CHEROKEE BASS | 0.00 | 0.00 |
| ANY SUNFISH | | | |
| | ANY SUNFISH | 0.00 | 0.00 |
| | WARMOUTH | 0.00 | 0.00 |
| | BLUEGILL | 2.42 | 2.05 |
| ANY BLACK BASS | | | |
| | SMALLMOUTH BASS | 0.30 | 0.02 |
| | SPOTTED BASS | 0.02 | 0.00 |
| | LARGEMOUTH BASS | 0.25 | 0.06 |
| ANY CRAPPIE | | | |
| | ANY CRAPPIE | 0.00 | 0.00 |
| | WHITE CRAPPIE | 0.08 | 0.02 |
| | BLACK CRAPPIE | 0.10 | 0.05 |
| | BLACKNOSE CRAPPIE | 0.64 | 0.33 |

COMPARISON OF BLACK BASS CATCH RATES (# FISH/HOUR) BETWEEN TOURNAMENT AND NON-TOURNAMENT ANGLERS (MONTHS ARE LISTED ONLY IF > 90% OF BLACK BASS ANGLERS RESPONDED TO THE QUESTION ON TOURNAMENT PARTICIPATION)

| MONTH | % BLACK BASS EFFORT BY TOURNAMENT ANGLERS | CATCH RATE FOR TOURNAMENT ANGLERS | # OF INTERVIEWS (TOURNAMENT) | CATCH RATE FOR NON-TOURNAMENT ANGLERS | # OF INTERVIEWS (NON-TOURNAMENT) |
|--------------|--|--|------------------------------------|--|--|
| 01 JANUARY | 36 | 0.50 | 8 | 0.57 | 26 |
| 02 FEBRUARY | 30 | 0.16 | 7 | 0.27 | 14 |
| 03 MARCH | 13 | 0.44 | 11 | 0.45 | 96 |
| 04 APRIL | 0 | | 0 | 0.71 | 59 |
| 05 MAY | 26 | 0.46 | 9 | 0.20 | 62 |
| 06 JUNE | 31 | 0.64 | 7 | 0.20 | 23 |
| 07 JULY | 0 | | 0 | 0.59 | 22 |
| 08 AUGUST | 0 | | 0 | 0.42 | 42 |
| 09 SEPTEMBER | 30 | 0.55 | 11 | 0.29 | 51 |
| 10 OCTOBER | 57 | 0.45 | 14 | 0.44 | 31 |
| 11 NOVEMBER | 0 | | 0 | 1.12 | 12 |
| 12 DECEMBER | 83 | 0.80 | 18 | 0.34 | 14 |

SUMMARY OF TRIP EXPENDITURES AND CONSUMER SURPLUS FOR INTENDED SPECIES - 2020

| | TOTAL | TOTAL | TOTAL | NUMBER |
|--------------------|--------------|----------|------------|------------|
| INTENDED | TRIP | CONSUMER | VALUE | OF |
| SPECIES | EXPENDITURES | SURPLUS | BY ANGLERS | INTERVIEWS |
| 3.117 G3.00.01 | 6000 | 15050 | 22252 | ^ |
| ANY CATFISH | 6800 | 15250 | 22050 | 9 |
| ANY TEMPERATE BASS | 0 | 350 | 350 | 1 |
| STRIPED BASS | 39290 | 54880 | 94170 | 33 |
| CHEROKEE BASS | 17070 | 49390 | 66450 | 22 |
| ANY SUNFISH | 3970 | 8450 | 12420 | 8 |
| ANY BLACK BASS | 626130 | 870520 | 1496650 | 522 |
| SMALLMOUTH BASS | 6560 | 16490 | 23050 | 9 |
| LARGEMOUTH BASS | 3010 | 8860 | 11860 | 3 |
| ANY CRAPPIE | 113610 | 205900 | 319520 | 123 |
| WALLEYE | 20820 | 35370 | 56190 | 22 |
| ANY SPECIES | 96630 | 78700 | 175330 | 78 |
| OTHER | 1090 | 4220 | 5310 | 2 |
| TOTAL | 934980 | 1348380 | 2283350 | 832 |

SUMMARY OF SOCIOLOGICAL QUESTIONS - 2020

LOCATION=TIMS FORD RES

DISTRIBUTION OF STATES OF RESIDENCE OF INTERVIEWED ANGLERS

| STATE | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|--------|----------------------------------|-------------------------|
| TN | 1416 | 95.5 |
| OTHERS | 66 | 4.5 |

DISTRIBUTION OF COUNTIES OF RESIDENCE OF INTERVIEWED ANGLERS

| COUNTY | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|--------------|----------------------------------|-------------------------|
| BEDFORD | 108 | 7.6 |
| COFFEE | 158 | 11.1 |
| FRANKLIN | 472 | 33.1 |
| LINCOLN | 154 | 10.8 |
| MOORE | 85 | 6.0 |
| RUTHERFORD | 92 | 6.5 |
| OTHERS IN TN | 346 | 24.3 |
| OUT-OF-STATE | 10 | 0.7 |

DISTRIBUTION OF ONE-WAY MILEAGE OF ANGLERS INTERVIEWED

| ONE-WAY MILES TRAVELED | | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|------------------------------|---------|----------------------------------|-------------------------|
| A) | 0-25 | 934 | 63.2 |
| B) | 26-100 | 516 | 34.9 |
| C) | 101-250 | 22 | 1.5 |
| D) | > 250 | 7 | 0.5 |

DISTRIBUTION OF NUMBER OF DAYS IN TRIPS OF INTERVIEWED ANGLERS

| NUMBER | | NUMBER | | | |
|--------|-------|-------------|--------------|--|--|
| DAYS | | ANGLERS | PERCENT | | |
| IN | TRIP | INTERVIEWED | CONTRIBUTION | | |
| | | | | | |
| A) | 1 | 787 | 93.7 | | |
| B) | 2-5 | 46 | 5.5 | | |
| C) | 6-10 | 6 | 0.7 | | |
| D) | 11-15 | 1 | 0.1 | | |

TWRA REGION III

CENTER HILL RESERVOIR

MONTHLY ANGLING EFFORT FOR ALL ANGLERS - 2020

LOCATION=CENTER HILL RES

| | ANGLER | RELATIVE STANDARD | HOURS PER | ANGLER | TRIPS PER | PERCENT |
|--------------|--------|----------------------|--------------|--------|--------------|---------|
| MONTH | HOURS | ERROR | ACRE | TRIPS | ACRE | EFFORT |
| 01 JANUARY | 2555 | 71.9 | 0.1 | 503 | 0.0 | 1.3 |
| 02 FEBRUARY | 3907 | 39.7 | 0.2 | 705 | 0.0 | 1.9 |
| 03 MARCH | 24288 | 32.3 | 1.3 | 5907 | 0.3 | 12.1 |
| 05 MAY | 61634 | 18.4 | 3.4 | • | • | 30.6 |
| 06 JUNE | 21415 | 34.5 | 1.2 | | • | 10.6 |
| 07 JULY | 23881 | 10.6 | 1.3 | • | • | 11.9 |
| 08 AUGUST | 12958 | 17.5 | 0.7 | • | • | 6.4 |
| 09 SEPTEMBER | 16058 | 10.7 | 0.9 | • | • | 8.0 |
| 10 OCTOBER | 13748 | 22.9 | 0.8 | 2888 | 0.2 | 6.8 |
| 11 NOVEMBER | 9124 | 14.6 | 0.5 | 2293 | 0.1 | 4.5 |
| 12 DECEMBER | 11955 | 19.8 | 0.7 | 1952 | 0.1 | 5.9 |
| TOTAL | 201523 | | | 14248 | | |

MONTHLY CATCH STATISTICS FOR ALL ANGLERS - 2020

| MONTH | NUMBER FISH CAUGHT | RSE FOR CATCH | FISH CAUGHT PER HOUR | RSE FOR CATCH RATE | NUMBER FISH HARVESTED | RSE FOR HARVEST | FISH HARVESTED PER HOUR | RSE FOR HARVEST RATE |
|-------------|--------------------------|---------------------|----------------------------|--------------------------|-----------------------------|-----------------------|-------------------------------|----------------------------|
| 01 JANUARY | 485 | • | 0.19 | • | 128 | | 0.05 | • |
| 02 FEBRUARY | 352 | 62.5 | 0.09 | 45.9 | 0 | • | 0.00 | 100.0 |
| 03 MARCH | 5586 | 48.8 | 0.23 | 35.2 | 1457 | 74.2 | 0.06 | 60.6 |
| 10 OCTOBER | 5499 | 30.4 | 0.40 | 19.5 | 1512 | 31.2 | 0.11 | 19.9 |
| 11 NOVEMBER | 3832 | 27.7 | 0.42 | 23.5 | 1095 | 40.8 | 0.12 | 36.5 |
| 12 DECEMBER | 17215 | • | 1.44 | • | 1076 | • | 0.09 | • |
| тотат. | 32969 | | | | 5268 | | | |

SUMMARY OF SPECIES CATCH STATISTICS - 2020

| SPECIES | TOTAL NUMBER FISH CAUGHT | RSE FOR CATCH | SPECIES CATCH COMPOSITION (%) | INTENDED NUMBER CAUGHT | TOTAL NUMBER FISH HARVESTED | RSE FOR HARVEST | SPECIES HARVEST COMPOSITION (%) | INTENDED NUMBER HARVESTED | % OF CAUGHT FISH RELEASED | AVERAGE WEIGHT (LBS) | NUMBER FISH RECORDED |
|-------------------|-----------------------------------|---------------------|-------------------------------|------------------------------|--------------------------------------|-----------------------|---------------------------------|---------------------------------|------------------------------------|----------------------------|----------------------------|
| CHANNEL CATFISH | 358 | 142.0 | 1.1 | 358 | 358 | 142.0 | 6.8 | 358 | 0.0 | 3.20 | 10 |
| FLATHEAD CATFISH | 221 | 181.8 | 0.7 | 221 | 221 | 181.8 | 4.2 | 221 | 0.0 | 2.75 | 6 |
| BLUEGILL | 189 | 272.4 | 0.6 | 0 | 189 | 272.4 | 3.6 | 0 | 0.0 | 0.75 | 6 |
| SMALLMOUTH BASS | 16402 | 8.5 | 50.1 | 16254 | 283 | 99.1 | 5.4 | 283 | 98.3 | 3.11 | 8 |
| SPOTTED BASS | 3902 | 27.0 | 11.9 | 3322 | 1031 | 41.5 | 19.6 | 765 | 73.6 | 1.16 | 31 |
| LARGEMOUTH BASS | 538 | 164.8 | 1.6 | 538 | 52 | 282.6 | 1.0 | 52 | 90.3 | 2.00 | 2 |
| WHITE CRAPPIE | 78 | 392.6 | 0.2 | 78 | 78 | 392.6 | 1.5 | 78 | 0.0 | 0.83 | 3 |
| BLACK CRAPPIE | 1237 | 134.3 | 3.8 | 1237 | 446 | 189.0 | 8.5 | 446 | 63.9 | 0.93 | 12 |
| BLACKNOSE CRAPPIE | 9312 | 21.0 | 28.5 | 9312 | 2568 | 35.6 | 48.8 | 2568 | 72.4 | 0.92 | 46 |
| WALLEYE | 98 | 607.5 | 0.3 | 98 | 40 | 749.3 | 0.8 | 40 | 59.2 | 5.10 | 1 |

SUMMARY OF FISHING EFFORT AND CATCH RATES FOR INTENDED SPECIES GROUPS - 2020

| INTENDED SPECIES | ANGLER HOURS | RSE FOR ANGLER HOURS | ANGLER TRIPS | PERCENT EFFORT | NUMBER CAUGHT PER HOUR | RSE FOR CATCH PER HOUR | NUMBER HARVESTED PER HOUR | RSE FOR HARVEST PER HOUR | NUMBER OF INTERVIEWS |
|---------------------|-----------------|----------------------------|-----------------|-------------------|------------------------------|------------------------------|---------------------------------|--------------------------------|----------------------------|
| ANY CATFISH | 2720 | 35.5 | 602 | 4.1 | 0.26 | 47.6 | 0.26 | 47.6 | 7 |
| ANY BLACK BASS | 34637 | 19.6 | 7776 | 52.8 | 0.45 | 14.3 | 0.06 | 48.1 | 111 |
| SMALLMOUTH BASS | 8410 | 41.2 | 1532 | 12.8 | 1.85 | 80.2 | 0.03 | 116.3 | 8 |
| ANY CRAPPIE | 13594 | 26.3 | 2871 | 20.7 | 0.98 | 49.4 | 0.42 | 66.8 | 26 |
| WALLEYE | 3693 | 43.7 | 879 | 5.6 | 0.05 | 85.6 | 0.03 | 85.6 | 9 |
| ANY SPECIES | 2523 | 44.3 | 588 | 3.8 | 0.00 | | 0.00 | | 7 |
| TOTAL | 65577 | | 14248 | | | | | | |

SUMMARY OF RELATIVE SPECIES CATCH RATES WITHIN TARGET GROUPS - 2020

| TARGET GROUP | SPECIES WITHIN TARGET GROUPS | RELATIVE CATCH RATE | RELATIVE HARVEST RATE |
|-----------------|------------------------------------|---------------------------|-----------------------------|
| ANY CATFISH | | | |
| | CHANNEL CATFISH | 0.16 | 0.16 |
| | FLATHEAD CATFISH | 0.10 | 0.10 |
| ANY BLACK BASS | | | |
| | SMALLMOUTH BASS | 0.38 | 0.01 |
| | SPOTTED BASS | 0.08 | 0.02 |
| | LARGEMOUTH BASS | 0.01 | 0.00 |
| ANY CRAPPIE | | | |
| | ANY CRAPPIE | 0.00 | 0.00 |
| | WHITE CRAPPIE | 0.01 | 0.01 |
| | BLACK CRAPPIE | 0.11 | 0.06 |
| | BLACKNOSE CRAPPIE | 0.86 | 0.35 |

COMPARISON OF BLACK BASS CATCH RATES (# FISH/HOUR) BETWEEN TOURNAMENT AND NON-TOURNAMENT ANGLERS (MONTHS ARE LISTED ONLY IF > 90% OF BLACK BASS ANGLERS RESPONDED TO THE QUESTION ON TOURNAMENT PARTICIPATION)

| | % BLACK BASS | CATCH RATE | | CATCH RATE | |
|-------------|------------------------------------|------------------------------|------------------------------------|----------------------------------|--|
| MONTH | EFFORT BY TOURNAMENT ANGLERS | FOR TOURNAMENT ANGLERS | # OF INTERVIEWS (TOURNAMENT) | FOR NON-TOURNAMENT ANGLERS | # OF INTERVIEWS (NON-TOURNAMENT) |
| 01 JANUARY | 0 | | 0 | 0.23 | 7 |
| 02 FEBRUARY | 43 | 0.33 | 10 | 0.22 | 15 |
| 03 MARCH | 17 | 0.28 | 4 | 0.33 | 37 |
| 10 OCTOBER | 10 | 0.19 | 2 | 0.37 | 23 |
| 11 NOVEMBER | 0 | | 0 | 0.45 | 18 |
| 12 DECEMBER | 0 | | 0 | 2.46 | 3 |

SUMMARY OF TRIP EXPENDITURES AND CONSUMER SURPLUS FOR INTENDED SPECIES - 2020

| INTENDED SPECIES | TOTAL TRIP EXPENDITURES | TOTAL CONSUMER SURPLUS | TOTAL VALUE BY ANGLERS | NUMBER OF INTERVIEWS |
|---------------------|-------------------------------|------------------------------|------------------------------|----------------------------|
| ANY CATFISH | 6200 | 2780 | 6950 | 7 |
| ANY BLACK BASS | 147250 | 83260 | 230520 | 110 |
| SMALLMOUTH BASS | 46580 | 24960 | 68750 | 8 |
| ANY CRAPPIE | 39300 | 9790 | 28730 | 26 |
| WALLEYE | 7490 | 8790 | 16280 | 9 |
| ANY SPECIES | 3680 | 2130 | 4970 | 7 |
| TOTAL | 250500 | 131710 | 356200 | 167 |

SUMMARY OF SOCIOLOGICAL QUESTIONS - 2020

LOCATION=CENTER HILL RES

DISTRIBUTION OF STATES OF RESIDENCE OF INTERVIEWED ANGLERS

NUMBER

| STATE | ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|-------|------------------------|-------------------------|
| TN | 335 | 100 |

DISTRIBUTION OF COUNTIES OF RESIDENCE OF INTERVIEWED ANGLERS

| COUNTY | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|--------------|----------------------------------|-------------------------|
| DEKALB | 35 | 10.5 |
| JACKSON | 18 | 5.4 |
| MACON | 17 | 5.1 |
| PUTNAM | 61 | 18.3 |
| RUTHERFORD | 19 | 5.7 |
| SMITH | 28 | 8.4 |
| WARREN | 38 | 11.4 |
| WHITE | 22 | 6.6 |
| WILSON | 28 | 8.4 |
| OTHERS IN TN | 67 | 20.1 |

DISTRIBUTION OF ONE-WAY MILEAGE OF ANGLERS INTERVIEWED

| ONE- MIL TRAV | ES | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|---------------------|------|----------------------------------|-------------------------|
| A) 0- | -100 | 229 | 68.4 |
| B) 26 | | 104 | 31.0 |
| C) 10 | | 2 | 0.6 |

DISTRIBUTION OF NUMBER OF DAYS IN TRIPS OF INTERVIEWED ANGLERS

| ENT JTION |
|--------------|
| 5 |
| 2 |
| 2 |
| |

DALE HOLLOW RESERVOIR

MONTHLY ANGLING EFFORT FOR ALL ANGLERS - 2020

| MONTH | ANGLER HOURS | RELATIVE STANDARD ERROR | HOURS PER ACRE | ANGLER TRIPS | TRIPS PER ACRE | PERCENT EFFORT |
|--------------|-----------------|-------------------------------|----------------------|-----------------|----------------------|-------------------|
| 01 JANUARY | 12169 | 24.8 | 0.5 | 1859 | 0.1 | 2.4 |
| 02 FEBRUARY | 13034 | 5.7 | 0.6 | 2021 | 0.1 | 2.6 |
| 03 MARCH | 95835 | 4.7 | 4.1 | 16103 | 0.7 | 19.0 |
| 05 MAY | 119105 | 24.9 | 5.1 | • | • | 23.6 |
| 06 JUNE | 53308 | 47.1 | 2.3 | | • | 10.6 |
| 07 JULY | 20978 | 10.7 | 0.9 | | • | 4.2 |
| 08 AUGUST | 31522 | 23.1 | 1.4 | • | • | 6.2 |
| 09 SEPTEMBER | 58848 | 19.9 | 2.5 | • | • | 11.6 |
| 10 OCTOBER | 55706 | 28.9 | 2.4 | 8078 | 0.3 | 11.0 |
| 11 NOVEMBER | 14406 | 20.3 | 0.6 | 2278 | 0.1 | 2.9 |
| 12 DECEMBER | 30250 | 47.9 | 1.3 | 4739 | 0.2 | 6.0 |
| TOTAL | 505161 | | | 35078 | | |

MONTHLY CATCH STATISTICS FOR ALL ANGLERS - 2020

| MONTH | NUMBER FISH CAUGHT | RSE FOR CATCH | FISH CAUGHT PER HOUR | RSE FOR CATCH RATE | NUMBER FISH HARVESTED | RSE FOR HARVEST | FISH HARVESTED PER HOUR | RSE FOR HARVEST RATE |
|-------------|--------------------------|---------------------|----------------------------|--------------------------|-----------------------------|-----------------------|-------------------------------|----------------------------|
| 01 JANUARY | 5963 | 30.9 | 0.49 | 17.9 | 122 | 72.0 | 0.01 | 100.0 |
| 02 FEBRUARY | 7299 | 32.2 | 0.56 | 31.9 | 652 | 67.0 | 0.05 | 66.3 |
| 03 MARCH | 146628 | 36.0 | 1.53 | 35.7 | 82418 | 50.5 | 0.86 | 50.1 |
| 10 OCTOBER | 36209 | 33.9 | 0.65 | 16.9 | 15598 | 34.8 | 0.28 | 18.9 |
| 11 NOVEMBER | 14118 | 33.0 | 0.98 | 25.5 | 3457 | 29.9 | 0.24 | 21.7 |
| 12 DECEMBER | 46585 | 48.1 | 1.54 | 3.8 | 11798 | 48.4 | 0.39 | 6.2 |
| тотат | 256802 | | | | 114045 | | | |

SUMMARY OF SPECIES CATCH STATISTICS - 2020

| SPECIES | TOTA NUMBE FISE CAUGE | R RSE FOR | SPECIES CATCH COMPOSITION (%) | INTENDED NUMBER CAUGHT | TOTAL NUMBER FISH HARVESTED | RSE FOR HARVEST | SPECIES HARVEST COMPOSITION (%) | INTENDED NUMBER HARVESTED | % OF CAUGHT FISH RELEASED | AVERAGE WEIGHT (LBS) | NUMBER FISH RECORDED |
|-------------------|--------------------------------|--------------|--|------------------------------|--------------------------------------|-----------------------|--|---------------------------------|------------------------------------|----------------------------|----------------------------|
| | 16 184 | 8 741.3 | 0.7 | 0 | 1848 | 741.3 | 1.6 | 0 | 0.0 | 20.00 | 5 |
| CARP | 35 | 1 821.3 | 0.1 | 0 | 0 | • | 0.0 | 0 | 100.0 | | 0 |
| CHANNEL CATFISH | 49 | 2 1254.4 | 0.2 | 0 | 492 | 1254.4 | 0.4 | 0 | 0.0 | 5.20 | 3 |
| WHITE BASS | 466 | 1 316.6 | 1.8 | 4328 | 3696 | 369.0 | 3.2 | 3696 | 20.7 | 1.50 | 10 |
| BLUEGILL | 348 | 2 120.7 | 1.4 | 3214 | 2302 | 131.8 | 2.0 | 2102 | 33.9 | 0.46 | 23 |
| REDEAR SUNFISH | 2174 | 9 104.1 | 8.4 | 20524 | 21574 | 104.7 | 18.9 | 20323 | 0.8 | 0.52 | 69 |
| SMALLMOUTH BASS | 4367 | 0 26.9 | 17.0 | 42350 | 1834 | 158.3 | 1.6 | 1834 | 95.8 | 3.43 | 7 |
| SPOTTED BASS | 299 | 0 321.4 | 1.2 | 748 | 370 | 1179.9 | 0.3 | 0 | 87.6 | 2.50 | 1 |
| LARGEMOUTH BASS | 3218 | 3 32.1 | 12.5 | 25603 | 10159 | 59.7 | 8.9 | 6834 | 68.4 | 2.83 | 55 |
| WHITE CRAPPIE | 659 | 8 132.2 | 2.6 | 6039 | 1820 | 115.2 | 1.6 | 1820 | 72.4 | 0.88 | 17 |
| BLACK CRAPPIE | 6354 | 4 39.3 | 24.7 | 52466 | 35704 | 54.4 | 31.3 | 33588 | 43.8 | 0.93 | 135 |
| BLACKNOSE CRAPPIE | 7002 | 4 33.5 | 27.2 | 65429 | 31981 | 51.2 | 28.0 | 31231 | 54.3 | 1.02 | 128 |
| WALLEYE | 291 | 8 274.0 | 1.1 | 2501 | 2215 | 351.5 | 1.9 | 1704 | 24.1 | 4.65 | 13 |

SUMMARY OF FISHING EFFORT AND CATCH RATES FOR INTENDED SPECIES GROUPS - 2020

| INTENDED SPECIES | ANGLER HOURS | RSE FOR ANGLER HOURS | ANGLER TRIPS | PERCENT EFFORT | NUMBER CAUGHT PER HOUR | RSE FOR CATCH PER HOUR | NUMBER HARVESTED PER HOUR | RSE FOR HARVEST PER HOUR | NUMBER OF INTERVIEWS |
|---------------------|-----------------|----------------------------|-----------------|-------------------|------------------------------|------------------------------|---------------------------------|--------------------------------|----------------------------|
| LAKE TROUT | 244 | 93.0 | 38 | 0.1 | 0.00 | | 0.00 | | 1 |
| WHITE BASS | 1229 | 95.9 | 206 | 0.6 | 2.17 | | 1.67 | | 1 |
| ANY SUNFISH | 7727 | 35.4 | 1268 | 3.5 | 2.14 | 45.9 | 1.94 | 48.5 | 9 |
| ANY BLACK BASS | 78033 | 11.6 | 12442 | 35.2 | 0.47 | 19.1 | 0.05 | 53.4 | 145 |
| SMALLMOUTH BASS | 55625 | 19.2 | 8844 | 25.1 | 0.39 | 28.9 | 0.02 | 173.3 | 100 |
| SPOTTED BASS | 164 | 140.1 | 25 | 0.1 | 0.00 | | 0.00 | | 1 |
| LARGEMOUTH BASS | 1229 | 95.9 | 206 | 0.6 | 1.13 | | 0.88 | | 1 |
| ANY CRAPPIE | 62070 | 20.1 | 9774 | 28.0 | 2.67 | 24.1 | 1.00 | 36.3 | 78 |
| WALLEYE | 10000 | 32.4 | 1498 | 4.5 | 0.14 | 61.3 | 0.08 | 57.2 | 17 |
| ANY SPECIES | 2080 | 57.2 | 302 | 0.9 | 0.00 | | 0.00 | | 3 |
| OTHER | 2999 | 55.6 | 478 | 1.4 | 0.00 | | 0.00 | | 2 |
| TOTAL | 221400 | | 35081 | | | | | | |

SUMMARY OF RELATIVE SPECIES CATCH RATES WITHIN TARGET GROUPS - 2020

| TARGET GROUP | SPECIES WITHIN TARGET GROUPS | RELATIVE CATCH RATE | RELATIVE HARVEST RATE |
|-----------------|------------------------------------|---------------------------|-----------------------------|
| ANY SUNFISH | | | |
| | BLUEGILL | 0.29 | 0.18 |
| | REDEAR SUNFISH | 1.85 | 1.76 |
| ANY BLACK BASS | | | |
| | SMALLMOUTH BASS | 0.31 | 0.01 |
| | SPOTTED BASS | 0.01 | 0.00 |
| | LARGEMOUTH BASS | 0.19 | 0.05 |
| | LARGEMOUTH BASS | 0.19 | 0.05 |
| ANY CRAPPIE | | | |
| | ANY CRAPPIE | 0.00 | 0.00 |
| | WHITE CRAPPIE | 0.13 | 0.03 |
| | BLACK CRAPPIE | 1.13 | 0.50 |
| | BLACKNOSE CRAPPIE | 1.41 | 0.47 |

COMPARISON OF BLACK BASS CATCH RATES (# FISH/HOUR) BETWEEN TOURNAMENT AND NON-TOURNAMENT ANGLERS (MONTHS ARE LISTED ONLY IF > 90% OF BLACK BASS ANGLERS RESPONDED TO THE QUESTION ON TOURNAMENT PARTICIPATION)

| | % BLACK BASS | CATCH RATE | | CATCH RATE | |
|-------------|------------------------------------|------------------------------|------------------------------------|----------------------------------|--|
| MONTH | EFFORT BY TOURNAMENT ANGLERS | FOR TOURNAMENT ANGLERS | # OF INTERVIEWS (TOURNAMENT) | FOR NON-TOURNAMENT ANGLERS | # OF INTERVIEWS (NON-TOURNAMENT) |
| 01 JANUARY | 0 | | 0 | 0.59 | 40 |
| 02 FEBRUARY | 6 | 0.82 | 3 | 0.42 | 51 |
| 03 MARCH | 7 | 0.73 | 4 | 0.52 | 54 |
| 10 OCTOBER | 19 | 0.29 | 10 | 0.27 | 50 |
| 11 NOVEMBER | 24 | 0.34 | 7 | 0.20 | 24 |
| 12 DECEMBER | 0 | | 0 | 0.33 | 3 |

SUMMARY OF TRIP EXPENDITURES AND CONSUMER SURPLUS FOR INTENDED SPECIES - 2020

| INTENDED SPECIES | TOTAL TRIP EXPENDITURES | TOTAL CONSUMER SURPLUS | TOTAL VALUE BY ANGLERS | NUMBER OF INTERVIEWS |
|---------------------|-------------------------------|------------------------------|------------------------------|----------------------------|
| LAKE TROUT | 5670 | | | 1 |
| WHITE BASS | 2060 | | | 1 |
| ANY SUNFISH | 18880 | 7000 | 25880 | 9 |
| ANY BLACK BASS | 856280 | 302490 | 1158770 | 145 |
| SMALLMOUTH BASS | 483200 | 237400 | 720600 | 99 |
| SPOTTED BASS | 550 | 250 | 800 | 1 |
| LARGEMOUTH BASS | 3610 | 1030 | 4640 | 1 |
| ANY CRAPPIE | 166650 | 119390 | 286040 | 77 |
| WALLEYE | 40600 | 16410 | 55560 | 17 |
| ANY SPECIES | 15080 | 2510 | 17600 | 3 |
| OTHER | 6170 | 670 | 1680 | 2 |
| TOTAL | 1598750 | 687150 | 2271570 | 356 |

SUMMARY OF SOCIOLOGICAL QUESTIONS - 2020

LOCATION=DALE HOLLOW RES

DISTRIBUTION OF STATES OF RESIDENCE OF INTERVIEWED ANGLERS

| STATE | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|--------|----------------------------------|-------------------------|
| IN | 42 | 5.9 |
| KY | 247 | 34.7 |
| OH | 58 | 8.1 |
| TN | 333 | 46.8 |
| OTHERS | 32 | 4.5 |

DISTRIBUTION OF COUNTIES OF RESIDENCE OF INTERVIEWED ANGLERS

| COUNTY | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|--------------|----------------------------------|-------------------------|
| CLAY | 47 | 14.4 |
| FENTRESS | 32 | 9.8 |
| OVERTON | 50 | 15.3 |
| PICKETT | 60 | 18.3 |
| PUTNAM | 50 | 15.3 |
| OTHERS IN TN | 88 | 26.9 |

DISTRIBUTION OF ONE-WAY MILEAGE OF ANGLERS INTERVIEWED

|] | NE-WAY MILES RAVELED | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|----|----------------------------|----------------------------------|-------------------------|
| A) | 0-25 | 247 | 34.7 |
| B) | 26-100 | 199 | 28.0 |
| C) | 101-250 | 133 | 18.7 |
| D) | > 250 | 132 | 18.6 |

DISTRIBUTION OF NUMBER OF DAYS IN TRIPS OF INTERVIEWED ANGLERS

| DA: | MBER YS TRIP | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|-----|--------------------|----------------------------------|-------------------------|
| A) | 1 | 248 | 67.4 |
| B) | 2-5 | 69 | 18.8 |
| C) | 6-10 | 45 | 12.2 |
| D) | 11-15 | 3 | 0.8 |
| F) | >20 | 3 | 0.8 |

CHICKAMAUGA RESERVOIR

MONTHLY ANGLING EFFORT FOR ALL ANGLERS - 2020

| MONTH | ANGLER HOURS | RELATIVE STANDARD ERROR | HOURS PER ACRE | ANGLER TRIPS | TRIPS PER ACRE | PERCENT EFFORT |
|--------------|-----------------|-------------------------------|----------------------|-----------------|----------------------|-------------------|
| 01 JANUARY | 30863 | 22.5 | 0.9 | 4959 | 0.1 | 3.7 |
| 02 FEBRUARY | 115265 | 79.1 | 3.3 | 16856 | 0.5 | 13.7 |
| 03 MARCH | 60659 | 34.7 | 1.8 | 9355 | 0.3 | 7.2 |
| 05 MAY | 94856 | 14.7 | 2.7 | • | • | 11.3 |
| 06 JUNE | 55927 | 21.0 | 1.6 | • | • | 6.7 |
| 07 JULY | 96243 | 26.6 | 2.8 | • | • | 11.5 |
| 08 AUGUST | 39738 | 16.0 | 1.2 | • | • | 4.7 |
| 09 SEPTEMBER | 61466 | 23.5 | 1.8 | • | • | 7.3 |
| 10 OCTOBER | 150028 | 19.4 | 4.3 | 20220 | 0.6 | 17.9 |
| 11 NOVEMBER | 135349 | 16.2 | 3.9 | 15853 | 0.5 | 16.1 |
| TOTAL | 840394 | | | 67243 | | |

MONTHLY CATCH STATISTICS FOR ALL ANGLERS - 2020

| MONTH | NUMBER FISH CAUGHT | RSE FOR CATCH | FISH CAUGHT PER HOUR | RSE FOR CATCH RATE | NUMBER FISH HARVESTED | RSE FOR HARVEST | FISH HARVESTED PER HOUR | RSE FOR HARVEST RATE |
|-------------|--------------------------|---------------------|----------------------------|--------------------------|-----------------------------|-----------------------|-------------------------------|----------------------------|
| 01 JANUARY | 42282 | 29.5 | 1.37 | 18.8 | 12037 | 33.8 | 0.39 | 24.5 |
| 02 FEBRUARY | 130249 | 85.3 | 1.13 | 25.0 | 29969 | 95.0 | 0.26 | 40.5 |
| 03 MARCH | 80070 | 45.9 | 1.32 | 28.4 | 30936 | 67.3 | 0.51 | 54.1 |
| 10 OCTOBER | 156029 | 35.0 | 1.04 | 28.6 | 37507 | 55.0 | 0.25 | 50.2 |
| 11 NOVEMBER | 113693 | 23.0 | 0.84 | 16.1 | 25716 | 39.4 | 0.19 | 35.3 |
| TOTAL | 522323 | | | | 136165 | | | |

SUMMARY OF SPECIES CATCH STATISTICS - 2020

| SPECIES | TOTAL NUMBER FISH CAUGHT | RSE FOR CATCH | SPECIES CATCH COMPOSITION (%) | INTENDED NUMBER CAUGHT | TOTAL NUMBER FISH HARVESTED | RSE FOR HARVEST | SPECIES HARVEST COMPOSITION (%) | INTENDED NUMBER HARVESTED | % OF CAUGHT FISH RELEASED | AVERAGE WEIGHT (LBS) | NUMBER FISH RECORDED |
|------------------|-----------------------------------|---------------------|-------------------------------|------------------------------|--------------------------------------|-----------------------|--|---------------------------------|------------------------------------|----------------------------|----------------------------|
| BLUE CATFISH | 21815 | 80.2 | 4.2 | 18570 | 4109 | 112.7 | 3.0 | 3913 | 81.2 | 2.73 | 21 |
| CHANNEL CATFISH | 7454 | 171.2 | 1.4 | 5857 | 1375 | 214.0 | 1.0 | 1375 | 81.6 | 3.13 | 7 |
| FLATHEAD CATFISH | 1460 | 364.3 | 0.3 | 1460 | 393 | 498.9 | 0.3 | 393 | 73.1 | 2.85 | 2 |
| WHITE BASS | 82396 | 35.8 | 15.8 | 1620 | 4713 | 79.2 | 3.5 | 1178 | 94.3 | 1.15 | 24 |
| YELLOW BASS | 11401 | 143.7 | 2.2 | 786 | 0 | | 0.0 | 0 | 100.0 | • | 0 |
| STRIPED BASS | 5882 | 241.9 | 1.1 | 0 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| BLUEGILL | 73418 | 35.5 | 14.1 | 28601 | 25886 | 51.4 | 19.0 | 15056 | 64.7 | 0.26 | 98 |
| SMALLMOUTH BASS | 3031 | 383.8 | 0.6 | 1010 | 196 | 911.7 | 0.1 | 196 | 93.5 | 3.50 | 1 |
| SPOTTED BASS | 10254 | 142.1 | 2.0 | 3874 | 196 | 501.5 | 0.1 | 196 | 98.1 | 1.70 | 1 |
| LARGEMOUTH BASS | 197419 | 23.3 | 37.9 | 194931 | 47760 | 41.5 | 35.1 | 47087 | 75.8 | 2.79 | 213 |
| WHITE CRAPPIE | 20628 | 92.6 | 4.0 | 20628 | 11145 | 93.6 | 8.2 | 11145 | 46.0 | 0.84 | 48 |
| BLACK CRAPPIE | 59700 | 48.8 | 11.4 | 59345 | 36019 | 51.6 | 26.5 | 35668 | 39.7 | 0.77 | 205 |
| YELLOW PERCH | 3112 | 307.8 | 0.6 | 3112 | 2279 | 354.5 | 1.7 | 2279 | 26.8 | 0.47 | 15 |
| SAUGER | 5206 | 366.4 | 1.0 | 0 | 879 | 542.0 | 0.6 | 0 | 83.1 | 1.50 | 6 |
| WALLEYE | 2799 | 472.4 | 0.5 | 2624 | 1213 | 450.3 | 0.9 | 1213 | 56.7 | 2.44 | 9 |
| FRESHWATER DRUM | 15435 | 94.6 | 3.0 | 1015 | 0 | | 0.0 | 0 | 100.0 | • | 0 |

SUMMARY OF FISHING EFFORT AND CATCH RATES FOR INTENDED SPECIES GROUPS - 2020

| INTENDED SPECIES | ANGLER HOURS | RSE FOR ANGLER HOURS | ANGLER TRIPS | PERCENT EFFORT | NUMBER CAUGHT PER HOUR | RSE FOR CATCH PER HOUR | NUMBER HARVESTED PER HOUR | RSE FOR HARVEST PER HOUR | NUMBER OF INTERVIEWS |
|---------------------|-----------------|----------------------------|-----------------|-------------------|------------------------------|------------------------------|---------------------------------|--------------------------------|----------------------------|
| ANY CATFISH | 19404 | 31.5 | 2681 | 3.9 | 1.04 | 12.7 | 0.19 | 81.4 | 21 |
| ANY SUNFISH | 7494 | 59.4 | 980 | 1.5 | 3.89 | 40.1 | 1.75 | 0.0 | 5 |
| ANY BLACK BASS | 60853 | 29.4 | 8471 | 12.4 | 0.39 | 22.3 | 0.06 | 70.6 | 61 |
| LARGEMOUTH BASS | 334731 | 19.3 | 45253 | 68.0 | 0.38 | 13.4 | 0.10 | 25.6 | 275 |
| ANY CRAPPIE | 37135 | 38.8 | 5351 | 7.5 | 2.05 | 14.0 | 1.17 | 17.2 | 37 |
| WALLEYE | 5388 | 89.2 | 802 | 1.1 | 1.07 | 45.1 | 0.53 | 49.4 | 5 |
| ANY SPECIES | 27160 | 24.8 | 3703 | 5.5 | 3.31 | 46.8 | 1.67 | 65.3 | 34 |
| TOTAL | 492165 | | 67241 | | | | | | |

SUMMARY OF RELATIVE SPECIES CATCH RATES WITHIN TARGET GROUPS - 2020

| | TARGET GROUP | SPECIES WITHIN TARGET GROUPS | RELATIVE CATCH RATE | RELATIVE HARVEST RATE |
|-----|-----------------|------------------------------------|---------------------------|-----------------------------|
| ANY | CATFISH | | | |
| | | BLUE CATFISH | 0.75 | 0.13 |
| | | CHANNEL CATFISH | 0.24 | 0.05 |
| | | FLATHEAD CATFISH | 0.06 | 0.01 |
| ANY | SUNFISH | | | |
| | | BLUEGILL | 3.89 | 1.75 |
| ANY | BLACK BASS | | | |
| | | SMALLMOUTH BASS | 0.00 | 0.00 |
| | | SPOTTED BASS | 0.01 | 0.00 |
| | | LARGEMOUTH BASS | 0.49 | 0.12 |
| ANY | CRAPPIE | | | |
| | | WHITE CRAPPIE | 0.53 | 0.28 |
| | | BLACK CRAPPIE | 1.52 | 0.89 |

COMPARISON OF BLACK BASS CATCH RATES (# FISH/HOUR) BETWEEN TOURNAMENT AND NON-TOURNAMENT ANGLERS (MONTHS ARE LISTED ONLY IF > 90% OF BLACK BASS ANGLERS RESPONDED TO THE QUESTION ON TOURNAMENT PARTICIPATION)

| | % BLACK BASS | CATCH RATE | | CATCH RATE | |
|------------|-------------------------|-------------------|--------------------|-----------------------|--------------------|
| | EFFORT BY TOURNAMENT | FOR TOURNAMENT | # OF INTERVIEWS | FOR NON-TOURNAMENT | # OF INTERVIEWS |
| MONTH | ANGLERS | ANGLERS | (TOURNAMENT) | ANGLERS | (NON-TOURNAMENT) |
| 01 JANUAR | Y 0 | | 0 | 0.35 | 59 |
| 02 FEBRUAI | RY 58 | 0.88 | 19 | 0.39 | 36 |
| 03 MARCH | 0 | | 0 | 0.40 | 39 |
| 10 OCTOBE | R 53 | 0.30 | 60 | 0.25 | 71 |
| 11 NOVEMBI | ER 47 | 0.29 | 22 | 0.26 | 30 |

SUMMARY OF TRIP EXPENDITURES AND CONSUMER SURPLUS FOR INTENDED SPECIES - 2020

| INTENDED SPECIES | TOTAL TRIP EXPENDITURES | TOTAL CONSUMER SURPLUS | TOTAL VALUE BY ANGLERS | NUMBER OF INTERVIEWS |
|---------------------|-------------------------------|------------------------------|------------------------------|----------------------------|
| ANY CATFISH | 104010 | 101820 | 205830 | 21 |
| ANY SUNFISH | 29710 | 61090 | 90800 | 5 |
| ANY BLACK BASS | 426410 | 330700 | 757110 | 61 |
| LARGEMOUTH BASS | 3223740 | 2812830 | 6036570 | 275 |
| ANY CRAPPIE | 68800 | 61890 | 130690 | 37 |
| WALLEYE | 11060 | 14550 | 25610 | 5 |
| ANY SPECIES | 46600 | 33680 | 80280 | 34 |
| TOTAL | 3910330 | 3416560 | 7326890 | 438 |

SUMMARY OF SOCIOLOGICAL QUESTIONS - 2020

LOCATION=CHICKAMAUGA RES

DISTRIBUTION OF STATES OF RESIDENCE OF INTERVIEWED ANGLERS

| | NUMBER ANGLERS | PERCENT |
|--------|-------------------|--------------|
| STATE | INTERVIEWED | CONTRIBUTION |
| GA | 66 | 8.3 |
| IL | 49 | 6.1 |
| KY | 91 | 11.4 |
| TN | 476 | 59.7 |
| OTHERS | 115 | 14.4 |

DISTRIBUTION OF COUNTIES OF RESIDENCE OF INTERVIEWED ANGLERS

| COUNTY | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|--------------|----------------------------------|-------------------------|
| BRADLEY | 55 | 11.6 |
| HAMILTON | 158 | 33.3 |
| MEIGS | 31 | 6.5 |
| RHEA | 42 | 8.9 |
| OTHERS IN TN | 188 | 39.7 |

DISTRIBUTION OF ONE-WAY MILEAGE OF ANGLERS INTERVIEWED

| O | NE-WAY | NUMBER | |
|--------------|---------|-------------|--------------|
|] | MILES | ANGLERS | PERCENT |
| \mathbf{T} | RAVELED | INTERVIEWED | CONTRIBUTION |
| | | | |
| A) | 0-25 | 331 | 41.5 |
| B) | 26-100 | 130 | 16.3 |
| C) | 101-250 | 191 | 24.0 |
| D) | > 250 | 145 | 18.2 |

DISTRIBUTION OF NUMBER OF DAYS IN TRIPS OF INTERVIEWED ANGLERS

| NUMBER | NUMBER | |
|---------|---------------|--------------|
| DAYS | ANGLERS | PERCENT |
| IN TRII | P INTERVIEWED | CONTRIBUTION |
| | | |
| A) 1 | 276 | 62.7 |
| B) 2-5 | 104 | 23.6 |
| C) 6-10 | 59 | 13.4 |
| F) >20 | 1 | 0.2 |

WATTS BAR RESERVOIR

MONTHLY ANGLING EFFORT FOR ALL ANGLERS - 2020

| MONTH | ANGLER HOURS | RELATIVE STANDARD ERROR | HOURS PER ACRE | ANGLER TRIPS | TRIPS PER ACRE | PERCENT EFFORT |
|--------------|-----------------|-------------------------------|----------------------|-----------------|----------------------|-------------------|
| 01 JANUARY | 17662 | 33.1 | 0.5 | 3420 | 0.1 | 4.4 |
| 02 FEBRUARY | 17360 | 25.0 | 0.4 | 3023 | 0.1 | 4.3 |
| 03 MARCH | 40256 | 15.0 | 1.0 | 6175 | 0.2 | 10.1 |
| 05 MAY | 56480 | 20.5 | 1.4 | • | • | 14.1 |
| 06 JUNE | 51802 | 26.3 | 1.3 | • | • | 12.9 |
| 07 JULY | 33978 | 18.2 | 0.9 | | | 8.5 |
| 08 AUGUST | 28267 | 26.5 | 0.7 | | | 7.1 |
| 09 SEPTEMBER | 42586 | 19.0 | 1.1 | • | • | 10.6 |
| 10 OCTOBER | 79798 | 47.0 | 2.0 | 13782 | 0.4 | 19.9 |
| 11 NOVEMBER | 31950 | 42.2 | 0.8 | 5545 | 0.1 | 8.0 |
| | | | | | | |
| TOTAL | 400139 | | | 31945 | | |

MONTHLY CATCH STATISTICS FOR ALL ANGLERS - 2020

| MONTH | NUMBER FISH CAUGHT | RSE FOR CATCH | FISH CAUGHT PER HOUR | RSE FOR CATCH RATE | NUMBER FISH HARVESTED | RSE FOR HARVEST | FISH HARVESTED PER HOUR | RSE FOR HARVEST RATE |
|-------------|--------------------------|---------------------|----------------------------|--------------------------|-----------------------------|-----------------------|-------------------------------|----------------------------|
| 01 JANUARY | 24550 | 43.8 | 1.39 | 27.1 | 3179 | 87.0 | 0.18 | 75.4 |
| 02 FEBRUARY | 11978 | 34.4 | 0.69 | 23.0 | 694 | 71.2 | 0.04 | 72.0 |
| 03 MARCH | 69240 | 27.2 | 1.72 | 22.4 | 15297 | 36.4 | 0.38 | 33.0 |
| 10 OCTOBER | 79798 | 51.7 | 1.00 | 19.5 | 15162 | 63.4 | 0.19 | 38.1 |
| 11 NOVEMBER | 51440 | 52.1 | 1.61 | 28.2 | 21407 | 61.6 | 0.67 | 41.2 |
| TOTAL | 237006 | | | | 55739 | | | |

SUMMARY OF SPECIES CATCH STATISTICS - 2020

| SPECIES | TOTAL NUMBER FISH CAUGHT | RSE FOR CATCH | SPECIES CATCH COMPOSITION (%) | INTENDED NUMBER CAUGHT | TOTAL NUMBER FISH HARVESTED | RSE FOR HARVEST | SPECIES HARVEST COMPOSITION (%) | INTENDED NUMBER HARVESTED | % OF CAUGHT FISH RELEASED | AVERAGE WEIGHT (LBS) | NUMBER FISH RECORDED |
|-------------------|-----------------------------------|---------------------|--|------------------------------|--------------------------------------|-----------------------|--|---------------------------------|------------------------------------|----------------------------|----------------------------|
| BLUE CATFISH | 6969 | 138.3 | 2.9 | 3872 | 218 | 442.4 | 0.4 | 218 | 96.9 | 3.20 | 2 |
| CHANNEL CATFISH | 2704 | 266.9 | 1.1 | 2135 | 677 | 365.3 | 1.2 | 339 | 75.0 | 1.35 | 4 |
| FLATHEAD CATFISH | 544 | 913.4 | 0.2 | 136 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| WHITE BASS | 60944 | 27.7 | 25.8 | 8938 | 7782 | 55.2 | 14.0 | 2075 | 87.2 | 0.92 | 60 |
| YELLOW BASS | 668 | 960.3 | 0.3 | 0 | 0 | | 0.0 | 0 | 100.0 | • | 0 |
| STRIPED BASS | 9372 | 93.0 | 4.0 | 3515 | 983 | 211.5 | 1.8 | 983 | 89.5 | | 9 |
| BLUEGILL | 16731 | 72.2 | 7.1 | 2971 | 3924 | 95.5 | 7.0 | 906 | 76.5 | 0.23 | 26 |
| REDEAR SUNFISH | 9418 | 85.8 | 4.0 | 7361 | 7318 | 95.4 | 13.1 | 5898 | 22.3 | 0.41 | 67 |
| SMALLMOUTH BASS | 10481 | 74.1 | 4.4 | 9084 | 689 | 183.0 | 1.2 | 689 | 93.4 | 3.43 | 3 |
| SPOTTED BASS | 1586 | 458.4 | 0.7 | 721 | 0 | | 0.0 | 0 | 100.0 | • | 0 |
| LARGEMOUTH BASS | 40600 | 30.7 | 17.2 | 40028 | 2067 | 83.6 | 3.7 | 2067 | 94.9 | 2.20 | 9 |
| WHITE CRAPPIE | 18749 | 52.0 | 7.9 | 18616 | 12065 | 51.0 | 21.6 | 11935 | 35.6 | 0.79 | 93 |
| BLACK CRAPPIE | 20740 | 47.1 | 8.8 | 20623 | 12542 | 48.8 | 22.5 | 12542 | 39.5 | 0.79 | 111 |
| BLACKNOSE CRAPPIE | 109 | 1644.5 | 0.0 | 109 | 109 | 1644.5 | 0.2 | 109 | 0.0 | 1.10 | 1 |
| YELLOW PERCH | 4415 | 215.1 | 1.9 | 0 | 1971 | 183.8 | 3.5 | 0 | 55.4 | 0.55 | 11 |
| SAUGER | 10666 | 104.9 | 4.5 | 102 | 1528 | 222.6 | 2.7 | 0 | 85.7 | 1.51 | 17 |
| WALLEYE | 6480 | 116.4 | 2.7 | 5670 | 3536 | 126.6 | 6.3 | 3154 | 45.4 | 2.87 | 37 |
| SAUGEYE | 109 | 1644.5 | 0.0 | 109 | 109 | 1644.5 | 0.2 | 109 | 0.0 | | 1 |
| FRESHWATER DRUM | 15097 | 60.0 | 6.4 | 3355 | 218 | 305.6 | 0.4 | 0 | 98.6 | | 2 |

SUMMARY OF FISHING EFFORT AND CATCH RATES FOR INTENDED SPECIES GROUPS - 2020

| INTENDED SPECIES | ANGLER HOURS | RSE FOR ANGLER HOURS | ANGLER TRIPS | PERCENT EFFORT | NUMBER CAUGHT PER HOUR | RSE FOR CATCH PER HOUR | NUMBER HARVESTED PER HOUR | RSE FOR HARVEST PER HOUR | NUMBER OF INTERVIEWS |
|---------------------|-----------------|----------------------------|-----------------|-------------------|------------------------------|------------------------------|---------------------------------|--------------------------------|----------------------------|
| ANY CATFISH | 8065 | 47.1 | 1396 | 4.3 | 1.25 | 34.6 | 0.14 | 130.0 | 11 |
| WHITE BASS | 999 | 79.3 | 179 | 0.5 | 1.92 | | 0.94 | | 2 |
| STRIPED BASS | 8639 | 46.5 | 1487 | 4.6 | 0.08 | 137.9 | 0.07 | 136.6 | 9 |
| ANY SUNFISH | 940 | 86.1 | 163 | 0.5 | 5.52 | 15.1 | 4.37 | 10.3 | 3 |
| ANY BLACK BASS | 84609 | 21.1 | 14400 | 45.2 | 0.49 | 16.7 | 0.03 | 96.7 | 128 |
| SMALLMOUTH BASS | 404 | 97.6 | 70 | 0.2 | 0.15 | | 0.00 | | 1 |
| LARGEMOUTH BASS | 23712 | 39.2 | 4030 | 12.7 | 0.38 | 21.9 | 0.00 | | 32 |
| ANY CRAPPIE | 31639 | 26.0 | 5350 | 16.9 | 1.49 | 20.0 | 0.95 | 21.9 | 46 |
| WALLEYE | 4874 | 35.1 | 838 | 2.6 | 0.88 | 46.9 | 0.53 | 41.6 | 10 |
| SAUGEYE | 470 | 114.9 | 82 | 0.3 | 0.25 | | 0.25 | | 1 |
| ANY SPECIES | 22675 | 28.5 | 3950 | 12.1 | 1.99 | 33.9 | 0.37 | 67.8 | 41 |
| тотат. | 187026 | | 31945 | | | | | | |

SUMMARY OF RELATIVE SPECIES CATCH RATES WITHIN TARGET GROUPS - 2020

| | TARGET GROUP | SPECIES WITHIN TARGET GROUPS | RELATIVE CATCH RATE | RELATIVE HARVEST RATE |
|-----|-----------------|------------------------------------|---------------------------|-----------------------------|
| ANY | CATFISH | | | |
| | | BLUE CATFISH | 0.79 | 0.05 |
| | | CHANNEL CATFISH | 0.43 | 0.09 |
| | | FLATHEAD CATFISH | 0.03 | 0.00 |
| ANY | SUNFISH | | | |
| | | BLUEGILL | 1.59 | 0.58 |
| | | REDEAR SUNFISH | 3.93 | 3.79 |
| ANY | BLACK BASS | | | |
| | | SMALLMOUTH BASS | 0.08 | 0.01 |
| | | SPOTTED BASS | 0.01 | 0.00 |
| | | LARGEMOUTH BASS | 0.37 | 0.02 |
| ANY | CRAPPIE | | | |
| | | WHITE CRAPPIE | 0.70 | 0.46 |
| | | BLACK CRAPPIE | 0.78 | 0.48 |
| | | BLACKNOSE CRAPPIE | 0.00 | 0.00 |

COMPARISON OF BLACK BASS CATCH RATES (# FISH/HOUR) BETWEEN TOURNAMENT AND NON-TOURNAMENT ANGLERS (MONTHS ARE LISTED ONLY IF > 90% OF BLACK BASS ANGLERS RESPONDED TO THE QUESTION ON TOURNAMENT PARTICIPATION)

| | MONTH | % BLACK BASS EFFORT BY TOURNAMENT ANGLERS | CATCH RATE FOR TOURNAMENT ANGLERS | # OF INTERVIEWS (TOURNAMENT) | CATCH RATE FOR NON-TOURNAMENT ANGLERS | # OF INTERVIEWS (NON-TOURNAMENT) |
|----|----------|--|--|------------------------------------|--|--|
| 01 | JANUARY | 0 | | 0 | 0.43 | 22 |
| 02 | FEBRUARY | 0 | | 0 | 0.45 | 34 |
| 03 | MARCH | 0 | | 0 | 0.63 | 37 |
| 10 | OCTOBER | 24 | 0.51 | 6 | 0.38 | 37 |
| 11 | NOVEMBER | 0 | | 0 | 0.37 | 25 |

SUMMARY OF TRIP EXPENDITURES AND CONSUMER SURPLUS FOR INTENDED SPECIES - 2020

| INTENDED SPECIES | TOTAL TRIP EXPENDITURES | TOTAL CONSUMER SURPLUS | TOTAL VALUE BY ANGLERS | NUMBER OF INTERVIEWS |
|---------------------|-------------------------------|------------------------------|------------------------------|----------------------------|
| ANY CATFISH | 27370 | 27730 | 55100 | 11 |
| WHITE BASS | 4890 | 11810 | 16690 | 2 |
| STRIPED BASS | 42480 | 36520 | 78990 | 9 |
| ANY SUNFISH | 2280 | 1630 | 3910 | 3 |
| ANY BLACK BASS | 371730 | 362560 | 734290 | 128 |
| SMALLMOUTH BASS | 670 | 3520 | 4180 | 1 |
| LARGEMOUTH BASS | 95590 | 131910 | 227500 | 32 |
| ANY CRAPPIE | 103540 | 103900 | 207440 | 46 |
| WALLEYE | 26050 | 32270 | 58320 | 10 |
| SAUGEYE | 610 | 0 | 610 | 1 |
| ANY SPECIES | 47160 | 44040 | 91190 | 41 |
| TOTAL | 722370 | 755890 | 1478220 | 284 |

SUMMARY OF SOCIOLOGICAL QUESTIONS - 2020

LOCATION=WATTS BAR RES

DISTRIBUTION OF STATES OF RESIDENCE OF INTERVIEWED ANGLERS

| STATE | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|--------|----------------------------------|-------------------------|
| TN | 464 | 91.7 |
| OTHERS | 42 | 8.3 |

DISTRIBUTION OF COUNTIES OF RESIDENCE OF INTERVIEWED ANGLERS

| | NUMBER | |
|--------------|------------------------|-------------------------|
| COUNTY | ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
| BLOUNT | 44 | 9.4 |
| CUMBERLAND | 35 | 7.5 |
| KNOX | 47 | 10.1 |
| LOUDON | 56 | 12.0 |
| McMINN | 28 | 6.0 |
| MONROE | 32 | 6.9 |
| RHEA | 43 | 9.2 |
| ROANE | 82 | 17.6 |
| OTHERS IN TN | 96 | 20.6 |
| OUT-OF-STATE | 4 | 0.9 |

DISTRIBUTION OF ONE-WAY MILEAGE OF ANGLERS INTERVIEWED

| ONE-WAY MILES TRAVELED | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|------------------------------|----------------------------------|-------------------------|
| A) 0-25 | 311 | 61.3 |
| B) 26-100 | 149 | 29.4 |
| C) 101-250 | 32 | 6.3 |
| D) > 250 | 15 | 3.0 |
| | | |

DISTRIBUTION OF NUMBER OF DAYS IN TRIPS OF INTERVIEWED ANGLERS

| NUMBER DAYS IN TRIP | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|---------------------------|----------------------------------|-------------------------|
| | 1 | |
| A) 1 | 267 | 94.3 |
| B) 2-5 | 14 | 4.9 |
| C) 6-10 | 1 | 0.4 |
| F) >20 | 1 | 0.4 |

TWRA REGION IV

NORRIS RESERVOIR

MONTHLY ANGLING EFFORT FOR ALL ANGLERS - 2020

| | ANGLER | RELATIVE STANDARD | HOURS PER | ANGLER | TRIPS PER | PERCENT |
|--------------|--------|----------------------|--------------|--------|--------------|---------|
| MONTH | HOURS | ERROR | ACRE | TRIPS | ACRE | EFFORT |
| 01 JANUARY | 5250 | 100.0 | 0.2 | 1273 | 0.0 | 2.8 |
| 02 FEBRUARY | 13199 | 42.2 | 0.4 | 3598 | 0.1 | 7.1 |
| 03 MARCH | 28216 | 18.2 | 0.8 | 5632 | 0.2 | 15.3 |
| 05 MAY | 8190 | • | 0.2 | 3276 | 0.1 | 4.4 |
| 06 JUNE | 29163 | 36.9 | 0.9 | | • | 15.8 |
| 07 JULY | 8950 | 64.2 | 0.3 | 2387 | 0.1 | 4.8 |
| 08 AUGUST | 36269 | 47.6 | 1.1 | 9132 | 0.3 | 19.6 |
| 09 SEPTEMBER | 17465 | 10.3 | 0.5 | 3910 | 0.1 | 9.5 |
| 10 OCTOBER | 15086 | 27.3 | 0.4 | 3017 | 0.1 | 8.2 |
| 11 NOVEMBER | 14970 | 14.5 | 0.4 | 3878 | 0.1 | 8.1 |
| 12 DECEMBER | 8032 | 14.3 | 0.2 | • | • | 4.3 |
| TOTAL | 184790 | | | 36103 | | |

MONTHLY CATCH STATISTICS FOR ALL ANGLERS - 2020

| | NUMBER FISH | RSE FOR | FISH CAUGHT | RSE FOR CATCH | NUMBER FISH | RSE FOR | FISH HARVESTED | RSE FOR HARVEST |
|--------------|----------------|------------|----------------|------------------|----------------|------------|-------------------|--------------------|
| MONTH | CAUGHT | CATCH | PER HOUR | RATE | HARVESTED | HARVEST | PER HOUR | RATE |
| 01 JANUARY | 1785 | • | 0.34 | • | 0 | • | 0.00 | • |
| 02 FEBRUARY | 6995 | 50.2 | 0.53 | 25.0 | 924 | 122.6 | 0.07 | 100.0 |
| 03 MARCH | 26523 | 30.6 | 0.94 | 24.1 | 1693 | 80.0 | 0.06 | 83.4 |
| 05 MAY | 6470 | • | 0.79 | • | 5569 | • | 0.68 | • |
| 07 JULY | 895 | • | 0.10 | • | 895 | • | 0.10 | • |
| 08 AUGUST | 21036 | 63.9 | 0.58 | 38.6 | 3990 | 65.9 | 0.11 | 41.2 |
| 09 SEPTEMBER | 10479 | 21.2 | 0.60 | 18.2 | 6113 | 62.0 | 0.35 | 61.4 |
| 10 OCTOBER | 6487 | 48.4 | 0.43 | 38.2 | 1810 | 105.8 | 0.12 | 100.0 |
| 11 NOVEMBER | 5389 | • | 0.36 | • | 0 | • | 0.00 | • |
| TOTAL | 86059 | | | | 20994 | | | |

SUMMARY OF SPECIES CATCH STATISTICS - 2020

| SPECIES | TOTAL NUMBER FISH CAUGHT | RSE FOR CATCH | SPECIES CATCH COMPOSITION (%) | INTENDED NUMBER CAUGHT | TOTAL NUMBER FISH HARVESTED | RSE FOR HARVEST | SPECIES HARVEST COMPOSITION (%) | INTENDED NUMBER HARVESTED | % OF CAUGHT FISH RELEASED | AVERAGE WEIGHT (LBS) | NUMBER FISH RECORDED |
|-------------------|-----------------------------------|---------------------|-------------------------------|------------------------------|--------------------------------------|-----------------------|---------------------------------|---------------------------------|------------------------------------|----------------------------|----------------------------|
| SKIPJACK HERRING | 616 | 662.3 | 0.7 | 0 | 0 | | 0.0 | 0 | 100.0 | • | 0 |
| CHANNEL CATFISH | 905 | 179.9 | 1.0 | 0 | 905 | 179.9 | 4.3 | 0 | 0.0 | 1.90 | 2 |
| WHITE BASS | 308 | 942.0 | 0.4 | 0 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| STRIPED BASS | 11296 | 96.7 | 13.1 | 9682 | 0 | | 0.0 | 0 | 100.0 | • | 0 |
| ROCK BASS | 1796 | | 2.1 | 1796 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| BLUEGILL | 8678 | 117.5 | 10.0 | 8678 | 4890 | 74.6 | 23.3 | 4890 | 43.7 | 0.28 | 4 |
| REDEAR SUNFISH | 2848 | 137.1 | 3.3 | 2848 | 2128 | 159.4 | 10.1 | 2128 | 25.3 | 0.73 | 3 |
| SMALLMOUTH BASS | 26620 | 24.4 | 30.8 | 26240 | 770 | 85.9 | 3.7 | 770 | 97.1 | 0.90 | 5 |
| SPOTTED BASS | 3787 | 114.0 | 4.4 | 3458 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| LARGEMOUTH BASS | 14004 | 76.5 | 16.2 | 12575 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| BLACK CRAPPIE | 8915 | 39.6 | 10.3 | 8915 | 6645 | 21.7 | 31.7 | 6645 | 25.5 | 0.92 | 19 |
| BLACKNOSE CRAPPIE | 772 | 70.2 | 0.9 | 772 | 772 | 70.2 | 3.7 | 772 | 0.0 | 0.64 | 3 |
| WALLEYE | 5161 | 58.0 | 6.0 | 5161 | 4885 | 53.8 | 23.3 | 4885 | 5.3 | 2.60 | 7 |
| FRESHWATER DRUM | 811 | 349.2 | 0.9 | 0 | 0 | | 0.0 | 0 | 100.0 | | 0 |

SUMMARY OF FISHING EFFORT AND CATCH RATES FOR INTENDED SPECIES GROUPS - 2020

| INTENDED SPECIES | ANGLER HOURS | RSE FOR ANGLER HOURS | ANGLER TRIPS | PERCENT EFFORT | NUMBER CAUGHT PER HOUR | RSE FOR CATCH PER HOUR | NUMBER HARVESTED PER HOUR | RSE FOR HARVEST PER HOUR | NUMBER OF INTERVIEWS |
|---------------------|-----------------|----------------------------|-----------------|-------------------|------------------------------|------------------------------|---------------------------------|--------------------------------|----------------------------|
| STRIPED BASS | 23472 | 39.3 | 6395 | 15.9 | 0.17 | 62.4 | 0.00 | | 10 |
| ANY SUNFISH | 3017 | 96.7 | 603 | 2.0 | 0.50 | | 0.25 | | 1 |
| ANY BLACK BASS | 73585 | 19.9 | 16899 | 49.9 | 0.40 | 37.6 | 0.00 | | 43 |
| SMALLMOUTH BASS | 4401 | 47.2 | 917 | 3.0 | 1.20 | 26.4 | 0.00 | | 5 |
| ANY CRAPPIE | 11420 | 22.6 | 3567 | 7.7 | 1.47 | 27.5 | 1.25 | 28.7 | 6 |
| WALLEYE | 11828 | 66.6 | 2866 | 8.0 | 0.37 | 0.0 | 0.35 | 0.0 | 5 |
| ANY SPECIES | 19877 | 40.6 | 4855 | 13.5 | 1.24 | 20.8 | 0.45 | 47.7 | 6 |
| | | | | | | | | | |
| TOTAL | 147600 | | 36102 | | | | | | |

SUMMARY OF RELATIVE SPECIES CATCH RATES WITHIN TARGET GROUPS - 2020

| | TARGET GROUP | SPECIES WITHIN TARGET GROUPS | RELATIVE CATCH RATE | RELATIVE HARVEST RATE |
|-----|-----------------|------------------------------------|---------------------------|-----------------------------|
| ANY | SUNFISH | | | |
| | | BLUEGILL | 0.38 | 0.17 |
| | | REDEAR SUNFISH | 0.12 | 0.08 |
| ANY | BLACK BASS | | | |
| | | SMALLMOUTH BASS | 0.34 | 0.01 |
| | | SPOTTED BASS | 0.04 | 0.00 |
| | | LARGEMOUTH BASS | 0.16 | 0.00 |
| ANY | CRAPPIE | | | |
| | | BLACK CRAPPIE | 1.35 | 1.12 |
| | | BLACKNOSE CRAPPIE | 0.12 | 0.13 |

COMPARISON OF BLACK BASS CATCH RATES (# FISH/HOUR) BETWEEN TOURNAMENT AND NON-TOURNAMENT ANGLERS (MONTHS ARE LISTED ONLY IF > 90% OF BLACK BASS ANGLERS RESPONDED TO THE QUESTION ON TOURNAMENT PARTICIPATION)

| | % BLACK BASS | CATCH RATE | | CATCH RATE | CATCH RATE | | |
|--------------|--------------|------------|--------------|----------------|------------------|--|--|
| | EFFORT BY | FOR | # OF | FOR | # OF | | |
| | TOURNAMENT | TOURNAMENT | INTERVIEWS | NON-TOURNAMENT | INTERVIEWS | | |
| MONTH | ANGLERS | ANGLERS | (TOURNAMENT) | ANGLERS | (NON-TOURNAMENT) | | |
| 01 JANUARY | 0 | | 0 | 0.34 | 2 | | |
| 02 FEBRUARY | 0 | | 0 | 0.70 | 7 | | |
| 03 MARCH | 13 | 0.71 | 2 | 0.68 | 24 | | |
| 08 AUGUST | 0 | | 0 | 0.12 | 3 | | |
| 09 SEPTEMBER | 0 | | 0 | 0.44 | 4 | | |
| 10 OCTOBER | 0 | | 0 | 0.46 | 3 | | |
| 11 NOVEMBER | 0 | | 0 | 0.32 | 3 | | |

SUMMARY OF TRIP EXPENDITURES AND CONSUMER SURPLUS FOR INTENDED SPECIES - 2020

| INTENDED SPECIES | TOTAL TRIP EXPENDITURES | TOTAL CONSUMER SURPLUS | TOTAL VALUE BY ANGLERS | NUMBER OF INTERVIEWS |
|---------------------|-------------------------------|------------------------------|------------------------------|----------------------------|
| STRIPED BASS | 76850 | 77060 | 153920 | 4 |
| ANY SUNFISH | 7540 | 7540 | 15090 | 1 |
| ANY BLACK BASS | 384870 | 159210 | 544080 | 24 |
| SMALLMOUTH BASS | 18340 | 12050 | 30390 | 4 |
| ANY CRAPPIE | 37150 | 19140 | 56300 | 6 |
| WALLEYE | 14920 | 14920 | 29830 | 1 |
| ANY SPECIES | 136280 | 100130 | 236410 | 6 |
| TOTAL | 675950 | 390050 | 1066020 | 46 |

SUMMARY OF SOCIOLOGICAL QUESTIONS - 2020

LOCATION=NORRIS RES

DISTRIBUTION OF STATES OF RESIDENCE OF INTERVIEWED ANGLERS

| STATE | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|--------|----------------------------------|-------------------------|
| TN | 125 | 93.3 |
| OTHERS | 9 | 6.7 |

DISTRIBUTION OF COUNTIES OF RESIDENCE OF INTERVIEWED ANGLERS

| | NUMBER ANGLERS | PERCENT |
|--------------|-------------------|--------------|
| COUNTY | INTERVIEWED | CONTRIBUTION |
| ANDERSON | 37 | 29.6 |
| CAMPBELL | 13 | 10.4 |
| CLAIBORNE | 36 | 28.8 |
| KNOX | 22 | 17.6 |
| UNION | 11 | 8.8 |
| OTHERS IN TN | 6 | 4.8 |

DISTRIBUTION OF ONE-WAY MILEAGE OF ANGLERS INTERVIEWED

| OI | NE-WAY | NUMBER | | | |
|----------|--------|-------------|--------------|--|--|
| MILES | | ANGLERS | PERCENT | | |
| TRAVELED | | INTERVIEWED | CONTRIBUTION | | |
| | | | | | |
| A) | 0-25 | 95 | 70.9 | | |
| B) | 26-100 | 36 | 26.9 | | |
| D) | > 250 | 3 | 2.2 | | |

DISTRIBUTION OF NUMBER OF DAYS IN TRIPS OF INTERVIEWED ANGLERS

| NUMBER DAYS IN TRIP | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|---------------------------|----------------------------------|-------------------------|
| A) 1 | 75 | 97.4 |
| B) 2-5 | 2 | 2.6 |

CHEROKEE RESERVOIR

MONTHLY ANGLING EFFORT FOR ALL ANGLERS - 2020

| | ANGLER | RELATIVE STANDARD | HOURS PER | ANGLER | TRIPS PER | PERCENT |
|--------------|--------|----------------------|--------------|--------|--------------|---------|
| MONTH | HOURS | ERROR | ACRE | TRIPS | ACRE | EFFORT |
| 02 FEBRUARY | 11943 | 40.9 | 0.4 | 3068 | 0.1 | 2.5 |
| 03 MARCH | 35063 | 38.7 | 1.2 | 6514 | 0.2 | 7.4 |
| 04 APRIL | 28694 | 17.4 | 0.9 | • | • | 6.1 |
| 05 MAY | 97888 | • | 3.2 | • | | 20.7 |
| 06 JUNE | 32352 | 10.0 | 1.1 | 5907 | 0.2 | 6.8 |
| 07 JULY | 36550 | 25.5 | 1.2 | 7434 | 0.2 | 7.7 |
| 08 AUGUST | 58922 | 31.5 | 1.9 | 14731 | 0.5 | 12.5 |
| 09 SEPTEMBER | 115026 | 5.6 | 3.8 | 23475 | 0.8 | 24.3 |
| 10 OCTOBER | 12958 | 14.5 | 0.4 | 2860 | 0.1 | 2.7 |
| 11 NOVEMBER | 22904 | 24.8 | 0.8 | 6795 | 0.2 | 4.8 |
| 12 DECEMBER | 20565 | 18.7 | 0.7 | 4871 | 0.2 | 4.3 |
| TOTAL | 472865 | | | 75655 | | |

MONTHLY CATCH STATISTICS FOR ALL ANGLERS - 2020

| MONTH | NUMBER FISH CAUGHT | RSE FOR CATCH | FISH CAUGHT PER HOUR | RSE FOR CATCH RATE | NUMBER FISH HARVESTED | RSE FOR HARVEST | FISH HARVESTED PER HOUR | RSE FOR HARVEST RATE |
|--------------|--------------------------|---------------------|----------------------------|--------------------------|-----------------------------|-----------------------|-------------------------------|----------------------------|
| 02 FEBRUARY | 14212 | 51.2 | 1.19 | 28.5 | 6808 | 65.9 | 0.57 | 48.1 |
| 03 MARCH | 51893 | 38.8 | 1.48 | 2.6 | 35063 | 38.8 | 1.00 | 3.1 |
| 06 JUNE | 51440 | 34.9 | 1.59 | 33.3 | 7441 | 55.6 | 0.23 | 54.7 |
| 07 JULY | 61770 | • | 1.69 | • | 4386 | • | 0.12 | • |
| 08 AUGUST | 42424 | 65.6 | 0.72 | 55.1 | 23569 | 108.3 | 0.40 | 100.0 |
| 09 SEPTEMBER | 178290 | 12.9 | 1.55 | 11.6 | 46010 | 35.4 | 0.40 | 34.6 |
| 10 OCTOBER | 23065 | 21.1 | 1.78 | 15.2 | 11273 | 45.2 | 0.87 | 42.5 |
| 11 NOVEMBER | 21072 | 34.2 | 0.92 | 23.0 | 14888 | 37.3 | 0.65 | 26.9 |
| 12 DECEMBER | 44009 | 56.6 | 2.14 | 52.6 | 31670 | 74.5 | 1.54 | 70.8 |
| TOTAL | 488175 | | | | 181108 | | | |

SUMMARY OF SPECIES CATCH STATISTICS - 2020

| SPECIES | TOTAL NUMBER FISH CAUGHT | RSE FOR CATCH | SPECIES CATCH COMPOSITION (%) | INTENDED NUMBER CAUGHT | TOTAL NUMBER FISH HARVESTED | RSE FOR HARVEST | SPECIES HARVEST COMPOSITION (%) | INTENDED NUMBER HARVESTED | % OF CAUGHT FISH RELEASED | AVERAGE WEIGHT (LBS) | NUMBER FISH RECORDED |
|-------------------|-----------------------------------|---------------------|--|------------------------------|--------------------------------------|-----------------------|--|---------------------------------|------------------------------------|----------------------------|----------------------------|
| SKIPJACK HERRING | 2214 | 601.3 | 0.5 | 0 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| ALEWIFE | 421 | 539.1 | 0.1 | 421 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| BLUE CATFISH | 422 | 1075.8 | 0.1 | 422 | 422 | 1075.8 | 0.2 | 422 | 0.0 | | 1 |
| CHANNEL CATFISH | 21266 | 91.9 | 4.4 | 19417 | 18860 | 78.3 | 10.4 | 17145 | 11.3 | • | 44 |
| FLATHEAD CATFISH | 1689 | 530.6 | 0.3 | 1689 | 1689 | 530.6 | 0.9 | 1689 | 0.0 | | 4 |
| WHITE BASS | 32322 | 119.2 | 6.6 | 12929 | 24620 | 115.9 | 13.6 | 11014 | 23.8 | 0.54 | 38 |
| STRIPED BASS | 9619 | 198.5 | 2.0 | 802 | 4663 | 235.5 | 2.6 | 424 | 51.5 | | 11 |
| CHEROKEE BASS | 29706 | 69.6 | 6.1 | 15377 | 10976 | 91.9 | 6.1 | 5105 | 63.1 | • | 43 |
| REDBREAST SUNFISH | 4813 | 271.7 | 1.0 | 0 | 4813 | 271.7 | 2.7 | 0 | 0.0 | 0.40 | 7 |
| WARMOUTH | 4188 | 299.8 | 0.9 | 3427 | 2985 | 289.9 | 1.6 | 2687 | 28.7 | • | 10 |
| BLUEGILL | 61271 | 62.8 | 12.6 | 45224 | 48757 | 65.7 | 26.9 | 38065 | 20.4 | 0.20 | 114 |
| REDEAR SUNFISH | 1313 | 634.9 | 0.3 | 0 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| SMALLMOUTH BASS | 74160 | 39.5 | 15.2 | 49440 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| SPOTTED BASS | 351 | 707.0 | 0.1 | 351 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| LARGEMOUTH BASS | 148254 | 25.5 | 30.5 | 127324 | 1523 | 108.1 | 0.8 | 1523 | 99.0 | • | 15 |
| WHITE CRAPPIE | 37202 | 64.9 | 7.6 | 31810 | 31739 | 70.3 | 17.5 | 27248 | 14.7 | 0.47 | 106 |
| BLACK CRAPPIE | 4625 | 259.4 | 1.0 | 4625 | 4515 | 265.1 | 2.5 | 4515 | 2.4 | | 14 |
| SAUGER | 1158 | 323.6 | 0.2 | 0 | 711 | 425.3 | 0.4 | 0 | 38.6 | | 7 |
| WALLEYE | 11097 | 138.8 | 2.3 | 4161 | 9860 | 152.8 | 5.4 | 4551 | 11.1 | 1.75 | 26 |
| SAUGEYE | 14572 | 82.7 | 3.0 | 8424 | 12574 | 93.3 | 6.9 | 7927 | 13.7 | • | 46 |
| FRESHWATER DRUM | 4576 | 282.7 | 0.9 | 0 | 0 | | 0.0 | 0 | 100.0 | | 0 |

SUMMARY OF FISHING EFFORT AND CATCH RATES FOR INTENDED SPECIES GROUPS - 2020

| INTENDED SPECIES | ANGLER HOURS | RSE FOR ANGLER HOURS | ANGLER TRIPS | PERCENT EFFORT | NUMBER CAUGHT PER HOUR | RSE FOR CATCH PER HOUR | NUMBER HARVESTED PER HOUR | RSE FOR HARVEST PER HOUR | NUMBER OF INTERVIEWS |
|---------------------|-----------------|----------------------------|-----------------|-------------------|------------------------------|------------------------------|---------------------------------|--------------------------------|----------------------------|
| ANY CATFISH | 19787 | 48.4 | 4145 | 5.7 | 1.66 | 47.4 | 1.57 | 50.1 | 9 |
| WHITE BASS | 4949 | 60.5 | 1128 | 1.4 | 1.38 | 111.6 | 1.16 | 132.3 | 5 |
| STRIPED BASS | 11113 | 48.3 | 2324 | 3.2 | 0.15 | 122.8 | 0.08 | 122.8 | 9 |
| CHEROKEE BASS | 23642 | 39.7 | 5406 | 6.8 | 0.44 | 53.0 | 0.12 | 127.8 | 15 |
| ANY SUNFISH | 36753 | 53.8 | 8753 | 10.6 | 1.93 | 44.2 | 1.93 | 44.2 | 10 |
| ANY BLACK BASS | 37546 | 31.0 | 8070 | 10.8 | 1.59 | 43.4 | 0.00 | | 26 |
| SMALLMOUTH BASS | 29234 | 68.5 | 7166 | 8.4 | 0.98 | | 0.00 | | 2 |
| LARGEMOUTH BASS | 54974 | 27.1 | 11209 | 15.9 | 1.53 | 49.0 | 0.02 | 44.8 | 21 |
| ANY CRAPPIE | 50952 | 23.2 | 10798 | 14.7 | 0.89 | 70.5 | 0.70 | 71.3 | 28 |
| WALLEYE | 15243 | 53.4 | 3322 | 4.4 | 0.28 | 26.7 | 0.28 | 26.7 | 9 |
| SAUGEYE | 9588 | 43.9 | 2135 | 2.8 | 0.83 | 34.0 | 0.64 | 35.4 | 9 |
| ANY SPECIES | 52501 | 38.5 | 11197 | 15.2 | 0.31 | 47.4 | 0.00 | | 7 |
| TOTAL | 346282 | | 75653 | | | | | | |

SUMMARY OF RELATIVE SPECIES CATCH RATES WITHIN TARGET GROUPS - 2020

| TARGET GROUP | SPECIES WITHIN TARGET GROUPS | RELATIVE CATCH RATE | RELATIVE HARVEST RATE |
|-----------------|------------------------------------|---------------------------|-----------------------------|
| ANY CATFISH | | | |
| | ANY CATFISH | 0.00 | 0.00 |
| | BLUE CATFISH | 0.03 | 0.03 |
| | CHANNEL CATFISH | 1.50 | 1.40 |
| | FLATHEAD CATFISH | 0.13 | 0.14 |
| ANY SUNFISH | | | |
| | ANY SUNFISH | 0.00 | 0.00 |
| | REDBREAST SUNFISH | 0.00 | 0.00 |
| | WARMOUTH | 0.14 | 0.13 |
| | BLUEGILL | 1.79 | 1.80 |
| | REDEAR SUNFISH | 0.00 | 0.00 |
| ANY BLACK BASS | | | |
| | SMALLMOUTH BASS | 0.41 | 0.00 |
| | SPOTTED BASS | 0.00 | 0.00 |
| | LARGEMOUTH BASS | 1.05 | 0.01 |
| ANY CRAPPIE | | | |
| | ANY CRAPPIE | 0.00 | 0.00 |
| | WHITE CRAPPIE | 0.78 | 0.60 |
| | BLACK CRAPPIE | 0.11 | 0.10 |

COMPARISON OF BLACK BASS CATCH RATES (# FISH/HOUR) BETWEEN TOURNAMENT AND NON-TOURNAMENT ANGLERS (MONTHS ARE LISTED ONLY IF > 90% OF BLACK BASS ANGLERS RESPONDED TO THE QUESTION ON TOURNAMENT PARTICIPATION)

| MONTH | % BLACK BASS EFFORT BY TOURNAMENT ANGLERS | CATCH RATE FOR TOURNAMENT ANGLERS | # OF INTERVIEWS (TOURNAMENT) | CATCH RATE FOR NON-TOURNAMENT ANGLERS | # OF INTERVIEWS (NON-TOURNAMENT) |
|--------------|--|--|------------------------------------|--|--|
| 02 FEBRUARY | 0 | | 0 | 1.35 | 6 |
| 03 MARCH | 0 | | 0 | 0.85 | 5 |
| 06 JUNE | 0 | | 0 | 1.73 | 4 |
| 07 JULY | 0 | | 0 | 1.50 | 3 |
| 08 AUGUST | 0 | | 0 | 0.75 | 1 |
| 09 SEPTEMBER | 0 | | 0 | 1.94 | 9 |
| 10 OCTOBER | 14 | 3.71 | 1 | 1.40 | 10 |
| 11 NOVEMBER | 29 | 1.70 | 1 | 0.67 | 6 |
| 12 DECEMBER | 0 | | 0 | 1.58 | 3 |

SUMMARY OF TRIP EXPENDITURES AND CONSUMER SURPLUS FOR INTENDED SPECIES - 2020

| INTENDED | TOTAL TRIP | TOTAL CONSUMER | TOTAL VALUE | NUMBER OF |
|-----------------|---------------|-------------------|----------------|--------------|
| SPECIES | EXPENDITURES | SURPLUS | BY ANGLERS | INTERVIEWS |
| ANY CATFISH | 101540 | 390 | 51560 | 9 |
| WHITE BASS | 14690 | 1120 | 15820 | 5 |
| STRIPED BASS | 88070 | 0 | 83140 | 9 |
| CHEROKEE BASS | 581330 | 39110 | 573990 | 15 |
| ANY SUNFISH | 122360 | 2370 | 124730 | 10 |
| ANY BLACK BASS | 324900 | 85200 | 367060 | 26 |
| SMALLMOUTH BASS | 2813400 | 0 | 2782430 | 2 |
| LARGEMOUTH BASS | 487350 | 0 | 406800 | 19 |
| ANY CRAPPIE | 135060 | 11930 | 110990 | 27 |
| WALLEYE | 103610 | 11000 | 88300 | 9 |
| SAUGEYE | 79470 | 10460 | 79910 | 9 |
| ANY SPECIES | 214590 | 13200 | 227800 | 7 |
| TOTAL | 5066370 | 174780 | 4912530 | 147 |

SUMMARY OF SOCIOLOGICAL QUESTIONS - 2020

LOCATION=CHEROKEE RES

DISTRIBUTION OF STATES OF RESIDENCE OF INTERVIEWED ANGLERS

| STATE | ANGLERS INTERVIEWED | PERCENT CONTRIBUTION | |
|--------|------------------------|-------------------------|--|
| TN | 276 | 94.2 | |
| OTHERS | 17 | 5.8 | |

DISTRIBUTION OF COUNTIES OF RESIDENCE OF INTERVIEWED ANGLERS

| | 1 | V | U | M | ΙB | E | R |
|--|---|---|---|---|----|---|---|
| | | | | | | | |

| COUNTY | ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|--------------|------------------------|-------------------------|
| GRAINGER | 166 | 60.4 |
| HAWKINS | 45 | 16.4 |
| JEFFERSON | 27 | 9.8 |
| OTHERS IN TN | 37 | 13.5 |

DISTRIBUTION OF ONE-WAY MILEAGE OF ANGLERS INTERVIEWED

| I | NE-WAY MILES RAVELED | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|----|----------------------------|----------------------------------|-------------------------|
| , | 0-25 26-100 | 260 29 | 89.3 10.0 |
| C) | 101-250 | 2 | 0.7 |

DISTRIBUTION OF NUMBER OF DAYS IN TRIPS OF INTERVIEWED ANGLERS

| NUI | MBER | NUMBER | |
|-----|-------|-------------|--------------|
| DA: | YS | ANGLERS | PERCENT |
| IN | TRIP | INTERVIEWED | CONTRIBUTION |
| | | | |
| A) | 1 | 147 | 94.8 |
| B) | 2-5 | 7 | 4.5 |
| D) | 11-15 | 1 | 0.6 |

TELLICO RESERVOIR

MONTHLY ANGLING EFFORT FOR ALL ANGLERS - 2020

| | | RELATIVE | HOURS | | TRIPS | |
|--------------|-----------------|-------------------|-------------|-----------------|-------------|-------------------|
| MONTH | ANGLER HOURS | STANDARD ERROR | PER ACRE | ANGLER TRIPS | PER ACRE | PERCENT EFFORT |
| | | | | | | |
| 01 JANUARY | 4960 | 22.6 | 0.3 | 1193 | 0.1 | 3.1 |
| 02 FEBRUARY | 3965 | 50.3 | 0.2 | 769 | 0.0 | 2.5 |
| 03 MARCH | 22449 | 22.7 | 1.4 | 4260 | 0.3 | 14.2 |
| 04 APRIL | 26800 | 24.0 | 1.7 | 6458 | 0.4 | 17.0 |
| 05 MAY | 21843 | 15.3 | 1.4 | 4215 | 0.3 | 13.8 |
| 06 JUNE | 14460 | 13.4 | 0.9 | 3225 | 0.2 | 9.1 |
| 07 JULY | 12853 | 18.4 | 0.8 | 2806 | 0.2 | 8.1 |
| 08 AUGUST | 12356 | 23.8 | 0.8 | 2792 | 0.2 | 7.8 |
| 09 SEPTEMBER | 18638 | 28.4 | 1.2 | 4032 | 0.3 | 11.8 |
| 10 OCTOBER | 11352 | 11.2 | 0.7 | 2268 | 0.1 | 7.2 |
| 11 NOVEMBER | 6192 | 26.0 | 0.4 | 1481 | 0.1 | 3.9 |
| 12 DECEMBER | 2232 | 48.0 | 0.1 | 490 | 0.0 | 1.4 |
| TOTAL | 158100 | | | 33989 | | |

MONTHLY CATCH STATISTICS FOR ALL ANGLERS - 2020

| MONTH | NUMBER FISH CAUGHT | RSE FOR CATCH | FISH CAUGHT PER HOUR | RSE FOR CATCH RATE | NUMBER FISH HARVESTED | RSE FOR HARVEST | FISH HARVESTED PER HOUR | RSE FOR HARVEST RATE |
|--------------|--------------------------|---------------------|----------------------------|--------------------------|-----------------------------|-----------------------|-------------------------------|----------------------------|
| 01 JANUARY | 4266 | 29.7 | 0.86 | 18.8 | 1538 | 37.5 | 0.31 | 29.1 |
| 02 FEBRUARY | 6027 | 52.5 | 1.52 | 13.5 | 1824 | 52.5 | 0.46 | 13.6 |
| 03 MARCH | 34571 | 37.2 | 1.54 | 28.8 | 8306 | 38.4 | 0.37 | 30.1 |
| 04 APRIL | 15544 | 35.5 | 0.58 | 25.6 | 0 | • | 0.00 | • |
| 05 MAY | 21843 | 18.4 | 1.00 | 10.2 | 1966 | 69.5 | 0.09 | 65.2 |
| 06 JUNE | 14315 | 17.4 | 0.99 | 10.9 | 578 | 69.5 | 0.04 | 61.6 |
| 07 JULY | 13110 | 23.0 | 1.02 | 13.7 | 1799 | 59.6 | 0.14 | 54.1 |
| 08 AUGUST | 12850 | 28.2 | 1.04 | 14.7 | 2348 | 52.9 | 0.19 | 45.5 |
| 09 SEPTEMBER | 16029 | 30.3 | 0.86 | 10.2 | 1118 | 66.3 | 0.06 | 61.1 |
| 10 OCTOBER | 12941 | 14.2 | 1.14 | 8.7 | 3973 | 23.4 | 0.35 | 20.7 |
| 11 NOVEMBER | 4396 | 41.3 | 0.71 | 31.2 | 619 | 50.0 | 0.10 | 41.0 |
| 12 DECEMBER | 4776 | 48.8 | 2.14 | 8.1 | 402 | 57.5 | 0.18 | 28.6 |
| TOTAL | 160668 | | | | 24471 | | | |

SUMMARY OF SPECIES CATCH STATISTICS - 2020

| SPECIES | TOTAL NUMBER FISH CAUGHT | RSE FOR CATCH | SPECIES CATCH COMPOSITION (%) | INTENDED NUMBER CAUGHT | TOTAL NUMBER FISH HARVESTED | RSE FOR HARVEST | SPECIES HARVEST COMPOSITION (%) | INTENDED NUMBER HARVESTED | % OF CAUGHT FISH RELEASED | AVERAGE WEIGHT (LBS) | NUMBER FISH RECORDED |
|------------------|-----------------------------------|---------------------|--|------------------------------|--------------------------------------|-----------------------|--|---------------------------------|------------------------------------|----------------------------|----------------------------|
| SKIPJACK HERRING | 384 | 224.6 | 0.2 | 0 | 177 | 113.6 | 0.7 | 0 | 53.9 | 1.29 | 8 |
| BLUE CATFISH | 294 | 439.9 | 0.2 | 294 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| CHANNEL CATFISH | 1837 | 151.6 | 1.1 | 1413 | 529 | 130.8 | 2.2 | 470 | 71.2 | 3.25 | 9 |
| FLATHEAD CATFISH | 435 | 610.4 | 0.3 | 218 | 0 | | 0.0 | 0 | 100.0 | • | 0 |
| WHITE BASS | 8527 | 69.0 | 5.3 | 1451 | 363 | 163.2 | 1.5 | 0 | 95.7 | 0.71 | 6 |
| STRIPED BASS | 1091 | 331.2 | 0.7 | 873 | 86 | 421.0 | 0.4 | 86 | 92.1 | 26.50 | 1 |
| BLUEGILL | 10242 | 60.9 | 6.4 | 7701 | 1830 | 56.8 | 7.5 | 1442 | 82.1 | 0.31 | 33 |
| SMALLMOUTH BASS | 10977 | 53.5 | 6.9 | 5931 | 220 | 119.3 | 0.9 | 220 | 98.0 | 2.38 | 3 |
| SPOTTED BASS | 1386 | 263.3 | 0.9 | 126 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| LARGEMOUTH BASS | 76479 | 12.1 | 47.7 | 74095 | 792 | 49.1 | 3.2 | 792 | 99.0 | 2.42 | 16 |
| WHITE CRAPPIE | 46775 | 16.9 | 29.2 | 46096 | 19736 | 18.9 | 80.7 | 19627 | 57.8 | 0.45 | 362 |
| BLACK CRAPPIE | 181 | 614.0 | 0.1 | 181 | 126 | 770.2 | 0.5 | 126 | 30.4 | 0.75 | 2 |
| YELLOW PERCH | 172 | 936.0 | 0.1 | 115 | 22 | 586.2 | 0.1 | 0 | 87.2 | 0.46 | 1 |
| WALLEYE | 1257 | 223.7 | 0.8 | 1187 | 588 | 189.5 | 2.4 | 529 | 53.2 | 3.07 | 10 |
| FRESHWATER DRUM | 150 | 924.1 | 0.1 | 75 | 0 | | 0.0 | 0 | 100.0 | | 0 |

SUMMARY OF FISHING EFFORT AND CATCH RATES FOR INTENDED SPECIES GROUPS - 2020

| INTENDED SPECIES | ANGLER HOURS | RSE FOR ANGLER HOURS | ANGLER TRIPS | PERCENT EFFORT | NUMBER CAUGHT PER HOUR | RSE FOR CATCH PER HOUR | NUMBER HARVESTED PER HOUR | RSE FOR HARVEST PER HOUR | NUMBER OF INTERVIEWS |
|---------------------|-----------------|----------------------------|-----------------|-------------------|------------------------------|------------------------------|---------------------------------|--------------------------------|----------------------------|
| ANY CATFISH | 2258 | 37.8 | 480 | 1.4 | 0.28 | 61.5 | 0.11 | 74.0 | 7 |
| WHITE BASS | 243 | 92.7 | 58 | 0.2 | 0.00 | | 0.00 | | 1 |
| STRIPED BASS | 1157 | 63.5 | 250 | 0.7 | 0.24 | | 0.06 | | 2 |
| ANY SUNFISH | 2518 | 34.4 | 561 | 1.6 | 1.95 | 13.5 | 0.68 | 73.2 | 8 |
| ANY BLACK BASS | 21790 | 16.5 | 4633 | 13.8 | 1.35 | 18.3 | 0.03 | 66.0 | 74 |
| SMALLMOUTH BASS | 1382 | 47.1 | 284 | 0.9 | 0.13 | 0.0 | 0.06 | 0.0 | 6 |
| LARGEMOUTH BASS | 56727 | 11.3 | 12298 | 35.9 | 0.84 | 15.3 | 0.00 | 273.4 | 191 |
| ANY CRAPPIE | 32066 | 11.9 | 6669 | 20.3 | 1.52 | 18.3 | 0.84 | 23.1 | 142 |
| WALLEYE | 5761 | 24.6 | 1186 | 3.6 | 0.17 | 58.3 | 0.08 | 61.5 | 22 |
| ANY SPECIES | 33831 | 15.9 | 7487 | 21.4 | 0.55 | 48.6 | 0.02 | 147.9 | 67 |
| OTHER | 364 | 76.5 | 87 | 0.2 | 0.00 | | 0.00 | | 1 |
| TOTAL | 158097 | | 33993 | | | | | | |

SUMMARY OF RELATIVE SPECIES CATCH RATES WITHIN TARGET GROUPS - 2020

| | TARGET GROUP | SPECIES WITHIN TARGET GROUPS | RELATIVE CATCH RATE | RELATIVE HARVEST RATE |
|-----|-----------------|------------------------------------|---------------------------|-----------------------------|
| ANY | CATFISH | | | |
| | | BLUE CATFISH | 0.04 | 0.00 |
| | | CHANNEL CATFISH | 0.21 | 0.11 |
| | | FLATHEAD CATFISH | 0.03 | 0.00 |
| ANY | SUNFISH | | | |
| | | BLUEGILL | 1.95 | 0.68 |
| ANY | BLACK BASS | | | |
| | | SMALLMOUTH BASS | 0.07 | 0.00 |
| | | SPOTTED BASS | 0.00 | 0.00 |
| | | LARGEMOUTH BASS | 0.93 | 0.01 |
| ANY | CRAPPIE | | | |
| | | WHITE CRAPPIE | 1.51 | 0.83 |
| | | BLACK CRAPPIE | 0.01 | 0.01 |

COMPARISON OF BLACK BASS CATCH RATES (# FISH/HOUR) BETWEEN TOURNAMENT AND NON-TOURNAMENT ANGLERS (MONTHS ARE LISTED ONLY IF > 90% OF BLACK BASS ANGLERS RESPONDED TO THE QUESTION ON TOURNAMENT PARTICIPATION)

| MONTH | % BLACK BASS EFFORT BY TOURNAMENT ANGLERS | CATCH RATE FOR TOURNAMENT ANGLERS | # OF INTERVIEWS (TOURNAMENT) | CATCH RATE FOR NON-TOURNAMENT ANGLERS | # OF INTERVIEWS (NON-TOURNAMENT) |
|--------------|--|--|------------------------------------|--|--|
| 02 FEBRUARY | 0 | | 0 | 0.85 | 6 |
| 03 MARCH | 0 | | 0 | 0.78 | 30 |
| 04 APRIL | 0 | | 0 | 0.88 | 9 |
| 05 MAY | 1 | 0.50 | 4 | 1.10 | 47 |
| 06 JUNE | 0 | | 3 | 0.91 | 35 |
| 07 JULY | 0 | | 0 | 0.84 | 31 |
| 08 AUGUST | 3 | 1.00 | 1 | 1.00 | 24 |
| 09 SEPTEMBER | 0 | | 0 | 0.89 | 26 |
| 10 OCTOBER | 34 | 1.55 | 3 | 1.11 | 23 |
| 11 NOVEMBER | 0 | | 0 | 0.78 | 17 |
| 12 DECEMBER | 0 | | 0 | 1.47 | 3 |

SUMMARY OF TRIP EXPENDITURES AND CONSUMER SURPLUS FOR INTENDED SPECIES - 2020

| INTENDED SPECIES | TOTAL TRIP EXPENDITURES | TOTAL CONSUMER SURPLUS | TOTAL VALUE BY ANGLERS | NUMBER OF INTERVIEWS |
|---------------------|-------------------------------|------------------------------|------------------------------|----------------------------|
| ANY CATFISH | 8700 | 10710 | 19410 | 7 |
| WHITE BASS | 350 | 90 | 440 | 1 |
| STRIPED BASS | 18670 | 9020 | 27690 | 2 |
| ANY SUNFISH | 6070 | 2750 | 8810 | 8 |
| ANY BLACK BASS | 97400 | 92610 | 190010 | 72 |
| SMALLMOUTH BASS | 8700 | 3160 | 11870 | 6 |
| LARGEMOUTH BASS | 235210 | 144460 | 379670 | 191 |
| ANY CRAPPIE | 116490 | 59030 | 175510 | 142 |
| WALLEYE | 30040 | 18660 | 48710 | 22 |
| ANY SPECIES | 78940 | 22280 | 101220 | 67 |
| OTHER | 200 | 90 | 290 | 1 |
| TOTAL | 600770 | 362860 | 963630 | 519 |

SUMMARY OF SOCIOLOGICAL QUESTIONS - 2020

LOCATION=TELLICO RES

DISTRIBUTION OF STATES OF RESIDENCE OF INTERVIEWED ANGLERS

| STATE | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|--------|----------------------------------|-------------------------|
| TN | 859 | 98.7 |
| OTHERS | 11 | 1 3 |

DISTRIBUTION OF COUNTIES OF RESIDENCE OF INTERVIEWED ANGLERS

| COUNTY | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|--|----------------------------------|-----------------------------|
| BLOUNT LOUDON MONROE OTHERS IN TN | 383 228 192 56 | 44.3 26.4 22.2 6.5 |
| OUT-OF-STATE | 5 | 0.6 |

DISTRIBUTION OF ONE-WAY MILEAGE OF ANGLERS INTERVIEWED

| ONE-WAY MILES | NUMBER ANGLERS | PERCENT |
|------------------|-------------------|--------------|
| TRAVELED | INTERVIEWED | CONTRIBUTION |
| A) 0-25 | 801 | 92.1 |
| B) 26-100 | 67 | 7.7 |
| D) > 250 | 2 | 0.2 |

DISTRIBUTION OF NUMBER OF DAYS IN TRIPS OF INTERVIEWED ANGLERS

| NUMBER | | | |
|-------------|------------------------|--|--|
| ANGLERS | PERCENT | | |
| INTERVIEWED | CONTRIBUTION | | |
| | | | |
| 521 | 99.6 | | |
| 2 | 0.4 | | |
| | ANGLERS INTERVIEWED | | |

SOUTH HOLSTON RESERVOIR

MONTHLY ANGLING EFFORT FOR ALL ANGLERS - 2020

| MONTH | ANGLER HOURS | RELATIVE STANDARD ERROR | HOURS PER ACRE | ANGLER TRIPS | TRIPS PER ACRE | PERCENT EFFORT |
|--------------|-----------------|-------------------------------|----------------------|-----------------|----------------------|-------------------|
| 01 JANUARY | 15390 | 36.6 | 2.4 | 2178 | 0.3 | 6.6 |
| 02 FEBRUARY | 4291 | 28.2 | 0.7 | 741 | 0.1 | 1.8 |
| 03 MARCH | 27564 | 26.4 | 4.4 | 3507 | 0.6 | 11.8 |
| 04 APRIL | 21464 | 21.3 | 3.4 | 2710 | 0.4 | 9.2 |
| 05 MAY | 37998 | 20.2 | 6.0 | 5354 | 0.8 | 16.3 |
| 06 JUNE | 28698 | 32.9 | 4.5 | 6528 | 1.0 | 12.3 |
| 07 JULY | 18979 | 22.5 | 3.0 | 3941 | 0.6 | 8.1 |
| 08 AUGUST | 25143 | 30.5 | 4.0 | 4589 | 0.7 | 10.8 |
| 09 SEPTEMBER | 12695 | 37.6 | 2.0 | 1909 | 0.3 | 5.4 |
| 10 OCTOBER | 17729 | 16.1 | 2.8 | 3083 | 0.5 | 7.6 |
| 11 NOVEMBER | 17376 | 34.9 | 2.7 | 2948 | 0.5 | 7.4 |
| 12 DECEMBER | 6181 | 9.2 | 1.0 | 1228 | 0.2 | 2.6 |
| TOTAL | 233508 | | | 38716 | | |

MONTHLY CATCH STATISTICS FOR ALL ANGLERS - 2020

| MONTH | NUMBER FISH CAUGHT | RSE FOR CATCH | FISH CAUGHT PER HOUR | RSE FOR CATCH RATE | NUMBER FISH HARVESTED | RSE FOR HARVEST | FISH HARVESTED PER HOUR | RSE FOR HARVEST RATE |
|--------------|--------------------------|---------------------|----------------------------|--------------------------|-----------------------------|-----------------------|-------------------------------|----------------------------|
| 01 JANUARY | 8772 | 44.4 | 0.57 | 23.7 | 462 | 70.5 | 0.03 | 55.8 |
| 02 FEBRUARY | 3776 | 53.6 | 0.88 | 43.7 | 1287 | 73.3 | 0.30 | 66.2 |
| 03 MARCH | 20673 | 30.1 | 0.75 | 14.1 | 1654 | 62.7 | 0.06 | 58.2 |
| 04 APRIL | 19103 | 31.7 | 0.89 | 22.9 | 1717 | 87.4 | 0.08 | 88.3 |
| 05 MAY | 41418 | 20.8 | 1.09 | 4.6 | 760 | 71.0 | 0.02 | 57.9 |
| 06 JUNE | 63997 | 39.4 | 2.23 | 20.5 | 2296 | 91.5 | 0.08 | 81.6 |
| 07 JULY | 18599 | 30.6 | 0.98 | 20.1 | 1139 | 81.8 | 0.06 | 75.4 |
| 08 AUGUST | 41235 | 77.5 | 1.64 | 68.0 | 1509 | 58.3 | 0.06 | 49.6 |
| 09 SEPTEMBER | 13584 | 37.7 | 1.07 | 2.2 | 0 | • | 0.00 | • |
| 10 OCTOBER | 11524 | 19.7 | 0.65 | 11.2 | 1418 | 76.9 | 0.08 | 71.3 |
| 11 NOVEMBER | 11294 | 40.2 | 0.65 | 19.0 | 1911 | 80.2 | 0.11 | 65.3 |
| 12 DECEMBER | 5625 | 26.0 | 0.91 | 24.3 | 804 | 25.1 | 0.13 | 23.6 |
| TOTAL | 259600 | | | | 14957 | | | |

SUMMARY OF SPECIES CATCH STATISTICS - 2020

| SPECIES | TOTAL NUMBER FISH CAUGHT | RSE FOR CATCH | SPECIES CATCH COMPOSITION (%) | INTENDED NUMBER CAUGHT | TOTAL NUMBER FISH HARVESTED | RSE FOR HARVEST | SPECIES HARVEST COMPOSITION (%) | INTENDED NUMBER HARVESTED | % OF CAUGHT FISH RELEASED | AVERAGE WEIGHT (LBS) | NUMBER FISH RECORDED |
|------------------|-----------------------------------|---------------------|--|------------------------------|--------------------------------------|-----------------------|---------------------------------|---------------------------------|------------------------------------|----------------------------|----------------------------|
| CARP | 1375 | 487.8 | 0.5 | 859 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| CHANNEL CATFISH | 765 | 586.8 | 0.3 | 287 | 274 | 252.6 | 1.8 | 274 | 64.2 | | 2 |
| FLATHEAD CATFISH | 428 | 285.5 | 0.2 | 285 | 380 | 199.9 | 2.5 | 380 | 11.2 | | 2 |
| MUSKELLUNGE | 98 | 2083.1 | 0.0 | 0 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| LAKE TROUT | 120 | 1148.7 | 0.0 | 0 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| GREEN SUNFISH | 492 | 923.5 | 0.2 | 492 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| BLUEGILL | 61785 | 45.8 | 23.8 | 41695 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| SMALLMOUTH BASS | 129925 | 14.2 | 50.0 | 127587 | 3977 | 28.9 | 26.6 | 3977 | 96.9 | 3.85 | 56 |
| SPOTTED BASS | 3353 | 231.5 | 1.3 | 3057 | 190 | 185.5 | 1.3 | 190 | 94.3 | | 1 |
| LARGEMOUTH BASS | 49189 | 28.0 | 18.9 | 44650 | 142 | 112.7 | 0.9 | 142 | 99.7 | 5.85 | 1 |
| WHITE CRAPPIE | 980 | 444.1 | 0.4 | 980 | 475 | 198.3 | 3.2 | 475 | 51.5 | 1.36 | 8 |
| BLACK CRAPPIE | 7687 | 89.0 | 3.0 | 7391 | 5889 | 48.4 | 39.4 | 5889 | 23.4 | 1.56 | 56 |
| WALLEYE | 3736 | 52.8 | 1.4 | 1811 | 3629 | 50.7 | 24.3 | 1873 | 2.9 | 5.37 | 31 |

SUMMARY OF FISHING EFFORT AND CATCH RATES FOR INTENDED SPECIES GROUPS - 2020

| INTENDED SPECIES | ANGLER HOURS | RSE FOR ANGLER HOURS | ANGLER TRIPS | PERCENT EFFORT | NUMBER CAUGHT PER HOUR | RSE FOR CATCH PER HOUR | NUMBER HARVESTED PER HOUR | RSE FOR HARVEST PER HOUR | NUMBER OF INTERVIEWS |
|---------------------|-----------------|----------------------------|-----------------|-------------------|------------------------------|------------------------------|---------------------------------|--------------------------------|----------------------------|
| ANY CATFISH | 1714 | 70.9 | 329 | 0.7 | 0.73 | | 0.73 | | 2 |
| ANY TROUT | 394 | 100.4 | 50 | 0.2 | 0.00 | | 0.00 | | 1 |
| LAKE TROUT | 5555 | 36.7 | 1014 | 2.4 | 0.00 | | 0.00 | | 9 |
| ANY SUNFISH | 12489 | 27.0 | 2367 | 5.3 | 2.61 | 45.9 | 0.00 | | 13 |
| ANY BLACK BASS | 159115 | 9.0 | 26063 | 68.1 | 0.74 | 12.4 | 0.01 | 142.3 | 367 |
| SMALLMOUTH BASS | 34120 | 14.1 | 5249 | 14.6 | 0.73 | 16.8 | 0.05 | 87.8 | 91 |
| LARGEMOUTH BASS | 4709 | 38.2 | 884 | 2.0 | 0.54 | 78.5 | 0.00 | | 9 |
| ANY CRAPPIE | 4098 | 39.4 | 710 | 1.8 | 2.14 | 39.1 | 1.50 | 36.0 | 12 |
| WALLEYE | 5840 | 40.2 | 1067 | 2.5 | 0.35 | 14.7 | 0.35 | 14.7 | 12 |
| ANY SPECIES | 5478 | 34.0 | 981 | 2.3 | 2.53 | 82.6 | 0.08 | 217.0 | 13 |
| TOTAL | 233512 | | 38714 | | | | | | |

SUMMARY OF RELATIVE SPECIES CATCH RATES WITHIN TARGET GROUPS - 2020

| TARGET GROUP | SPECIES WITHIN TARGET GROUPS | RELATIVE CATCH RATE | RELATIVE HARVEST RATE |
|-----------------|------------------------------------|---------------------------|-----------------------------|
| ANY CATFISH | | | |
| | CHANNEL CATFISH | 0.37 | 0.31 |
| | FLATHEAD CATFISH | 0.36 | 0.42 |
| ANY TROUT | | | |
| ANY SUNFISH | | | |
| | GREEN SUNFISH | 0.03 | 0.00 |
| | BLUEGILL | 2.58 | 0.00 |
| ANY BLACK BASS | | | |
| | SMALLMOUTH BASS | 0.64 | 0.02 |
| | SPOTTED BASS | 0.02 | 0.00 |
| | LARGEMOUTH BASS | 0.23 | 0.00 |
| ANY CRAPPIE | | | |
| | WHITE CRAPPIE | 0.25 | 0.11 |
| | BLACK CRAPPIE | 1.89 | 1.39 |

COMPARISON OF BLACK BASS CATCH RATES (# FISH/HOUR) BETWEEN TOURNAMENT AND NON-TOURNAMENT ANGLERS (MONTHS ARE LISTED ONLY IF > 90% OF BLACK BASS ANGLERS RESPONDED TO THE QUESTION ON TOURNAMENT PARTICIPATION)

| | % BLACK BASS EFFORT BY TOURNAMENT | CATCH RATE FOR TOURNAMENT | # OF INTERVIEWS | CATCH RATE FOR NON-TOURNAMENT | # OF INTERVIEWS |
|--------------|---|---------------------------------|--------------------|-------------------------------------|--------------------|
| MONTH | ANGLERS | ANGLERS | (TOURNAMENT) | ANGLERS | (NON-TOURNAMENT) |
| 01 JANUARY | 10 | 0.56 | 8 | 0.44 | 41 |
| 02 FEBRUARY | 29 | 0.49 | 8 | 0.93 | 24 |
| 03 MARCH | 25 | 0.74 | 13 | 0.81 | 57 |
| 04 APRIL | 23 | 1.05 | 19 | 0.73 | 35 |
| 05 MAY | 15 | 1.11 | 13 | 0.93 | 48 |
| 06 JUNE | 37 | 0.95 | 16 | 0.92 | 18 |
| 07 JULY | 35 | 0.89 | 10 | 0.88 | 16 |
| 08 AUGUST | 35 | 0.44 | 10 | 0.58 | 10 |
| 09 SEPTEMBER | 40 | 0.44 | 6 | 0.46 | 14 |
| 10 OCTOBER | 48 | 0.44 | 15 | 0.50 | 29 |
| 11 NOVEMBER | 40 | 0.65 | 10 | 0.63 | 21 |
| 12 DECEMBER | 5 | 0.00 | 1 | 0.83 | 25 |

SUMMARY OF TRIP EXPENDITURES AND CONSUMER SURPLUS FOR INTENDED SPECIES - 2020

| INTENDED SPECIES | TOTAL TRIP EXPENDITURES | TOTAL CONSUMER SURPLUS | TOTAL VALUE BY ANGLERS | NUMBER OF INTERVIEWS |
|---------------------|-------------------------------|------------------------------|------------------------------|----------------------------|
| ANY CATFISH | 2340 | 1300 | 3640 | 2 |
| ANY TROUT | 370 | 250 | 620 | 1 |
| LAKE TROUT | 10860 | 4520 | 15380 | 9 |
| ANY SUNFISH | 19820 | 2600 | 17960 | 13 |
| ANY BLACK BASS | 612200 | 292900 | 905100 | 367 |
| SMALLMOUTH BASS | 113710 | 46690 | 160400 | 91 |
| LARGEMOUTH BASS | 19610 | 5600 | 25210 | 9 |
| ANY CRAPPIE | 10140 | 3270 | 13420 | 12 |
| WALLEYE | 17050 | 10140 | 27190 | 12 |
| ANY SPECIES | 11450 | 3700 | 15150 | 13 |
| TOTAL | 817550 | 370970 | 1184070 | 529 |

SUMMARY OF SOCIOLOGICAL QUESTIONS - 2020

LOCATION=SOUTH HOLSTON RES

DISTRIBUTION OF STATES OF RESIDENCE OF INTERVIEWED ANGLERS

| STATE | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|----------|----------------------------------|-------------------------|
| TN VA | 573 375 | 59.6 39.0 |
| OTHERS | 14 | 1.5 |

DISTRIBUTION OF COUNTIES OF RESIDENCE OF INTERVIEWED ANGLERS

| COUNTY | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|--------------|----------------------------------|-------------------------|
| CARTER | 96 | 16.6 |
| SULLIVAN | 319 | 55.2 |
| WASHINGTON | 114 | 19.7 |
| OTHERS IN TN | 38 | 6.6 |
| OUT-OF-STATE | 11 | 1.9 |

DISTRIBUTION OF ONE-WAY MILEAGE OF ANGLERS INTERVIEWED

|] | NE-WAY MILES RAVELED | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|----|----------------------------|----------------------------------|-------------------------|
| A) | 0-25 | 582 | 60.5 |
| B) | 26-100 | 372 | 38.7 |
| C) | 101-250 | 5 | 0.5 |
| D) | > 250 | 3 | 0.3 |

DISTRIBUTION OF NUMBER OF DAYS IN TRIPS OF INTERVIEWED ANGLERS

| NUMBER | NUMBER | |
|---------|-------------|--------------|
| DAYS | ANGLERS | PERCENT |
| IN TRIP | INTERVIEWED | CONTRIBUTION |
| | | |
| A) 1 | 522 | 97.9 |
| B) 2-5 | 10 | 1.9 |
| C) 6-10 | 1 | 0.2 |

CHILHOWEE RESERVOIR

MONTHLY ANGLING EFFORT FOR ALL ANGLERS - 2020

| MONTH | ANGLER HOURS | RELATIVE STANDARD ERROR | HOURS PER ACRE | ANGLER TRIPS | TRIPS PER ACRE | PERCENT EFFORT |
|--------------|-----------------|-------------------------------|----------------------|-----------------|----------------------|-------------------|
| 01 JANUARY | 1616 | 16.2 | 0.9 | 328 | 0.2 | 4.4 |
| 02 FEBRUARY | 1008 | 28.0 | 0.6 | 204 | 0.1 | 2.7 |
| 03 MARCH | 2555 | 14.8 | 1.5 | 545 | 0.3 | 6.9 |
| 04 APRIL | 3123 | 18.7 | 1.8 | 1378 | 0.8 | 8.4 |
| 05 MAY | 6599 | 6.3 | 3.8 | 1257 | 0.7 | 17.8 |
| 06 JUNE | 4483 | 11.3 | 2.6 | 913 | 0.5 | 12.1 |
| 07 JULY | 3724 | 23.9 | 2.1 | 815 | 0.5 | 10.0 |
| 08 AUGUST | 4302 | 10.3 | 2.5 | 903 | 0.5 | 11.6 |
| 09 SEPTEMBER | 4208 | 19.7 | 2.4 | 891 | 0.5 | 11.3 |
| 10 OCTOBER | 2644 | 6.9 | 1.5 | 558 | 0.3 | 7.1 |
| 11 NOVEMBER | 2394 | 9.2 | 1.4 | 477 | 0.3 | 6.4 |
| 12 DECEMBER | 498 | 36.2 | 0.3 | 96 | 0.1 | 1.3 |
| TOTAL | 37154 | | | 8365 | | |

MONTHLY CATCH STATISTICS FOR ALL ANGLERS - 2020

| MONTH | NUMBER FISH CAUGHT | RSE FOR CATCH | FISH CAUGHT PER HOUR | RSE FOR CATCH RATE | NUMBER FISH HARVESTED | RSE FOR HARVEST | FISH HARVESTED PER HOUR | RSE FOR HARVEST RATE |
|--------------|--------------------------|---------------------|----------------------------|--------------------------|-----------------------------|-----------------------|-------------------------------|----------------------------|
| 01 JANUARY | 937 | 22.3 | 0.58 | 15.2 | 501 | 30.2 | 0.31 | 24.8 |
| 02 FEBRUARY | 948 | 49.9 | 0.94 | 39.6 | 212 | 61.7 | 0.21 | 53.2 |
| 03 MARCH | 2172 | 20.8 | 0.85 | 14.4 | 664 | 54.8 | 0.26 | 51.6 |
| 04 APRIL | 0 | • | 0.00 | • | 0 | • | 0.00 | • |
| 05 MAY | 6137 | 17.4 | 0.93 | 16.2 | 1188 | 37.1 | 0.18 | 35.8 |
| 06 JUNE | 3407 | 26.0 | 0.76 | 23.2 | 403 | 48.5 | 0.09 | 48.2 |
| 07 JULY | 2160 | 38.6 | 0.58 | 29.6 | 521 | 51.3 | 0.14 | 45.6 |
| 08 AUGUST | 3915 | 21.5 | 0.91 | 18.6 | 1764 | 24.8 | 0.41 | 22.4 |
| 09 SEPTEMBER | 4334 | 22.9 | 1.03 | 11.5 | 1894 | 30.5 | 0.45 | 23.2 |
| 10 OCTOBER | 1771 | 22.3 | 0.67 | 21.0 | 397 | 58.2 | 0.15 | 55.8 |
| 11 NOVEMBER | 2514 | 37.4 | 1.05 | 36.0 | 1221 | 49.9 | 0.51 | 49.1 |
| 12 DECEMBER | 388 | 64.4 | 0.78 | 50.2 | 189 | 66.5 | 0.38 | 52.3 |
| TOTAL | 28683 | | | | 8954 | | | |

SUMMARY OF SPECIES CATCH STATISTICS - 2020

| SPECIES | TOTAL NUMBER FISH CAUGHT | RSE FOR CATCH | SPECIES CATCH COMPOSITION (%) | INTENDED NUMBER CAUGHT | TOTAL NUMBER FISH HARVESTED | RSE FOR HARVEST | SPECIES HARVEST COMPOSITION (%) | INTENDED NUMBER HARVESTED | % OF CAUGHT FISH RELEASED | AVERAGE WEIGHT (LBS) | NUMBER FISH RECORDED |
|-----------------|-----------------------------------|---------------------|-------------------------------|------------------------------|--------------------------------------|-----------------------|--|---------------------------------|------------------------------------|----------------------------|----------------------------|
| CARP | 32 | 932.1 | 0.1 | 16 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| MUSKELLUNGE | 18 | 931.7 | 0.1 | 18 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| RAINBOW TROUT | 306 | 211.3 | 1.1 | 274 | 170 | 224.2 | 1.9 | 170 | 44.4 | 0.40 | 11 |
| WHITE BASS | 19 | 1652.7 | 0.1 | 19 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| BLUEGILL | 2183 | 51.0 | 7.6 | 1652 | 466 | 91.0 | 5.2 | 405 | 78.7 | 0.29 | 23 |
| SMALLMOUTH BASS | 5374 | 18.3 | 18.7 | 4609 | 33 | 139.2 | 0.4 | 0 | 99.4 | 1.47 | 1 |
| SPOTTED BASS | 56 | 701.2 | 0.2 | 37 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| LARGEMOUTH BASS | 9780 | 12.6 | 34.1 | 5493 | 28 | 229.5 | 0.3 | 28 | 99.7 | 2.61 | 1 |
| WHITE CRAPPIE | 33 | 388.7 | 0.1 | 0 | 33 | 388.7 | 0.4 | 0 | 0.0 | 0.67 | 2 |
| YELLOW PERCH | 10833 | 12.4 | 37.8 | 779 | 8197 | 14.0 | 91.5 | 497 | 24.3 | 0.39 | 462 |
| WALLEYE | 12 | 642.5 | 0.0 | 0 | 12 | 642.5 | 0.1 | 0 | 0.0 | 3.28 | 1 |

SUMMARY OF FISHING EFFORT AND CATCH RATES FOR INTENDED SPECIES GROUPS - 2020

| INTENDED | ANGLER | RSE FOR ANGLER | ANGLER | PERCENT | NUMBER CAUGHT | RSE FOR CATCH | NUMBER HARVESTED | RSE FOR HARVEST | NUMBER OF |
|-----------------|--------|-------------------|--------|---------|------------------|------------------|---------------------|--------------------|--------------|
| SPECIES | HOURS | HOURS | TRIPS | EFFORT | PER HOUR | PER HOUR | PER HOUR | PER HOUR | INTERVIEWS |
| RAINBOW TROUT | 670 | 37.1 | 138 | 1.8 | 0.05 | 0.0 | 0.05 | 0.0 | 7 |
| LAKE TROUT | 30 | 130.3 | 6 | 0.1 | 0.00 | | 0.00 | | 1 |
| ANY SUNFISH | 523 | 39.6 | 104 | 1.4 | 1.18 | 62.3 | 0.46 | 100.1 | 8 |
| ANY BLACK BASS | 5896 | 11.7 | 1217 | 15.9 | 0.87 | 29.8 | 0.01 | 330.1 | 86 |
| SMALLMOUTH BASS | 8467 | 9.9 | 1747 | 22.8 | 0.32 | 34.5 | 0.00 | | 126 |
| LARGEMOUTH BASS | 1679 | 21.2 | 336 | 4.5 | 0.56 | 36.1 | 0.00 | | 23 |
| ANY SPECIES | 10680 | 8.8 | 2926 | 28.7 | 0.36 | 43.5 | 0.08 | 94.5 | 92 |
| OTHER | 9211 | 9.0 | 1890 | 24.8 | 0.00 | | 0.00 | | 137 |
| TOTAL | 37156 | | 8364 | | | | | | |

SUMMARY OF RELATIVE SPECIES CATCH RATES WITHIN TARGET GROUPS - 2020

| | TARGET GROUP | SPECIES WITHIN TARGET GROUPS | RELATIVE CATCH RATE | RELATIVE HARVEST RATE |
|-----|-----------------|------------------------------------|---------------------------|-----------------------------|
| ANY | SUNFISH | BLUEGILL | 1.18 | 0.46 |
| ANY | BLACK BASS | DEOEGILL | 1.10 | 0.40 |
| | | SMALLMOUTH BASS | 0.29 | 0.00 |
| | | SPOTTED BASS | 0.00 | 0.00 |
| | | LARGEMOUTH BASS | 0.34 | 0.00 |

COMPARISON OF BLACK BASS CATCH RATES (# FISH/HOUR) BETWEEN TOURNAMENT AND NON-TOURNAMENT ANGLERS (MONTHS ARE LISTED ONLY IF > 90% OF BLACK BASS ANGLERS RESPONDED TO THE QUESTION ON TOURNAMENT PARTICIPATION)

| MONTH | % BLACK BASS EFFORT BY TOURNAMENT ANGLERS | CATCH RATE FOR TOURNAMENT ANGLERS | # OF INTERVIEWS (TOURNAMENT) | CATCH RATE FOR NON-TOURNAMENT ANGLERS | # OF INTERVIEWS (NON-TOURNAMENT) |
|--------------|--|--|------------------------------------|--|--|
| 01 JANUARY | 0 | | 0 | 0.24 | 10 |
| 02 FEBRUARY | 0 | | 0 | 0.95 | 12 |
| 03 MARCH | 0 | | 0 | 0.74 | 22 |
| 05 MAY | 0 | | 0 | 0.71 | 39 |
| 06 JUNE | 0 | | 0 | 0.61 | 33 |
| 07 JULY | 0 | | 0 | 0.34 | 26 |
| 08 AUGUST | 0 | | 0 | 0.50 | 25 |
| 09 SEPTEMBER | 0 | | 0 | 0.43 | 20 |
| 10 OCTOBER | 0 | | 0 | 0.29 | 24 |
| 11 NOVEMBER | 0 | | 0 | 0.43 | 17 |
| 12 DECEMBER | 0 | | 0 | 0.16 | 6 |

SUMMARY OF TRIP EXPENDITURES AND CONSUMER SURPLUS FOR INTENDED SPECIES - 2020

| INTENDED SPECIES | TOTAL TRIP EXPENDITURES | TOTAL CONSUMER SURPLUS | TOTAL VALUE BY ANGLERS | NUMBER OF INTERVIEWS |
|---------------------|-------------------------------|------------------------------|------------------------------|----------------------------|
| RAINBOW TROUT | 1420 | 370 | 1800 | 7 |
| LAKE TROUT | 310 | 0 | 310 | 1 |
| ANY SUNFISH | 2150 | 1260 | 3410 | 8 |
| ANY BLACK BASS | 22860 | 14490 | 37350 | 86 |
| SMALLMOUTH BASS | 31190 | 21110 | 52300 | 126 |
| LARGEMOUTH BASS | 5230 | 2520 | 7760 | 23 |
| ANY SPECIES | 24940 | 7720 | 32660 | 92 |
| OTHER | 33240 | 14470 | 47700 | 136 |
| TOTAL | 121340 | 61940 | 183290 | 479 |

SUMMARY OF SOCIOLOGICAL QUESTIONS - 2020

LOCATION=CHILHOWEE RES

DISTRIBUTION OF STATES OF RESIDENCE OF INTERVIEWED ANGLERS

| STATE | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|--------|----------------------------------|-------------------------|
| TN | 846 | 96 |
| OTHERS | 35 | 4 |

DISTRIBUTION OF COUNTIES OF RESIDENCE OF INTERVIEWED ANGLERS

| COUNTY | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|--------------|----------------------------------|-------------------------|
| BLOUNT | 561 | 65.8 |
| LOUDON | 43 | 5.0 |
| MONROE | 136 | 16.0 |
| OTHERS IN TN | 106 | 12.4 |
| OUT-OF-STATE | 6 | 0.7 |

DISTRIBUTION OF ONE-WAY MILEAGE OF ANGLERS INTERVIEWED

|] | NE-WAY MILES RAVELED | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION | | |
|----|----------------------------|----------------------------------|-------------------------|--|--|
| A) | 0-25 | 660 | 74.7 | | |
| B) | 26-100 | 220 | 24.9 | | |
| C) | 101-250 | 3 | 0.3 | | |
| D) | > 250 | 1 | 0.1 | | |

DISTRIBUTION OF NUMBER OF DAYS IN TRIPS OF INTERVIEWED ANGLERS

| NUMBER | NUMBER | |
|---------|-------------|--------------|
| DAYS | ANGLERS | PERCENT |
| IN TRIP | INTERVIEWED | CONTRIBUTION |
| | | |
| A) 1 | 483 | 99.4 |
| B) 2-5 | 3 | 0.6 |

NORRIS TAILWATER

MONTHLY ANGLING EFFORT FOR ALL ANGLERS - 2020

| MONTH | ANGLER HOURS | RELATIVE STANDARD ERROR | HOURS PER ACRE | ANGLER TRIPS | TRIPS PER ACRE | PERCENT EFFORT |
|--------------|-----------------|-------------------------------|----------------------|-----------------|----------------------|-------------------|
| 01 JANUARY | 1674 | 24.3 | • | 466 | • | 6.4 |
| 02 FEBRUARY | 732 | 27.6 | • | 285 | • | 2.8 |
| 03 MARCH | 1107 | 41.9 | • | 469 | • | 4.2 |
| 06 JUNE | 4731 | 25.1 | • | 1352 | | 18.0 |
| 07 JULY | 5124 | 13.6 | • | 1622 | | 19.5 |
| 08 AUGUST | 2593 | 18.4 | • | 516 | • | 9.9 |
| 09 SEPTEMBER | 2297 | 20.6 | • | 559 | • | 8.7 |
| 10 OCTOBER | 3948 | 14.2 | • | 1019 | • | 15.0 |
| 11 NOVEMBER | 1862 | 19.3 | • | 396 | • | 7.1 |
| 12 DECEMBER | 2234 | 47.4 | • | 1117 | • | 8.5 |
| TOTAL | 26302 | | | 7801 | | |

MONTHLY CATCH STATISTICS FOR ALL ANGLERS - 2020

| MONTH | NUMBER FISH CAUGHT | RSE FOR CATCH | FISH CAUGHT PER HOUR | RSE FOR CATCH RATE | NUMBER FISH HARVESTED | RSE FOR HARVEST | FISH HARVESTED PER HOUR | RSE FOR HARVEST RATE |
|--------------|--------------------------|---------------------|----------------------------|--------------------------|-----------------------------|-----------------------|-------------------------------|----------------------------|
| 01 JANUARY | 1808 | 77.0 | 1.08 | 71.2 | 0 | • | 0.00 | • |
| 02 FEBRUARY | 256 | 66.5 | 0.35 | 58.5 | 0 | • | 0.00 | |
| 03 MARCH | 542 | 115.8 | 0.49 | 100.0 | 266 | 114.8 | 0.24 | 100 |
| 06 JUNE | 3454 | • | 0.73 | • | 0 | • | 0.00 | • |
| 07 JULY | 102 | 125.5 | 0.02 | 100.0 | 0 | • | 0.00 | • |
| 08 AUGUST | 1037 | 50.3 | 0.40 | 45.8 | 26 | 93.7 | 0.01 | 100 |
| 09 SEPTEMBER | 850 | 25.2 | 0.37 | 14.2 | 0 | • | 0.00 | • |
| 10 OCTOBER | 2487 | 34.0 | 0.63 | 30.6 | 0 | • | 0.00 | • |
| 11 NOVEMBER | 466 | 35.0 | 0.25 | 28.6 | 0 | • | 0.00 | |
| 12 DECEMBER | 0 | • | 0.00 | • | 0 | • | 0.00 | • |
| TOTAL | 11002 | | | | 292 | | | |

SUMMARY OF SPECIES CATCH STATISTICS - 2020

| SPECIES | TOTAL NUMBER FISH CAUGHT | RSE FOR CATCH | SPECIES CATCH COMPOSITION (%) | INTENDED NUMBER CAUGHT | TOTAL NUMBER FISH HARVESTED | RSE FOR HARVEST | SPECIES HARVEST COMPOSITION (%) | INTENDED NUMBER HARVESTED | % OF CAUGHT FISH RELEASED | AVERAGE WEIGHT (LBS) | NUMBER FISH RECORDED |
|-----------------|-----------------------------------|---------------------|-------------------------------|------------------------------|--------------------------------------|-----------------------|---------------------------------|---------------------------------|------------------------------------|----------------------------|----------------------------|
| RAINBOW TROUT | 5916 | 25.7 | 53.8 | 5916 | 292 | 104.7 | 100 | 292 | 95.1 | | 11 |
| BROWN TROUT | 1405 | 72.5 | 12.8 | 1405 | 0 | | 0 | 0 | 100.0 | | 0 |
| BROOK TROUT | 3453 | | 31.4 | 3453 | 0 | | 0 | 0 | 100.0 | | 0 |
| LARGEMOUTH BASS | 23 | 468.8 | 0.2 | 0 | 0 | | 0 | 0 | 100.0 | | 0 |
| YELLOW PERCH | 39 | 856.7 | 0.4 | 0 | 0 | | 0 | 0 | 100.0 | | 0 |
| WALLEYE | 165 | 351.8 | 1.5 | 0 | 0 | | 0 | 0 | 100.0 | | 0 |

SUMMARY OF FISHING EFFORT AND CATCH RATES FOR INTENDED SPECIES GROUPS - 2020

| INTENDED SPECIES | ANGLER HOURS | RSE FOR ANGLER HOURS | ANGLER TRIPS | PERCENT EFFORT | NUMBER CAUGHT PER HOUR | RSE FOR CATCH PER HOUR | NUMBER HARVESTED PER HOUR | RSE FOR HARVEST PER HOUR | NUMBER OF INTERVIEWS |
|---------------------|-----------------|----------------------------|-----------------|-------------------|------------------------------|------------------------------|---------------------------------|--------------------------------|----------------------------|
| ANY TROUT | 25732 | 8.1 | 7657 | 97.8 | 0.77 | 87 | 0.02 | 200.1 | 94 |
| STRIPED BASS | 431 | 60.4 | 105 | 1.6 | 0.00 | | 0.00 | | 1 |
| WALLEYE | 140 | 81.7 | 39 | 0.5 | 0.00 | | 0.00 | | 2 |
| TOTAL | 26303 | | 7801 | | | | | | |

SUMMARY OF RELATIVE SPECIES CATCH RATES WITHIN TARGET GROUPS - 2020

| TARGET GROUP | SPECIES WITHIN TARGET GROUPS | RELATIVE CATCH RATE | RELATIVE HARVEST RATE |
|-----------------|------------------------------------|---------------------------|-----------------------------|
| ANY TROUT | | | |
| | RAINBOW TROUT | 0.42 | 0.02 |
| | BROWN TROUT | 0.10 | 0.00 |
| | BROOK TROUT | 0.25 | 0.00 |

SUMMARY OF TRIP EXPENDITURES AND CONSUMER SURPLUS FOR INTENDED SPECIES - 2020

| INTENDED SPECIES | TOTAL TRIP EXPENDITURES | TOTAL CONSUMER SURPLUS | TOTAL VALUE BY ANGLERS | NUMBER OF INTERVIEWS |
|---------------------|-------------------------------|------------------------------|------------------------------|----------------------------|
| ANY TROUT | 102110 | 118860 | 220970 | 37 |
| STRIPED BASS | 2450 | 0 | 2450 | 1 |
| WALLEYE | 680 | 580 | 1260 | 2 |
| | | | | |
| TOTAL | 105240 | 119440 | 224680 | 40 |

SUMMARY OF SOCIOLOGICAL QUESTIONS - 2020

LOCATION=NORRIS TW

DISTRIBUTION OF STATES OF RESIDENCE OF INTERVIEWED ANGLERS

| STATE | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|--------|----------------------------------|-------------------------|
| TN | 123 | 95.3 |
| OTHERS | 6 | 4.7 |

DISTRIBUTION OF COUNTIES OF RESIDENCE OF INTERVIEWED ANGLERS

| | NUMBER | |
|--------------|------------------------|-------------------------|
| COUNTY | ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
| ANDERSON | 52 | 42.3 |
| CAMPBELL | 8 | 6.5 |
| KNOX | 58 | 47.2 |
| OTHERS IN TN | 5 | 4.1 |

DISTRIBUTION OF ONE-WAY MILEAGE OF ANGLERS INTERVIEWED

| I | NE-WAY MILES RAVELED | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|----|----------------------------|----------------------------------|-------------------------|
| A) | 0-25 | 81 | 62.8 |
| B) | 26-100 | 41 | 31.8 |
| C) | 101-250 | 4 | 3.1 |
| D) | > 250 | 3 | 2.3 |

DISTRIBUTION OF NUMBER OF DAYS IN TRIPS OF INTERVIEWED ANGLERS

| DAYS IN TRIP | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|-----------------|----------------------------------|-------------------------|
| | 1 | |
| A) 1 | 93 | 96.9 |
| B) 2-5 | 3 | 3.1 |

CHEROKEE TAILWATER

MONTHLY ANGLING EFFORT FOR ALL ANGLERS - 2020

| MONTH | ANGLER HOURS | RELATIVE STANDARD ERROR | HOURS PER ACRE | ANGLER TRIPS | TRIPS PER ACRE | PERCENT EFFORT |
|--------------|-----------------|-------------------------------|----------------------|-----------------|----------------------|-------------------|
| 02 FEBRUARY | 235 | 48.8 | • | 72 | • | 1.1 |
| 03 MARCH | 1178 | 38.9 | • | 304 | • | 5.3 |
| 04 APRIL | 1778 | 22.1 | • | 508 | • | 7.9 |
| 06 JUNE | 2166 | 17.9 | • | 469 | • | 9.7 |
| 07 JULY | 4854 | 16.5 | • | 826 | | 21.7 |
| 08 AUGUST | 6230 | 19.9 | • | 1278 | • | 27.8 |
| 09 SEPTEMBER | 2145 | 17.5 | • | 532 | • | 9.6 |
| 10 OCTOBER | 1603 | 17.9 | • | 397 | • | 7.2 |
| 11 NOVEMBER | 1172 | 50.4 | • | 267 | • | 5.2 |
| 12 DECEMBER | 1020 | 9.3 | • | 307 | • | 4.6 |
| TOTAL | 22381 | | | 4960 | | |

MONTHLY CATCH STATISTICS FOR ALL ANGLERS - 2020

| MONTH | NUMBER FISH CAUGHT | RSE FOR CATCH | FISH CAUGHT PER HOUR | RSE FOR CATCH RATE | NUMBER FISH HARVESTED | RSE FOR HARVEST | FISH HARVESTED PER HOUR | RSE FOR HARVEST RATE |
|--------------|--------------------------|---------------------|----------------------------|--------------------------|-----------------------------|-----------------------|-------------------------------|----------------------------|
| 02 FEBRUARY | 49 | 51.0 | 0.21 | 13.2 | 42 | 48.9 | 0.18 | 0.0 |
| 03 MARCH | 306 | 48.0 | 0.26 | 25.9 | 47 | 112.7 | 0.18 | 100.0 |
| | | 40.0 | 0.27 | 23.9 | | 112.1 | | 100.0 |
| 04 APRIL | 480 | • | 0.27 | • | 0 | • | 0.00 | • |
| 06 JUNE | 5198 | 38.2 | 2.40 | 33.2 | 3401 | 46.6 | 1.57 | 42.4 |
| 07 JULY | 5388 | 18.5 | 1.11 | 8.4 | 2912 | 28.7 | 0.60 | 23.3 |
| 08 AUGUST | 11775 | 20.1 | 1.89 | 3.2 | 125 | 93.5 | 0.02 | 100.0 |
| 09 SEPTEMBER | 2681 | 29.2 | 1.25 | 23.1 | 729 | 101.9 | 0.34 | 100.0 |
| 10 OCTOBER | 2453 | 33.4 | 1.53 | 27.8 | 1347 | 57.6 | 0.84 | 54.0 |
| 11 NOVEMBER | 2309 | 53.5 | 1.97 | 15.9 | 1406 | 54.4 | 1.20 | 18.4 |
| 12 DECEMBER | 1244 | 29.8 | 1.22 | 28.2 | 337 | 53.6 | 0.33 | 52.7 |
| TOTAL | 31883 | | | | 10346 | | | |

SUMMARY OF SPECIES CATCH STATISTICS - 2020

| SPECIES | TOTAL NUMBER FISH CAUGHT | RSE FOR CATCH | SPECIES CATCH COMPOSITION (%) | INTENDED NUMBER CAUGHT | TOTAL NUMBER FISH HARVESTED | RSE FOR HARVEST | SPECIES HARVEST COMPOSITION (%) | INTENDED NUMBER HARVESTED | % OF CAUGHT FISH RELEASED | AVERAGE WEIGHT (LBS) | NUMBER FISH RECORDED |
|-----------------|-----------------------------------|---------------------|-------------------------------|------------------------------|--------------------------------------|-----------------------|---------------------------------|---------------------------------|------------------------------------|----------------------------|----------------------------|
| CHANNEL CATFISH | 191 | 171.8 | 0.6 | 96 | 191 | 171.8 | 1.8 | 96 | 0.0 | | 2 |
| RAINBOW TROUT | 7161 | 56.3 | 22.4 | 6599 | 2203 | 45.2 | 21.3 | 2104 | 69.2 | | 67 |
| STRIPED BASS | 1030 | 54.4 | 3.2 | 199 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| CHEROKEE BASS | 741 | 89.2 | 2.3 | 86 | 218 | 162.2 | 2.1 | 0 | 70.6 | | 6 |
| ROCK BASS | 25 | 613.1 | 0.1 | 25 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| WARMOUTH | 62 | 809.7 | 0.2 | 62 | 62 | 809.7 | 0.6 | 62 | 0.0 | | 1 |
| BLUEGILL | 6885 | 30.5 | 21.6 | 6526 | 6885 | 30.5 | 66.5 | 6526 | 0.0 | | 115 |
| REDEAR SUNFISH | 701 | 112.2 | 2.2 | 701 | 663 | 111.4 | 6.4 | 663 | 5.4 | | 10 |
| SMALLMOUTH BASS | 12234 | 24.4 | 38.3 | 9922 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| SPOTTED BASS | 28 | 646.2 | 0.1 | 0 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| LARGEMOUTH BASS | 701 | 90.9 | 2.2 | 701 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| WHITE CRAPPIE | 124 | 568.2 | 0.4 | 0 | 124 | 568.2 | 1.2 | 0 | 0.0 | | 2 |

SUMMARY OF FISHING EFFORT AND CATCH RATES FOR INTENDED SPECIES GROUPS - 2020

| INTENDED SPECIES | ANGLER HOURS | RSE FOR ANGLER HOURS | ANGLER TRIPS | PERCENT EFFORT | NUMBER CAUGHT PER HOUR | RSE FOR CATCH PER HOUR | NUMBER HARVESTED PER HOUR | RSE FOR HARVEST PER HOUR | NUMBER OF INTERVIEWS |
|---------------------|-----------------|----------------------------|-----------------|-------------------|------------------------------|------------------------------|---------------------------------|--------------------------------|----------------------------|
| ANY CATFISH | 98 | 131.9 | 25 | 0.4 | 0.00 | | 0.00 | | 1 |
| RAINBOW TROUT | 7752 | 24.0 | 1700 | 34.6 | 0.72 | 51.3 | 0.22 | 59.7 | 38 |
| ANY TROUT | 2332 | 35.1 | 591 | 10.4 | 0.57 | 62.7 | 0.11 | 14.9 | 14 |
| LAKE TROUT | 102 | 112.5 | 23 | 0.5 | 0.00 | | 0.00 | | 1 |
| STRIPED BASS | 317 | 50.9 | 88 | 1.4 | 0.48 | 42.4 | 0.00 | | 3 |
| CHEROKEE BASS | 119 | 97.4 | 29 | 0.5 | 1.00 | | 0.00 | | 1 |
| ANY SUNFISH | 859 | 39.6 | 190 | 3.8 | 4.56 | 24.1 | 4.36 | 21.8 | 6 |
| ANY BLACK BASS | 1331 | 32.4 | 323 | 5.9 | 0.94 | 62.9 | 0.00 | | 7 |
| SMALLMOUTH BASS | 3399 | 39.3 | 733 | 15.2 | 2.11 | 21.3 | 0.00 | | 9 |
| LARGEMOUTH BASS | 1564 | 68.2 | 322 | 7.0 | 0.08 | | 0.00 | | 2 |
| ANY CRAPPIE | 203 | 80.4 | 53 | 0.9 | 0.00 | | 0.00 | | 3 |
| WALLEYE | 54 | 113.6 | 16 | 0.2 | 0.00 | | 0.00 | | 1 |
| ANY SPECIES | 4249 | 33.2 | 865 | 19.0 | 1.56 | 4.9 | 1.05 | 29.2 | 10 |
| TOTAL | 22379 | | 4958 | | | | | | |

SUMMARY OF RELATIVE SPECIES CATCH RATES WITHIN TARGET GROUPS - 2020

| TARGET GROUP | SPECIES WITHIN TARGET GROUPS | RELATIVE CATCH RATE | RELATIVE HARVEST RATE |
|-----------------|------------------------------------|---------------------------|-----------------------------|
| ANY CATFISH | | | |
| | ANY CATFISH | 0.00 | 0.00 |
| | CHANNEL CATFISH | 0.00 | 0.00 |
| ANY TROUT | | | |
| | RAINBOW TROUT | 0.57 | 0.11 |
| ANY SUNFISH | | | |
| | ANY SUNFISH | 0.00 | 0.00 |
| | WARMOUTH | 0.04 | 0.04 |
| | BLUEGILL | 4.08 | 3.92 |
| | REDEAR SUNFISH | 0.44 | 0.40 |
| ANY BLACK BASS | | | |
| | SMALLMOUTH BASS | 1.58 | 0.00 |
| | SPOTTED BASS | 0.00 | 0.00 |
| | LARGEMOUTH BASS | 0.11 | 0.00 |
| ANY CRAPPIE | | | |
| | ANY CRAPPIE | 0.00 | 0.00 |
| | WHITE CRAPPIE | 0.00 | 0.00 |

COMPARISON OF BLACK BASS CATCH RATES (# FISH/HOUR) BETWEEN TOURNAMENT AND NON-TOURNAMENT ANGLERS (MONTHS ARE LISTED ONLY IF > 90% OF BLACK BASS ANGLERS RESPONDED TO THE QUESTION ON TOURNAMENT PARTICIPATION)

| | % BLACK BASS | CATCH RATE | | CATCH RATE | |
|--------------|------------------------------------|------------------------------|------------------------------------|----------------------------------|--|
| MONTH | EFFORT BY TOURNAMENT ANGLERS | FOR TOURNAMENT ANGLERS | # OF INTERVIEWS (TOURNAMENT) | FOR NON-TOURNAMENT ANGLERS | # OF INTERVIEWS (NON-TOURNAMENT) |
| | | | | | |
| 03 MARCH | 0 | | 0 | 0.00 | 2 |
| 06 JUNE | 0 | | 0 | 1.05 | 4 |
| 08 AUGUST | 0 | | 0 | 2.15 | 4 |
| 09 SEPTEMBER | 0 | | 0 | 1.08 | 5 |
| 10 OCTOBER | 0 | | 0 | 4.00 | 1 |
| 12 DECEMBER | 0 | | 0 | 0.00 | 2 |

SUMMARY OF TRIP EXPENDITURES AND CONSUMER SURPLUS FOR INTENDED SPECIES - 2020

| INTENDED SPECIES | TOTAL TRIP EXPENDITURES | TOTAL CONSUMER SURPLUS | TOTAL VALUE BY ANGLERS | NUMBER OF INTERVIEWS |
|---------------------|-------------------------------|------------------------------|------------------------------|----------------------------|
| SPECIES | EXPENDITORES | SOKPLOS | DI ANGLEKS | INTERVIENS |
| ANY CATFISH | 380 | 130 | 510 | 1 |
| RAINBOW TROUT | 48340 | 3610 | 43980 | 37 |
| ANY TROUT | 12870 | 180 | 9090 | 14 |
| LAKE TROUT | 0 | | | 1 |
| STRIPED BASS | 1770 | 230 | 460 | 3 |
| CHEROKEE BASS | 220 | | | 1 |
| ANY SUNFISH | 2770 | 670 | 3200 | 5 |
| ANY BLACK BASS | 4820 | 0 | 3290 | 7 |
| SMALLMOUTH BASS | 27560 | 0 | 24290 | 9 |
| LARGEMOUTH BASS | 4080 | | | 2 |
| ANY CRAPPIE | 710 | 0 | 540 | 3 |
| WALLEYE | 570 | 0 | 570 | 1 |
| ANY SPECIES | 4970 | 630 | 4960 | 10 |
| TOTAL | 109060 | 5450 | 90890 | 94 |

SUMMARY OF SOCIOLOGICAL QUESTIONS - 2020

LOCATION=CHEROKEE TW

DISTRIBUTION OF STATES OF RESIDENCE OF INTERVIEWED ANGLERS

NUMBER

| | ANGLERS | PERCENT |
|--------|-------------|--------------|
| STATE | INTERVIEWED | CONTRIBUTION |
| | | |
| TN | 184 | 98.4 |
| OTHERS | 3 | 1.6 |

DISTRIBUTION OF COUNTIES OF RESIDENCE OF INTERVIEWED ANGLERS

NUMBER

| COUNTY | ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|--------------|------------------------|-------------------------|
| GRAINGER | 135 | 74.2 |
| JEFFERSON | 18 | 9.9 |
| OTHERS IN TN | 29 | 15.9 |

DISTRIBUTION OF ONE-WAY MILEAGE OF ANGLERS INTERVIEWED

| ONE-WAY | NUMBER | |
|-----------|-------------|--------------|
| MILES | ANGLERS | PERCENT |
| TRAVELED | INTERVIEWED | CONTRIBUTION |
| | | |
| A) 0-25 | 169 | 90.4 |
| B) 26-100 | 18 | 9.6 |

DISTRIBUTION OF NUMBER OF DAYS IN TRIPS OF INTERVIEWED ANGLERS

NUMBER NUMBER
DAYS ANGLERS PERCENT
IN TRIP INTERVIEWED CONTRIBUTION

A) 1 98 100

WILBUR TAILWATER

MONTHLY ANGLING EFFORT FOR ALL ANGLERS - 2020

| MONTH | ANGLER HOURS | RELATIVE STANDARD ERROR | HOURS PER ACRE | ANGLER TRIPS | TRIPS PER ACRE | PERCENT EFFORT |
|--------------|-----------------|-------------------------------|----------------------|-----------------|----------------------|-------------------|
| 01 JANUARY | 1299 | 25.5 | • | 347 | • | 1.4 |
| 02 FEBRUARY | 1507 | 51.1 | • | 284 | • | 1.6 |
| 03 MARCH | 2476 | 41.6 | • | 469 | • | 2.6 |
| 04 APRIL | 5730 | 24.0 | • | 1052 | • | 6.1 |
| 05 MAY | 7578 | 19.1 | • | 1617 | • | 8.1 |
| 06 JUNE | 16057 | 14.3 | • | 2832 | • | 17.1 |
| 07 JULY | 14420 | 11.7 | • | 2675 | • | 15.4 |
| 08 AUGUST | 12009 | 10.1 | • | 2271 | • | 12.8 |
| 09 SEPTEMBER | 14280 | 6.1 | • | 2165 | • | 15.2 |
| 10 OCTOBER | 11904 | 11.3 | • | 2102 | • | 12.7 |
| 11 NOVEMBER | 5430 | 16.0 | • | 1005 | • | 5.8 |
| 12 DECEMBER | 1111 | 46.0 | • | 271 | • | 1.2 |
| TOTAL | 93801 | | | 17090 | | |

MONTHLY CATCH STATISTICS FOR ALL ANGLERS - 2020

| MONTH | NUMBER FISH CAUGHT | RSE FOR CATCH | FISH CAUGHT PER HOUR | RSE FOR CATCH RATE | NUMBER FISH HARVESTED | RSE FOR HARVEST | FISH HARVESTED PER HOUR | RSE FOR HARVEST RATE |
|--------------|--------------------------|---------------------|----------------------------|--------------------------|-----------------------------|-----------------------|-------------------------------|----------------------------|
| 01 JANUARY | 1156 | 28.5 | 0.89 | 12.5 | 377 | 40.9 | 0.29 | 31.4 |
| 02 FEBRUARY | 1085 | 84.8 | 0.72 | 60.0 | 196 | 123.6 | 0.13 | 100.0 |
| 03 MARCH | 4680 | 48.4 | 1.89 | 22.8 | 322 | 72.4 | 0.13 | 54.2 |
| 04 APRIL | 8079 | 26.1 | 1.41 | 10.0 | 2407 | 31.9 | 0.42 | 20.3 |
| 05 MAY | 16217 | 19.8 | 2.14 | 5.2 | 5229 | 34.3 | 0.69 | 28.2 |
| 06 JUNE | 39500 | 15.1 | 2.46 | 4.7 | 7226 | 17.5 | 0.45 | 10.0 |
| 07 JULY | 31436 | 11.8 | 2.18 | 1.7 | 7643 | 28.2 | 0.53 | 25.6 |
| 08 AUGUST | 19575 | 16.7 | 1.63 | 13.2 | 4804 | 22.1 | 0.40 | 19.4 |
| 09 SEPTEMBER | 14708 | 7.0 | 1.03 | 3.4 | 3570 | 7.7 | 0.25 | 4.8 |
| 10 OCTOBER | 15713 | 12.7 | 1.32 | 5.9 | 5238 | 25.6 | 0.44 | 22.8 |
| 11 NOVEMBER | 6788 | 20.9 | 1.25 | 13.2 | 1466 | 43.8 | 0.27 | 41.0 |
| 12 DECEMBER | 1289 | 58.0 | 1.16 | 32.1 | 111 | 90.9 | 0.10 | 73.3 |
| TOTAL | 160226 | | | | 38589 | | | |

SUMMARY OF SPECIES CATCH STATISTICS - 2020

| SPECIES | TOTAL NUMBER FISH CAUGHT | RSE FOR CATCH | SPECIES CATCH COMPOSITION (%) | INTENDED NUMBER CAUGHT | TOTAL NUMBER FISH HARVESTED | RSE FOR HARVEST | SPECIES HARVEST COMPOSITION (%) | INTENDED NUMBER HARVESTED | % OF CAUGHT FISH RELEASED | AVERAGE WEIGHT (LBS) | NUMBER FISH RECORDED |
|-----------------|-----------------------------------|---------------------|--|------------------------------|--------------------------------------|-----------------------|---------------------------------|---------------------------------|------------------------------------|----------------------------|----------------------------|
| HOG SUCKER | 83 | 953.7 | 0.1 | 0 | 0 | | 0.0 | 0 | 100.0 | | 0 |
| RAINBOW TROUT | 98706 | 6.6 | 61.6 | 95614 | 34488 | 9.7 | 89.4 | 34060 | 65.1 | | 484 |
| BROWN TROUT | 60889 | 9.3 | 38.0 | 60246 | 3999 | 24.6 | 10.4 | 3592 | 93.4 | | 59 |
| STRIPED BASS | 423 | 344.7 | 0.3 | 42 | 100 | 352.0 | 0.3 | 100 | 76.4 | | 1 |
| SMALLMOUTH BASS | 146 | 901.7 | 0.1 | 0 | 0 | | 0.0 | 0 | 100.0 | | 0 |

SUMMARY OF FISHING EFFORT AND CATCH RATES FOR INTENDED SPECIES GROUPS - 2020

| INTENDED SPECIES | ANGLER HOURS | RSE FOR ANGLER HOURS | ANGLER TRIPS | PERCENT EFFORT | NUMBER CAUGHT PER HOUR | RSE FOR CATCH PER HOUR | NUMBER HARVESTED PER HOUR | RSE FOR HARVEST PER HOUR | NUMBER OF INTERVIEWS |
|---------------------|-----------------|----------------------------|-----------------|-------------------|------------------------------|------------------------------|---------------------------------|--------------------------------|----------------------------|
| RAINBOW TROUT | 6826 | 19.3 | 1228 | 7.3 | 1.21 | 42.1 | 0.60 | 36.1 | 37 |
| ANY TROUT | 81466 | 5.1 | 14841 | 86.8 | 1.77 | 8.0 | 0.17 | 36.4 | 435 |
| BROWN TROUT | 5025 | 20.6 | 929 | 5.4 | 1.05 | 34.9 | 0.00 | 328.5 | 29 |
| STRIPED BASS | 256 | 87.7 | 48 | 0.3 | 0.21 | 43.1 | 0.21 | 43.1 | 2 |
| CHEROKEE BASS | 229 | 124.3 | 42 | 0.2 | 0.00 | | 0.00 | | 1 |
| | | | | | | | | | |
| TOTAL | 93802 | | 17088 | | | | | | |

SUMMARY OF RELATIVE SPECIES CATCH RATES WITHIN TARGET GROUPS - 2020

| TARGET GROUP | SPECIES WITHIN TARGET GROUPS | RELATIVE CATCH RATE | RELATIVE HARVEST RATE |
|-----------------|------------------------------------|---------------------------|-----------------------------|
| ANY TROUT | RAINBOW TROUT | 1.09 | 0.15 |
| | BROWN TROUT | 0.68 | 0.02 |

SUMMARY OF TRIP EXPENDITURES AND CONSUMER SURPLUS FOR INTENDED SPECIES - 2020

| INTENDED SPECIES | TOTAL TRIP EXPENDITURES | TOTAL CONSUMER SURPLUS | TOTAL VALUE BY ANGLERS | NUMBER OF INTERVIEWS |
|---------------------|-------------------------------|------------------------------|------------------------------|----------------------------|
| RAINBOW TROUT | 8840 | 5460 | 14300 | 37 |
| ANY TROUT | 638690 | 160870 | 799550 | 435 |
| BROWN TROUT | 222940 | 64820 | 287760 | 29 |
| STRIPED BASS | 1330 | 970 | 2300 | 2 |
| CHEROKEE BASS | 420 | 420 | 850 | 1 |
| | | | | |
| TOTAL | 872220 | 232540 | 1104760 | 504 |

SUMMARY OF SOCIOLOGICAL QUESTIONS - 2020

LOCATION=WILBUR TW

DISTRIBUTION OF STATES OF RESIDENCE OF INTERVIEWED ANGLERS

| STATE | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|--------|----------------------------------|-------------------------|
| NC | 310 | 37.4 |
| TN | 414 | 50.0 |
| OTHERS | 104 | 12.6 |

DISTRIBUTION OF COUNTIES OF RESIDENCE OF INTERVIEWED ANGLERS

| NUMBER | | | | |
|--------------|-------------|--------------|--|--|
| | ANGLERS | PERCENT | | |
| COUNTY | INTERVIEWED | CONTRIBUTION | | |
| | | | | |
| CARTER | 221 | 53.5 | | |
| WASHINGTON | 134 | 32.4 | | |
| OTHERS IN TN | 56 | 13.6 | | |
| OUT-OF-STATE | 2 | 0.5 | | |

DISTRIBUTION OF ONE-WAY MILEAGE OF ANGLERS INTERVIEWED

| ONE-WAY MILES TRAVELED | | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION | |
|------------------------------|---------|----------------------------------|-------------------------|--|
| A) | 0-25 | 350 | 42.3 | |
| Δ | 0-25 | 330 | 44.3 | |
| B) | 26-100 | 260 | 31.4 | |
| C) | 101-250 | 140 | 16.9 | |
| D) | > 250 | 78 | 9.4 | |

DISTRIBUTION OF NUMBER OF DAYS IN TRIPS OF INTERVIEWED ANGLERS

| NUMBER DAYS IN TRIP | NUMBER ANGLERS INTERVIEWED | PERCENT CONTRIBUTION |
|---------------------------|----------------------------------|-------------------------|
| A) 1 | 388 | 77.3 |
| B) 2-5 | 111 | 22.1 |
| C) 6-10 | 3 | 0.6 |

Appendix I

Field Data Collection Forms



Tennessee Wildlife Resources Agency Reservoir Angler Count



| 1. | Calendar Date / / mm dd yy | 2. Day Period: am or pm (Circle One) |
|----|-------------------------------|---|
| 3. | Reservoir(Code) | 4. Area |
| 5. | Clerk ID (TWRA Radio Numbers) | 6. Survey Method: Roving or Access Point (Circle) |
| 7. | Count of Bank Anglers | 8. Count of Boat Anglers |
| 9. | Comments | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |



Tennessee Wildlife Resources Agency



ANGLER SURVEY

| I. Calendar Date | / / 2. Loc dd yy | cation(code) | 3. Area | |
|---|---|---|--|---|
| 4. Angler Type: Bank | or Boat (circle one) 5. I | Iours Fished | | |
| 6. How many more ho | urs do you plan to fish t | oday?(indicat | e completed trip with 0.0) | |
| 7. Party Size | number of anglers) 8. N | Jumber in Party Wearin | g PFDs | |
| 9. Principal Species Fi | shed For: (circle one) | | | |
| 997 any species 370 crappie 360 black bass | 363 spotted bass 345 sunfish 238 catfish bass 492 walleye bass 491 sauger | 282 trout 32 287 lake trout 32 279 rainbow trout 32 | 6 brook trout 5 temperate bass 8 striped bass 6 white bass 9 hybrid striped bass | 268 muskie 16 other |
| Species Code | No. Harvested | Bulk Weight (lbs.) | No. Released | |
| | | | | |
| | | • | | |
| | | • | | *************************************** |
| | | • | | |
| | | ٠ | | |
| | | | | |
| | | • | | |
| 10. State of Residence_ | (code) 11. C | County of Residence | (code) | |
| 12. Miles from Home to | Lake (1 = 0-25 m | ni., 2 = 26-100 mi., 3 = 101-250 | 0 mi., 4 = over 250 mi.) | |
| 13. No. of days in Trip | *************************************** | | | |
| Creel Clerk: "I would n to the TWRA to estimate calculate this economic o | ow like to ask you some q the value of reservoir spo estimate." | questions about the value ort fisheries. The next two | of your fishing trip. I questions will be us | It is important ed <u>only</u> to |
| 14. How much money v | vill you spend on today? | s fishing trip for things l | ike gas, food, bait, | rentals, fees, |
| lodging, guides, etc. | .? \$ | | | |
| | | ou be willing to pay to fake this trip? \$ | | for example, it |
| 16. Was the angler(s) fi | shing in a tournament d | uring the interview? Y | es No | |
| WP_6794 (Pev_11/13) | | | | |

WR-0794 (Rev. 11/13) Fisheries Division